



Flu Watch

South Carolina Department of Health and Environmental Control
 Division of Acute Disease Epidemiology
 Influenza Surveillance Weekly Support

<http://www.scdhec.gov/health/disease/acute/flu.htm>

Week Ending April 10, 2010 (MMWR Week 14)

Highlights:

Influenza Activity Level: Sporadic

Note: Activity level definitions are found on page 10

ILI Activity Status (HHS Region 4 ILI baseline is 2.0%*): Below baseline in the Upstate (.31%), Midlands (.51%) and along the Coast (.84%). The state ILI percentage decreased to .50%. These data reflect reports from 24 (33.3%) providers. Note: See map of counties on page 3 for regional descriptions

SC Viral Isolate and RT-PCR Activity: During the past MMWR (14) week, 11 positive specimens were reported. Since October 4, 2009, 592 specimens tested by our Bureau of Labs (BOL) have been positive for influenza. A total of 356 positive specimens have been reported by other labs. So far this season, all subtyped influenza A viruses have been 2009 H1N1. One influenza B has been identified this season.

Positive Rapid Flu Test Activity: There were 97 positive tests reported.

Hospitalizations: 3 hospitalizations were reported. Since September 1, 2009, 1,081 laboratory confirmed hospitalizations have been reported.


Deaths: 1 death was reported during MMWR week 14. Since September 1, 2009, 46 deaths have been reported.

In this issue:	
	Page
I. ILINet Influenza-Like Illness Surveillance Graph of ILI comparing 08-09 and 09-10 seasons Table of ILI % by county, current MMWR week ILI by geographic region	2
II. Virologic surveillance Table of confirmed culture and RT-PCR tests, current MMWR week Table of confirmed culture and RT-PCR tests, year to date Table of confirmed culture and RT-PCR tests by county, year to date Graph of confirmed culture and RT-PCR tests by MMWR week, year to date	4
III. Rapid Antigen Tests Table of positive rapid tests by county, current MMWR week Graph of positive rapid tests by MMWR week, 08-09 vs 09-10	6
IV. Hospitalizations and Deaths Table of influenza hospitalizations and deaths, year to date Graph of influenza hospitalizations and deaths by MMWR week Graph of influenza hospitalizations and deaths by age group Graph of influenza hospitalizations and death case rates by age group	7
V. Description of SC influenza surveillance	9
VI. Influenza activity level definitions	10

I. ILINet Influenza-Like Illness Surveillance

During MMWR week 14 ending April 10, 2010, .50% of patient visits to SC ILNet providers were due to ILI. The state ILI decreased and is well below the regional (2.0%) and national (2.3%) baselines. This ILI percentage compares to 1.33% this time last year. Reports were received from providers in 16 counties, representing 7 of the 8 regions. The percentage of visits ranged from 0% to 4.60%.

Percentage of Visits for Influenza-like Illness (ILI) Reported by Sentinel Providers in South Carolina, 2008-2009 and 2009-2010 Influenza Seasons



*HHS Region 4 consists of Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations.

Reported Influenza-Like Illness by Sentinel Providers
April 4, 2010-April 10, 2010

County	ILI %	County	ILI %
Abbeville	NR	Greenwood	0%
Aiken	1.04%	Hampton	NR
Allendale	NR	Horry	NR
Anderson	NR	Jasper	NR
Bamberg	---	Kershaw	1.22%
Barnwell	NR	Lancaster	---
Beaufort	NR	Laurens	NR
Berkeley	NR	Lee	---
Calhoun	---	Lexington	2.33%
Charleston	1.03%	Marion	---
Cherokee	---	Marlboro	NR
Chester	---	McCormick	NR
Chesterfield	---	Newberry	---
Clarendon	---	Oconee	NR
Colleton	NR	Orangeburg	NR
Darlington	---	Pickens	0%
Dillon	NR	Richland	.52%
Dorchester	NR	Saluda	0%
Edgefield	---	Spartanburg	0%
Fairfield	0%	Sumter	0%
Florence	.23%	Union	---
Georgetown	.61%	Williamsburg	---
Greenville	.43%	York	0%

NR: No reports received

---: No enrolled providers



Geographic Region	ILI %	# of Reporters
Upstate-Regions 1-2	.31	9
Midlands-Regions 3-5	.51	9
Coastal-Regions 6-8	.84	6

II. Virologic Surveillance

During the past MMWR week (4/4-4/10), seven positive specimens were reported by the Bureau of Labs (BOL). Four positive specimens were reported by other clinical labs. Since October 4, 2009, 948 specimens tested have been positive for influenza.


Positive confirmatory influenza test results Current MMWR Week (4/4/10-4/10/10)		
	BOL*	Other clinical labs
Number of specimens tested	33	-
Number of positive specimens	7	4
Positive specimens by type/subtype		
A (H1)		
A (H3)		
A (unsubtyped)		
A (2009 H1N1)	7	4
Influenza B		
*Culture and/or RT-PCR		

Positive confirmatory influenza test results Cumulative (10/04/09-4/10/10)		
	BOL*	Other clinical labs
Number of specimens tested	2252	-
Number of positive specimens	592 (26%)	356
Positive specimens by type/subtype		
Influenza A		
A (H3)		
A (unsubtyped)		89 (25%)
A (2009 H1N1)	591 (99.8%)	267 (75%)
Influenza B	1 (.2%)	
Unk		
Other		
*Culture and/or RT-PCR		

Positive Confirmatory tests by County
October 4, 2009-April 3, 2010

County	Total	County	Total
Abbeville	3	Hampton	5
Aiken	18	Horry	35
Allendale		Jasper	2
Anderson	26	Kershaw	10
Bamberg	7	Lancaster	8
Barnwell	1	Laurens	12
Beaufort	76	Lee	8
Berkeley	17	Lexington	18
Calhoun	1	Marion	1
Charleston	51	Marlboro	2
Cherokee	8	McCormick	1
Chester	12	Newberry	1
Chesterfield	6	Oconee	15
Clarendon		Orangeburg	16
Colleton	26	Pickens	11
Darlington	25	Richland	86
Dillon	3	Saluda	1
Dorchester	20	Spartanburg	65
Edgefield	6	Sumter	7
Fairfield	3	Union	
Florence	37	Williamsburg	5
Georgetown	7	York	12
Greenville	66	Unknown	124
Greenwood	19	Other	9

*These data include cultures and RT-PCR and are provisional.




III. Positive Rapid Antigen Tests

There were 37 positive rapid antigen tests reported for the week ending April 10, 2010. Of these, 31 were influenza A, 5 were influenza A/B, and 1 was influenza B. Since October 4, 2009, 21,461 positive rapid antigen tests have been reported.

Positive Rapid Flu Tests by County
April 4, 2010 – April 10, 2010

County	Positive Tests	County	Positive Tests
Abbeville	1	Greenwood	
Aiken		Hampton	
Allendale		Horry	2
Anderson	1	Jasper	
Bamberg		Kershaw	1
Barnwell		Lancaster	11
Beaufort		Laurens	1
Berkeley		Lee	
Calhoun		Lexington	1
Charleston		Marion	
Cherokee		Marlboro	
Chester	1	McCormick	
Chesterfield		Newberry	1
Clarendon		Oconee	1
Colleton		Orangeburg	2
Darlington		Pickens	
Dillon		Richland	8
Dorchester		Saluda	
Edgefield		Spartanburg	4
Fairfield		Sumter	
Florence		Union	
Georgetown		Williamsburg	
Greenville	4	York	1
		Unk	




IV. Influenza hospitalizations and deaths


A total of 3 lab confirmed influenza hospitalizations were reported by 40 hospitals during the past week. One lab confirmed influenza death was reported. Since September 1, 2009, 1,081 lab confirmed hospitalizations and 46 lab confirmed deaths have been reported.

	Total number	
Number of Hospitals Reporting (current week)	40	
	<i>Previous MMWR (4/4-4/10)</i>	<i>Cumulative (since 9/1/09)</i>
Hospitalizations	3	1081
Deaths	1	46


*These data are provisional



**Reported Cases of Laboratory Confirmed Influenza
Hospitalizations (n=1081) and Deaths (n=46) by agegroup
September 1, 2009 - April 10, 2010**



**Laboratory Confirmed Influenza Case rate/100,000
Hospitalizations (n=1081) and Deaths (n=46) by age group
September 1, 2009 - April 10, 2010**



*Rate calculation excludes 85 hospitalizations with missing age

V. South Carolina Influenza Surveillance Components

What does influenza surveillance in South Carolina consist of?

South Carolina influenza surveillance consists of mandatory and voluntary reporting systems for year-round influenza surveillance. These networks provide information on influenza virus strain and subtype and influenza disease burden.

South Carolina Influenza Surveillance Systems:

Mandatory reporting:

Positive Influenza Culture Reporting

Positive influenza culture results from commercial laboratories should be reported to DHEC within 7 days electronically via CHES or using a DHEC 1129 card.

Positive Rapid Antigen Test Reporting

DHEC requires weekly submission to the local health department of summary numbers of positive rapid influenza tests and influenza type identified. This should be reported by fax or email by **noon on Monday** for the preceding week.

Influenza death reporting

Lab confirmed influenza deaths, pediatric and adult, should be reported to DHEC within 7 days. These include results from viral culture, PCR, rapid flu tests, DFA, IFA or autopsy results consistent with influenza. Hospitals should report deaths to their regional health department by noon on Monday for the preceding week.

Influenza hospitalizations

DHEC now requires weekly submission of laboratory confirmed influenza hospitalizations. Hospitals should report these to their regional health department by **noon on Monday** for the preceding week.

Voluntary networks:

Laboratory Viral Isolate Network

Viral isolate surveillance is essential for identifying circulating influenza strain subtype information, and the identification of new strains that may need to be included in the next year's influenza vaccine. Participating providers receive culture media, packaging, processing and shipping labels in order to submit a subset of specimens to the Bureau of Labs (BOL).

Influenza-Like Illness (ILINet) Sentinel Providers Network

ILINet focuses on the number of patients presenting with influenza-like symptoms in the absence of another known cause. ILI is defined as fever (temperature of $\geq 100^{\circ}\text{F}$) plus a cough and/or a sore throat in the absence of another known cause. Providers submit weekly reports to the CDC of the total number of patients seen in a week and the subset number of those patients with ILI symptoms by age group.

For additional information about ILINet or to become an ILINet provider, contact the Acute Disease Epidemiology influenza surveillance coordinator at springcb@dhec.sc.gov.

South Carolina Aberration Alerting Network (SCAAN)

SCAAN is a collaborative network of syndromic surveillance systems within South Carolina. Currently our network contains the following data sources: SC Hospital Emergency Department (ED) chief-complaint data, Poison Control Center call data, Over-the-Counter (OTC) pharmaceutical sales surveillance, and CDC's BioSense Biosurveillance system. The hospital ED syndromic surveillance system classifies ED chief complaint

data into appropriate syndrome categories (ex: Respiratory, GI, Fever, etc.). These syndrome categories are then analyzed using the cumulative sum (CUSUM) methodology to detect any significant increases. The syndromic reports are distributed back to the hospital on a daily basis.

To join the SCAAN system or for more information, please contact: Himel Dhotre at 803-898-1588 or dhotrehc@dhec.sc.gov.

VI. Influenza Activity Levels

Activity Level	ILI activity/Outbreaks		Laboratory data
No activity	Low	And	No lab confirmed cases
Sporadic	Not increased	And	Isolated lab-confirmed cases
	OR		
Local	Not increased	And	Lab confirmed outbreak in one institution
	Increased ILI in 1 region; ILI activity in other regions is not increased	And	Recent (within the past 3 weeks) lab evidence of influenza in region with increased ILI
Local	OR		
	2 or more institutional outbreaks (ILI or lab confirmed) in 1 region; ILI activity in other regions is not increased	And	Recent (within the past 3 weeks) lab evidence of influenza in region with the outbreaks; virus activity is no greater than sporadic in other regions
Regional	Increased ILI in 2-3 regions	And	Recent (within the past 3 weeks) lab confirmed influenza in the affected regions
	OR		
Regional	Institutional outbreaks (ILI or lab confirmed) in 2-3 regions	And	Recent (within the past 3 weeks) lab confirmed influenza in the affected regions
	Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in at 4 of the regions	And	Recent (within the past 3 weeks) lab confirmed influenza in the state.