

Barnwell 2016 Statewide Primary Audit Report

Barnwell Ballot Audit Report
 Election: 2016 Statewide Primary
 Audit Date: 09:36:54, Fri Jun 17, 2016

Prec Nber	Precinct Name	EL30A				Audit				Comments
		Total	Opt	iVo	Flash	iVo	Opt	Man	Delta	
0001	Barnwell 1	40	0	40	0	40	0	0	0	
0002	Barnwell 2	116	0	116	0	116	0	0	0	
0003	Barnwell 3	101	0	101	0	101	0	0	0	
0004	Barnwell 4	56	0	56	0	56	0	0	0	
0005	Blackville 1	49	0	49	0	49	0	0	0	
0006	Blackville 2	34	0	34	0	34	0	0	0	
0007	Elko	64	0	64	0	64	0	0	0	
0008	Friendship	20	0	20	0	20	0	0	0	
0009	Kline	30	0	30	0	30	0	0	0	
0010	Healing Springs	65	0	65	0	65	0	0	0	
0011	Hilda	39	0	39	0	39	0	0	0	
0012	Snelling	59	0	59	0	59	0	0	0	
0013	Williston 1	81	0	81	0	81	0	0	0	
0014	Williston 2	94	0	94	0	94	0	0	0	
0015	Williston 3	143	0	143	0	143	0	0	0	
Precincts Total:		991	0	991	0	991	0	0	0	
0750	Absentee	151	54	19	78	97	54	0	0	
0800	Emergency	0	0	0	0	0	0	0	0	
0850	Fail safe	0	0	0	0	0	0	0	0	
0900	Provisional	0	0	0	0	0	0	0	0	
0950	Fail safe Provisional	0	0	0	0	0	0	0	0	
Virtual Precincts Total:		151	54	19	78	97	54	0	0	
Grand Total:		1142	54	1010	78	1088	54	0	0	

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 11
 The following precincts have no ballots cast in them: Emergency, Fail safe, Provisional, Fail safe Provisional
 This audit is complete and has no exceptions.

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A iVo Ballots	EL155 Ballots	EL152 Ballots
1088	1088	1088
Delta from EL30A	0	0
	Delta from EL155	0
	Cast By Voter	1088
	Cast By Poll Wkr	0
	Blank Cast by PW	0

Barnwell 2016 Statewide Primary Audit Report

Cancelled Ballots	33	
Wrong Ballot	30	
Voter Left AB	0	(AB = After ballot selected by poll worker.)
Voter Left BB	0	(BB = Before ballot selected by poll worker.)
Voter Request	0	
Printer Problem	0	
Terminal Problem	0	
Other Reason	3	

Number of ADA audio enabled events in this election: 2

Precinct Number and Name	Machine	Date	Time
0002 Barnwell 2	5121700	06/11/2016	11:03:56
0003 Barnwell 3	5125498	06/11/2016	11:14:30

Election Date: 06/14/2016

In all but the Absentee Precinct events reported before election day are due to testing. Machines reported with precinct unknown had ADA Audio Enabled Events but no ballots were cast on them.

Note: The following machines(s) have audit records but no ballots were cast on them: 5126449
 Because they do not have ballots cast, they cannot be matched to a precinct. This is not an issue as long as the EL30A Ivo Ballots, the EL155 Ballots and the EL152 Ballots match in the table immediately above.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinct line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit

Barnwell 2016 Statewide Primary Audit Report

files, the EL155 Vote image log and the EL152 iVotronic event log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report This table should indicate that the nubmer ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 repor that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

Barnwell Vote Level Audit Report
 Election: 2016 Statewide Primary
 Audit Date: 09:37:13, Fri Jun 17, 2016

Precinct Number / Name Office	Candidate	Party	EL30A				Audit		Comments
			Total	Optical	iVo	Flash	iVo	Delta	
0001 Barnwell 1									
DEM - U. S. House of Representatives District 2	Arik Bjorn		12	0	12	0	12	0	
DEM - U. S. House of Representatives District 2	Phil Black		5	0	5	0	5	0	
REP - County Council District 3	Tim Bodiford		11	0	11	0	11	0	
REP - County Council District 3	Donald Q Harper		4	0	4	0	4	0	
REP - County Council District 3	Keith Sloan		1	0	1	0	1	0	
REP - County Council District 5	Ben Kinlaw		5	0	5	0	5	0	

Barnwell 2016 Statewide Primary Audit Report

0009	Kline						
DEM - U. S. House of Representatives District 2	Arik Bjorn	6	0	6	0	6	0
DEM - U. S. House of Representatives District 2	Phil Black	23	0	23	0	23	0
DEM - State House of Representatives District 90	Justin Bamberg	13	0	13	0	13	0
DEM - State House of Representatives District 90	Evert Comer Jr	7	0	7	0	7	0
0010	Healing Springs						
DEM - U. S. House of Representatives District 2	Arik Bjorn	20	0	20	0	20	0
DEM - U. S. House of Representatives District 2	Phil Black	18	0	18	0	18	0
REP - County Council District 3	Tim Bodiford	9	0	9	0	9	0
REP - County Council District 3	Donald Q Harper	10	0	10	0	10	0
REP - County Council District 3	Keith Sloan	6	0	6	0	6	0
0011	Hilda						
DEM - U. S. House of Representatives District 2	Arik Bjorn	4	0	4	0	4	0
DEM - U. S. House of Representatives District 2	Phil Black	31	0	31	0	31	0
DEM - State House of Representatives District 90	Justin Bamberg	13	0	13	0	13	0
DEM - State House of Representatives District 90	Evert Comer Jr	25	0	25	0	25	0
0012	Snelling						
DEM - U. S. House of Representatives District 2	Arik Bjorn	17	0	17	0	17	0
DEM - U. S. House of Representatives District 2	Phil Black	42	0	42	0	42	0
0013	Williston 1						
DEM - U. S. House of Representatives District 2	Arik Bjorn	21	0	21	0	21	0
DEM - U. S. House of Representatives District 2	Phil Black	22	0	22	0	22	0
REP - County Council District 3	Tim Bodiford	5	0	5	0	5	0
REP - County Council District 3	Donald Q Harper	22	0	22	0	22	0
REP - County Council District 3	Keith Sloan	11	0	11	0	11	0
0014	Williston 2						
DEM - U. S. House of Representatives District 2	Arik Bjorn	2	0	2	0	2	0
DEM - U. S. House of Representatives District 2	Phil Black	0	0	0	0	0	0
REP - County Council District 3	Tim Bodiford	11	0	11	0	11	0
REP - County Council District 3	Donald Q Harper	56	0	56	0	56	0
REP - County Council District 3	Keith Sloan	24	0	24	0	24	0
0015	Williston 3						
DEM - U. S. House of Representatives District 2	Arik Bjorn	6	0	6	0	6	0
DEM - U. S. House of Representatives District 2	Phil Black	4	0	4	0	4	0
REP - County Council District 3	Tim Bodiford	8	0	8	0	8	0
REP - County Council District 3	Donald Q Harper	66	0	66	0	66	0
REP - County Council District 3	Keith Sloan	58	0	58	0	58	0
0750	Absentee						
DEM - U. S. House of Representatives District 2	Arik Bjorn	41	27	4	10	14	-10 PEB Data
DEM - U. S. House of Representatives District 2	Phil Black	19	12	4	3	7	-3 PEB Data
DEM - State House of Representatives District 90	Justin Bamberg	2	2	0	0	0	0
candiate							

* in this precinct are optical.

Barnwell 2016 Statewide Primary Audit Report

DEM - State House of Representatives District 90Evert Comer Jr candi date	2	2	0	0	* No Audit Data for optical. * All votes cast for this * in this precinct are optical. * No Audit Data for optical.	
REP - County Council District 3 Tim Bodiford	12	1	2	9	11	-9 Flash Data
REP - County Council District 3 Donald Q Harper	17	5	6	6	12	-6 Flash Data
REP - County Council District 3 Keith Sloan	13	3	0	10	10	0
REP - County Council District 5 Ben Kinlaw	24	0	2	22	24	-22 Flash Data
REP - County Council District 5 Joe A Smith	24	5	1	18	19	-18 Flash Data
Auditor's Comments: There was a change to the election after the absentee balloting had begun, So the iVotronics were isolated and a new set of machines were deployed in Absentee. On election day, the ballots from those isolated machines were loaded into Unity as Flash Data. All votes were counted correctly						
0800 Emergency						
DEM - U. S. House of Representatives District 2Arik Bjorn found	0	0	0	0	0	* No Audit Data expected or
DEM - U. S. House of Representatives District 2Phil Black found	0	0	0	0	0	* No Audit Data expected or
DEM - State House of Representatives District 90Justin Bamberg found	0	0	0	0	0	* No Audit Data expected or
DEM - State House of Representatives District 90Evert Comer Jr found	0	0	0	0	0	* No Audit Data expected or
REP - County Council District 3 Tim Bodiford	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 3 Donald Q Harper	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 3 Keith Sloan	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 5 Ben Kinlaw	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 5 Joe A Smith	0	0	0	0	0	* No Audit Data expected or found
0850 Fail safe						
DEM - U. S. House of Representatives District 2Arik Bjorn found	0	0	0	0	0	* No Audit Data expected or
DEM - U. S. House of Representatives District 2Phil Black found	0	0	0	0	0	* No Audit Data expected or
DEM - State House of Representatives District 90Justin Bamberg found	0	0	0	0	0	* No Audit Data expected or
DEM - State House of Representatives District 90Evert Comer Jr found	0	0	0	0	0	* No Audit Data expected or
REP - County Council District 3 Tim Bodiford	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 3 Donald Q Harper	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 3 Keith Sloan	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 5 Ben Kinlaw	0	0	0	0	0	* No Audit Data expected or found
REP - County Council District 5 Joe A Smith	0	0	0	0	0	* No Audit Data expected or found
0900 Provisional						
DEM - U. S. House of Representatives District 2Arik Bjorn	0	0	0	0	0	* No Audit Data expected or

Barnwell 2016 Statewide Primary Audit Report

found					
DEM - U. S. House of Representatives District 2	Phil Black	0	0	0	0 * No Audit Data expected or
found					
DEM - State House of Representatives District 90	Justin Bamberg	0	0	0	0 * No Audit Data expected or
found					
DEM - State House of Representatives District 90	Evert Comer Jr	0	0	0	0 * No Audit Data expected or
found					
REP - County Council District 3	Tim Bodiford	0	0	0	0 * No Audit Data expected or found
REP - County Council District 3	Donald Q Harper	0	0	0	0 * No Audit Data expected or found
REP - County Council District 3	Keith Sloan	0	0	0	0 * No Audit Data expected or found
REP - County Council District 5	Ben Kinlaw	0	0	0	0 * No Audit Data expected or found
REP - County Council District 5	Joe A Smith	0	0	0	0 * No Audit Data expected or found
0950 Failsafe Provisional					
DEM - U. S. House of Representatives District 2	Arik Bjorn	0	0	0	0 * No Audit Data expected or
found					
DEM - U. S. House of Representatives District 2	Phil Black	0	0	0	0 * No Audit Data expected or
found					
There was no unmatched audit data					

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Barnwell 2016 Statewide Primary Audit Report

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

Barnwell EL30A45A Comparison Report
 Election: 2016 Statewide Primary
 Audit Date: 9:39:49, Fri Jun 17, 2016

Office	Candidate	Party	EL30A				EL45A				Delta
			Tot	Opt	iVo	Flash	Tot	Opt	iVo	Flash	
U. S. House of Representatives District 2	Arik Bjorn		215	27	178	10	215	27	178	10	0
U. S. House of Representatives District 2	Phil Black		302	12	287	3	302	12	287	3	0
County Council District 3	Tim Bodiford		90	1	80	9	90	1	80	9	0
County Council District 3	Donald Q Harper		222	5	211	6	222	5	211	6	0
County Council District 3	Keith Sloan		132	3	119	10	132	3	119	10	0
County Council District 5	Ben Kinlaw		99	0	77	22	99	0	77	22	0
County Council District 5	Joe A Smith		62	5	39	18	62	5	39	18	0
State House of Representatives District 90	Justin Bamberg		46	2	44	0	46	2	44	0	0
State House of Representatives District 90	Evert Comer Jr		50	2	48	0	50	2	48	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical

Barnwell 2016 Statewide Primary Audit Report

scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

Barnwell PEB Use Report
 Election: 2016 Statewide Primary
 Audit Date: 09:36:54, Fri Jun 17, 2016

Precinct	PEBs Used	Comments
Barnwell 1	143278	
Barnwell 2	197625	
Barnwell 3	144399	
Barnwell 4	124872	
Blackville 1	150920	
Blackville 2	147271	
Elko	207431	
Friendship	165277	
Kline	165267	
Healing Springs	165255	
Hilda	225476	
Snelling	225488	
Williston 1	124922	
Williston 2	225419	
Williston 3	207435	
Absentee	229868	225479 WARNING: 2 PEBs used to open/close machines.

16 precincts processed

The following precinct(s) have no ballots cast in them: Emergency, Failsafe, Provisional, Failsafe Provisional
 Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

Barnwell 2016 Statewide Primary Audit Report

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

 Barnwell PEB Exceptions Report
 Election: 2016 Statewide Primary
 Election date: 06/14/2016
 Audit Date: 09:36:54, Fri Jun 17, 2016

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5118679	229868	06/11/2016 14:01:51	229868	06/14/2016 19:18:51	>>Open Date<<	Absentee - 8
5118679	229868	06/11/2016 14:01:51	229868	06/14/2016 19:18:51	Open Time	Absentee - 8
5119667	229868	06/11/2016 13:58:54	229868	06/14/2016 19:15:43	>>Open Date<<	Absentee - 1
5119667	229868	06/11/2016 13:58:54	229868	06/14/2016 19:15:43	Open Time	Absentee - 1
5119805	225479	05/12/2016 16:50:50	225479	06/14/2016 19:12:06	>>Open Date<<	Absentee - 10
5119805	225479	05/12/2016 16:50:50	225479	06/14/2016 19:12:06	Open Time	Absentee - 10
5120136	229868	06/11/2016 13:56:21	229868	06/14/2016 19:12:01	>>Open Date<<	Absentee - 10
5120136	229868	06/11/2016 13:56:21	229868	06/14/2016 19:12:01	Open Time	Absentee - 10
5120191	225479	05/12/2016 16:57:17	225479	06/14/2016 19:14:02	>>Open Date<<	Absentee - 51
5120191	225479	05/12/2016 16:57:17	225479	06/14/2016 19:14:02	Open Time	Absentee - 51
5122925	147271	06/14/2016 07:00:51	147271	06/14/2016 19:02:16	Open Time	Blackville 2 - 1
5124752	147271	06/14/2016 07:01:52	147271	06/14/2016 19:04:25	Open Time	Blackville 2 - 19
5126449	229868	06/11/2016 13:59:54	229868	06/14/2016 19:17:06	>>Open Date<<	>>>No Ballots<<<
5126449	229868	06/11/2016 13:59:54	229868	06/14/2016 19:17:06	Open Time	>>>No Ballots<<<
5127829	225479	05/12/2016 16:52:10	225479	06/14/2016 19:08:09	>>Open Date<<	Absentee - 5
5127829	225479	05/12/2016 16:52:10	225479	06/14/2016 19:08:09	Open Time	Absentee - 5
5129877	147271	06/14/2016 07:03:13	147271	06/14/2016 19:06:58	Open Time	Blackville 2 - 14
5129966	225479	05/12/2016 16:54:22	225479	06/14/2016 19:14:15	>>Open Date<<	Absentee - 12
5129966	225479	05/12/2016 16:54:22	225479	06/14/2016 19:14:15	Open Time	Absentee - 12

The following machine(s) have audit records but no ballots were cast on them: 5126449
 Because they do not have ballots cast, they cannot be matched to a precinct.

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs

Barnwell 2016 Statewide Primary Audit Report

- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here
- 5: A Machine that was closed before 7pm - polls close at 7 PM
- 6: A Machine that was not closed ever.
- 7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information:
iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Failsafe precinct machines are opened during the middle of the day several days before the election date of 06/14/2016. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.