

# SCSL Digital Collections

## South Carolina State Ports Authority - Continuous Air Monitoring Station for the Wando Welch Terminal Q3 2014 quarterly report

Item Type	Text
Publisher	South Carolina State Library
Rights	Copyright status undetermined. For more information contact, South Carolina State Library, 1500 Senate Street, Columbia, South Carolina 29201.
Download date	2024-09-08 12:58:26
Link to Item	<a href="http://hdl.handle.net/10827/28803">http://hdl.handle.net/10827/28803</a>



**South Carolina State Ports  
Authority – Continuous Air  
Monitoring Station for the Wando  
Welch Terminal**

Q3 2014 Quarterly Report

October 2014



**South Carolina State Ports  
Authority - Continuous Air  
Monitoring Station for the  
Wando Welch Terminal**

Q3 2014 Quarterly Report

Prepared for:  
South Carolina State Ports Authority  
176 Concord Street  
Charleston  
South Carolina 29401

Prepared by:  
ARCADIS U.S., Inc.  
4915 Prospectus Drive  
Suite F  
Durham  
North Carolina 27713  
Tel 919 544 4535  
Fax 919 544 5690

Our Ref.:  
RN006310

Date:  
October 2014

*This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.*

<b>1. Introduction</b>	<b>1</b>
1.1 Scope	1
1.2 Project Description	1
<b>2. Quarterly Results</b>	<b>3</b>
2.1 Specific Data Notes	9
<b>3. Quality Assurance/Quality Control</b>	<b>10</b>
3.1 Daily QC/Validation	10
3.2 Quarterly Data Validation	11

**Tables**

Table 2-1.	24-Hour Averages and Daily Maximums	3
Table 2-2.	Quarterly Statistics	6
Table 2-3.	National Ambient Air Quality Standards	7
Table 2-4.	Monthly Statistics	9
Table 3-1.	QA/QC Daily Comment Sheet	10

**Figures**

Figure 2-1.	24-hour Averages	8
Figure 2-2.	Max 1-hour Averages	8

**Appendices**

A	Quality Assurance Plan for Continuous Air Monitoring Station for the Wando Welch Terminal	
---	---	--



## **1. Introduction**

### **1.1 Scope**

ARCADIS U.S., Inc. (ARCADIS) was contracted in late December 2010 to provide Continuous Air Monitoring Services to the South Carolina State Ports Authority (SCSPA) at the Wando Welch Terminal in Mt. Pleasant, SC. ARCADIS has followed through on the planned schedule and activities since that award. The major accomplishments were to complete the Quality Assurance Plan (QAP), purchase the instruments, complete the site setup, and then to begin acquiring data. This report is the 14<sup>th</sup> quarterly data report (second quarterly report in year four of operations) and presents the data summaries requested by SCSPA and described in the work scope. The data acquisition was started on May 6, 2011 in line with the court mandated start date. This report encompasses a period corresponding to data taken during the period from July 1, 2014 through September 30, 2014.

### **1.2 Project Description**

SCSPA requested a system to provide ambient air quality data including particulate matter less than 2.5 microns (PM<sub>2.5</sub>), SO<sub>2</sub>, and NO<sub>2</sub> for a period of 5 years at the Wando Welch Terminal of the port of Charleston. ARCADIS will maintain the monitoring instruments, stock consumables such as filters and calibration gases, and order spare parts such that downtime will be minimized. ARCADIS has established standard operating procedures to perform daily downloads and to provide Level 1 data validation for the resulting data. This monitoring project setup was relatively straightforward and has proven to be reliable and is generating valid high quality data suitable for use in dispersion modeling or other potential purposes.

The QAP is updated periodically to reflect improvements to the basic operating procedures or to document changes in the air quality standards. An update was performed on September 20, 2012, following the annual maintenance program and an on-site audit by the S.C. Department of Health and Environmental Control (conducted June 14-15, 2012) to reflect actual procedures at the end of the first year of operation. An update was also performed on October 17, 2013, to reflect changes to the National Ambient Air Quality Standards (NAAQS) for PM<sub>2.5</sub>. This QAP is written consistent with the current ambient air quality standards for PM, NO<sub>x</sub> and SO<sub>2</sub> as defined by the U.S. Environmental Protection Agency.



The location selected for sampling and the sampling equipment has proven to be well-suited for the project as it is centrally located to the port activities and is influenced by local sources and meteorological conditions. Although this is not a typical fence line site, it has shown high value in permitting the evaluation of port activities and related air quality effects. ARCADIS has been able to remotely access the control computer and reliably interact with the instruments. The instruments are very responsive to events such as container handling equipment and the morning openings of the front gates to entering truck traffic. These patterns can be reviewed in the archived data any time in the future.



## 2. Quarterly Results

The 24-hr daily averages for PM<sub>2.5</sub>, NO, NO<sub>2</sub>, NO<sub>x</sub>, and SO<sub>2</sub> and the maximum daily values for NO<sub>2</sub> (1-hr average) and SO<sub>2</sub> (1-hr and 3-hr average) for this period are shown in Table 2-1. No exceedances were indicated this quarter. Quarterly statistics showing averages, minimums and maximums for all parameters are summarized in Table 2-2, with the corresponding NAAQS shown in Table 2-3. 24-hr averages for all constituents are also shown graphically in Figure 2-1. Maximum 1-hr averages for NO<sub>2</sub> and SO<sub>2</sub> are shown in Figure 2-2. Statistics are broken down by months and summarized in Table 2-4.

**Table 2-1. 24-Hour Averages and Daily Maximums**

Date	24-hour Averages					Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
7/1/14	7.99	12.14	16.01	28.13	0.24	34.75	1.15	0.57
7/2/14	13.47	16.63	8.82	25.35	0.12	27.43	2.01	0.67
7/3/14	9.30	4.62	9.61	14.20	0.97	29.46	6.92	2.98
7/4/14	15.28	0.47	2.45	2.88	0.82	8.59	3.33	2.20
7/5/14	15.46	0.04	0.71	0.72	0.16	5.84	2.05	1.12
7/6/14	6.09	0.13	0.33	0.45	0.05	2.56	1.16	0.39
7/7/14	4.32	7.19	7.89	15.08	0.16	18.54	2.37	0.79
7/8/14	11.62	5.15	7.83	12.97	1.02	22.59	4.02	2.94
7/9/14	12.52	7.65	9.16	16.80	1.12	28.34	6.26	4.00
7/10/14	12.41	7.63	9.92	17.53	0.50	24.96	3.40	1.31
7/11/14	8.10	5.01	13.31	18.30	1.67	26.31	5.10	3.73
7/12/14	3.17	0.22	1.65	1.81	0.17	6.67	3.41	1.14
7/13/14	4.61	0.37	1.57	1.86	0.27	5.42	2.43	1.18
7/14/14	7.73	8.66	7.63	16.26	1.19	21.41	5.08	3.42
7/15/14	6.95	8.39	9.35	17.72	0.02	16.34	0.24	0.08
7/16/14	8.01	7.40	11.05	18.43	0.42	26.09	2.34	1.60
7/17/14	10.06	2.15	6.41	8.53	0.38	17.01	2.75	0.82
7/18/14	9.06	1.46	4.73	6.13	0.13	13.85	1.65	0.57
7/19/14	9.56	0.08	1.66	1.71	0.07	3.38	0.63	0.23

**SCSPA - Continuous  
Air Monitoring Station  
for the Wando Welch  
Terminal**



Q3 2014 Report

Date	24-hour Averages					Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
7/20/14	8.47	0.50	2.51	2.99	0.23	7.24	2.08	0.71
7/21/14	1.32	6.63	9.00	31.63	0.14	28.44	1.44	0.36
7/22/14	5.42	8.07	7.62	15.67	0.13	21.72	2.88	0.96
7/23/14	8.33	8.95	9.48	18.40	0.24	24.30	2.23	0.74
7/24/14	10.40	8.55	9.29	17.83	0.87	19.08	4.90	2.32
7/25/14	11.99	9.99	13.18	23.16	0.44	32.22	3.76	2.39
7/26/14	11.94	1.52	2.50	4.01	0.21	14.55	2.13	0.74
7/27/14	17.95	1.12	2.55	3.66	0.05	13.12	0.58	0.15
7/28/14	16.02	6.19	10.87	17.05	1.61	23.25	8.55	4.79
7/29/14	12.06	4.09	8.47	12.54	0.05	28.81	0.66	0.22
7/30/14	10.07	3.86	7.75	11.60	0.05	20.37	1.04	0.00
7/31/14	10.52	2.97	7.28	10.24	0.06	18.49	1.34	0.45
8/1/14	6.99	5.25	7.60	12.85	0.07	16.02	1.48	0.00
8/2/14	3.32	0.14	0.54	0.63	0.12	5.62	2.77	0.92
8/3/14	3.77	0.14	0.41	0.51	0.19	3.10	4.41	1.47
8/4/14	6.50	4.15	3.75	7.89	0.14	11.89	3.26	1.09
8/5/14	8.34	4.37	3.64	8.00	0.12	11.38	2.51	0.84
8/6/14	14.59	9.87	14.88	24.73	3.58	30.59	10.90	6.62
8/7/14	21.96	4.51	14.53	19.01	1.37	26.95	6.75	5.02
8/8/14	15.69	2.37	6.22	8.55	0.07	17.77	1.40	0.50
8/9/14	10.57	0.21	2.17	2.31	0.08	11.08	1.65	0.55
8/10/14	7.84	0.18	2.09	2.21	0.18	5.31	2.54	0.85
8/11/14	6.49	7.16	6.66	13.80	0.18	19.05	3.86	1.29
8/12/14	10.84	8.54	10.19	18.70	0.19	20.33	3.21	1.07
8/13/14	16.33	5.27	7.48	12.72	0.73	18.38	4.17	2.26
8/14/14	11.03	4.74	7.91	12.62	0.14	16.49	3.16	1.11
8/15/14	14.48	8.28	12.47	20.73	0.03	27.46	0.50	0.03
8/16/14	17.92	1.70	4.07	5.73	0.55	14.02	5.91	3.23
8/17/14	17.79	1.98	5.47	7.42	1.47	14.52	6.86	4.52



**SCSPA - Continuous  
Air Monitoring Station  
for the Wando Welch  
Terminal**



Q3 2014 Report

Date	24-hour Averages					Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
8/18/14	14.24	5.86	7.06	12.91	0.56	17.14	3.17	1.44
8/19/14	14.05	12.53	14.52	27.05	5.37	23.09	11.79	9.66
8/20/14	18.37	10.21	13.55	23.75	3.22	20.57	9.13	7.30
8/21/14	19.72	4.87	13.15	18.02	1.09	24.98	4.05	2.76
8/22/14	18.56	7.63	13.81	21.43	1.34	34.30	6.20	4.66
8/23/14	13.58	1.28	3.12	4.39	0.35	15.66	2.46	1.53
8/24/14	4.62	0.14	0.08	0.17	0.02	0.58	0.40	0.00
8/25/14	6.30	4.30	3.96	8.25	0.01	13.60	0.18	0.00
8/26/14	9.37	3.72	4.10	7.81	0.07	12.48	1.59	0.53
8/27/14	8.93	3.55	6.23	9.77	0.04	14.27	1.00	0.33
8/28/14	10.82	6.60	11.14	17.72	0.56	25.49	3.05	2.10
8/29/14	8.92	4.96	5.23	10.15	0.06	15.58	1.38	0.46
8/30/14	3.61	0.67	1.78	2.39	0.10	9.14	2.30	0.77
8/31/14	4.44	0.15	0.13	0.21	0.12	0.85	2.18	0.73
9/1/14	11.48	0.23	0.51	0.72	0.15	4.13	2.40	0.80
9/2/14	12.69	9.04	7.49	16.49	0.36	19.67	2.89	1.22
9/3/14	12.10	11.29	9.55	20.78	0.26	20.81	3.52	1.19
9/4/14	5.53	15.00	6.67	21.51	0.06	19.82	1.51	0.50
9/5/14	3.36	6.93	6.31	13.20	0.09	19.51	2.06	0.69
9/6/14	3.77	1.05	1.46	2.45	0.18	9.03	2.08	0.69
9/7/14	4.79	0.72	2.18	2.88	0.14	19.21	3.36	1.12
9/8/14	6.30	11.44	8.85	20.28	0.10	24.56	2.26	0.75
9/9/14	7.01	5.21	5.64	10.83	0.43	13.20	3.93	1.31
9/10/14	7.41	7.13	5.65	12.75	0.06	20.38	1.34	0.45
9/11/14	6.07	14.83	10.14	24.95	0.47	28.50	2.62	1.62
9/12/14	8.60	11.15	8.75	19.85	1.13	24.27	5.37	4.96
9/13/14	4.95	0.17	0.83	0.91	0.09	3.19	1.93	0.64
9/14/14	10.42	0.03	0.23	0.22	0.10	0.87	2.04	0.68
9/15/14	10.10	4.89	4.90	9.77	0.14	12.82	2.99	1.00



24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
9/16/14	6.83	12.88	13.78	26.64	0.46	32.96	4.58	1.67
9/17/14	5.27	8.72	9.08	17.78	0.26	24.24	4.59	1.53
9/18/14	7.24	3.53	7.16	10.66	0.18	18.15	2.35	0.79
9/19/14	7.28	2.23	5.97	8.18	0.13	21.49	2.69	0.90
9/20/14	5.25	0.23	0.91	1.12	0.03	4.42	0.56	0.01
9/21/14	11.74	1.61	5.23	6.79	1.64	28.91	7.22	4.41
9/22/14	10.49	7.52	11.38	18.86	0.92	29.34	3.35	2.65
9/23/14	6.59	7.31	7.60	14.87	0.19	18.81	3.06	1.03
9/24/14	5.80	3.43	3.81	7.19	0.19	11.41	3.33	1.11
9/25/14	5.51	7.35	3.59	10.92	0.20	11.42	3.04	1.01
9/26/14	5.40	5.22	3.54	8.76	0.20	9.37	3.47	1.16
9/27/14	4.18	0.14	0.40	0.52	0.10	2.15	1.72	0.58
9/28/14	7.88	0.00	0.03	0.02	0.11	0.33	2.01	0.67
9/29/14	4.28	4.85	6.28	11.11	0.10	15.80	1.68	0.06
9/30/14	6.97	4.38	6.17	10.52	0.19	21.37	2.97	0.99

Table 2-2. Quarterly Statistics

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
Average	9.41	5.02	6.44	11.60	0.48	17.16	3.14	1.56
Minimum	1.32	0.00	0.03	0.02	0.01	0.33	0.18	0.00
Maximum	21.96	16.63	16.01	31.63	5.37	34.75	11.79	9.66



**Table 2-3. National Ambient Air Quality Standards**

<b>Pollutant</b>	<b>Primary/ Secondary</b>	<b>Averaging Time</b>	<b>Level</b>	<b>Form</b>
NO <sub>2</sub>	Primary	1-hour	100 ppb	98th Percentile, averaged over 3 years
	Primary and Secondary	Annual	53 ppb <sup>(1)</sup>	Annual Mean
SO <sub>2</sub>	Primary	1-hour	75 ppb <sup>(2)</sup>	99th Percentile of 1-hour daily maximum concentrations, averaged over 3 years
	Secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year
PM <sub>2.5</sub>	Primary	Annual	12 µg/m <sup>3</sup>	Annual mean, averaged over 3 years
	Secondary	Annual	15 µg/m <sup>3</sup>	Annual mean, averaged over 3 years
	Primary and Secondary	24-hour	35 µg/m <sup>3</sup>	98th Percentile, averaged over 3 years

- (1) The official level of the annual NO<sub>2</sub> standard is 0.053 ppm, equal to 53 ppb, which is shown here for the purpose of clearer comparison to the 1-hour standard.
- (2) Final rule signed June 2, 2010. The 1971 annual and 24-hour SO<sub>2</sub> standards were revoked in that same rulemaking. However, these standards remain in effect until one year after an area is designated for the 2010 standard, except in areas designated nonattainment for the 1971 standards, where the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standard are approved.




Figure 2-1. 24-hour Averages




Figure 2-2. Max 1-hour Averages



**Table 2-4. Monthly Statistics**

Monthly Averages						Monthly Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Month	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	NO (ppb)	NO <sub>2</sub> (ppb)	NO <sub>x</sub> (ppb)	SO <sub>2</sub> (ppb)	NO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)	SO <sub>2</sub> (ppb)
July 2014	9.68	5.09	7.12	12.70	0.44	19.07	2.84	1.41
August 2014	11.29	4.37	6.71	11.05	0.71	16.05	3.68	2.05
September 2014	7.18	5.62	5.47	11.05	0.29	16.34	2.90	1.21

**2.1 Specific Data Notes**

Normal maintenance and instrument calibration procedures were performed several times this quarter. Additional notes can be found in the QA/QC Daily Comment Sheet summary shown in Table 3-1.



### 3. Quality Assurance/Quality Control

QA/QC procedures applied to this project are described in a Quality Assurance Plan titled *Continuous Air Monitoring Station for the Wando Welch Terminal* (October 17, 2013, Revision 3).

#### 3.1 Daily QC/Validation

According to the QAP prepared for this work, results were reviewed for anomalies and validated on a daily basis. These validations are recorded on QA/QC Daily Comment Sheets and are summarized in Table 3-1. This table contains a description of any anomalies that occurred over the past quarter along with a record of normal calibration and maintenance activities and the date of occurrence.

**Table 3-1. QA/QC Daily Comment Sheet**

<b>Date</b>	<b>Comment</b>
7/1/2014	Insufficient data 2:00 - 6:00 due to SO <sub>2</sub> and NO <sub>x</sub> calibrations
7/2/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/3/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/8/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/10/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/14/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/15/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/16/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/17/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/19/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/22/2014	Insufficient data 2:00 - 6:00 due to SO <sub>2</sub> and NO <sub>x</sub> calibrations
7/23/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/24/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
7/25/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/26/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/27/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration



<b>Date</b>	<b>Comment</b>
7/28/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/29/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
7/30/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
8/1/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
8/6/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/8/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/9/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/11/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/15/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
8/16/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/17/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/22/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
8/23/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
8/24/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
8/25/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
9/11/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
9/12/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
9/14/2014	Insufficient data 4:00 - 6:00 due to NO <sub>x</sub> calibration
9/20/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration
9/29/2014	Insufficient data 2:00 - 4:00 due to SO <sub>2</sub> calibration

### 3.2 Quarterly Data Validation

The quarterly data were assessed as follows: 100% of the validated Quarter 3 data were flagged as “good”. Percent completeness for Quarter 3 was calculated by dividing the number of hours flagged by the macro as “Insufficient Data” for any parameter by the total number of hours in the quarter. Percent completeness for Quarter 3 was 96.65%.