


SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2000




**VOLUME I
ANNUAL VITAL STATISTICS SERIES**

**Division of Biostatistics
Office of Public Health Statistics and Information Services**

**South Carolina Department of Health and Environmental Control
Columbia, SC 29201**

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2000



VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services**

**South Carolina Department of Health and Environmental Control
Columbia, SC 29201**

May 2002

INTRODUCTION

This report contains vital statistics data for South Carolina events that occurred in 2000. The purpose of this report is to provide basic reference data for a variety of users. Vital Statistics certificates filed with the Office of Public Health Statistics and Information Services of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, marriages, divorces and annulments and reports of fetal deaths and abortions. Data are presented for South Carolina, its 46 counties and places of 2,500 or more population. Live births, fetal deaths and deaths occurring out-of-state to South Carolina residents are also included in this report. Event information is re-allocated to the state of residence through an agreement of interstate transcript exchange.

In South Carolina, all birth, fetal death, and death certificates are filed by hospitals, physicians, coroners, midwives and funeral directors in the county health department where the event occurred. Each county health department forwards the certificates weekly to the Office of Vital Records. In 1992, South Carolina established the Electronic Birth Certificate (EBC) system. This allows hospitals to file all birth certificate information by computer. By the end of 1997, 100% of the births in South Carolina were being filed via the EBC system. Marriage and divorce certificates are transmitted to this office from the County Probate Court and Clerk of Court respectively.

Population estimates for the intercensal years were prepared by the Office of Research and Statistics of the South Carolina Budget and Control Board under the Federal-State Cooperative Program of population estimating for local areas. The Disease Control and Epidemiology Division of the South Carolina Department of Health and Environmental Control furnished the morbidity data.

This report is available in CD format as well as in printed format. In the near future, this and other reports on South Carolina vital statistics will be available on the Internet at the web address listed below.

Request for more detailed statistical data pertaining to vital events, suggestions and comments may be submitted to:

South Carolina Department Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, South Carolina 29201
Phone: (803) 898-3649
Fax: (803) 898-3661

<http://www.scdhec.net>

TABLE OF CONTENTS

Section 1.	Summary of Vital Events.....	1
Section 2.	Population	7
Section 3.	Birth.....	11
	Fertility Patterns.....	26
	Sex Ratio.....	27
	Multiple Births.....	27
	Attendant at Birth	39
	Age of Mother.....	46
	Live Births to Unmarried Mothers.....	53
	Live Births by Birthweight.....	58
	Low Weight Live Births.....	66
Section 4.	Teen Pregnancy.....	75
	Age 10-19.....	75
	Age 10-14.....	78
	Age 14-17.....	81
	Age 15-17.....	84
	Age 18-19.....	87
Section 5.	Abortion.....	90
	By County of Residence.....	91
	By County of Occurrence.....	94
Section 6.	Perinatal.....	97
	Infant Mortality.....	100
	Neonatal Mortality.....	103
	Postneonatal Mortality.....	106
	Fetal Mortality.....	109
	Perinatal Mortality.....	113
	Maternal Deaths.....	114
Section 7.	Deaths.....	116
	Leading Causes of Death.....	118
	Age at Death.....	123
	Multiple Causes of Death.....	256
	Years of Potential Life Lost (YPLL).....	259
Section 8.	Marriages and Divorces.....	263
Section 9.	Morbidity.....	276
Section 10.	Technical Notes.....	279
	Registration of Vital Events.....	279
	Revision of Certificates.....	280
	Allocation of Events by Residence or Occurrence.....	281
	Definitions of Terms.....	282
	Interpretation of Data.....	284
	Formulas.....	287
Section 11.	Appendix.....	294

TABLE OF CONTENTS (continued)

Figures

Figure 1.	South Carolina Modified Census Population by County, 2000.....	7
Figure 2.	Distribution of Live Birth Rates by County: South Carolina, 2000 (Residence Data).....	11
Figure 3.	Live Birth Rates by Race of Mother: South Carolina, 1973-2000 (Residence Data).....	12
Figure 4.	Percent of Live Births to Women Age 30 and Over: South Carolina, 1991-2000 (Residence Data).....	46
Figure 5.	Percent Distribution of Live Births to Unmarried Mothers by Age: South Carolina, 2000 (Residence Data).....	53
Figure 6.	Percent Distribution of Live Births by Birthweight (in grams) and Race of Mother: South Carolina, 2000 (Residence Data).....	58
Figure 7.	Percent of Births Less than 2,500 Grams, by Age and Race of Mother: South Carolina, 2000 (Residence Data).....	66
Figure 8.	Abortion Rates by Race of Mother: South Carolina, 1991-2000 (Residence Data).....	90
Figure 9.	Three-Year Infant Mortality Rate by County: South Carolina, 1998-2000 (Residence Data).....	97
Figure 10.	Infant Mortality Rates by Race: South Carolina, 1975-2000 (Residence Data).....	98
Figure 11.	Percent of Infant Deaths by Age at Death: South Carolina, 2000 (Residence Data).....	99
Figure 12.	Distribution of Death Rates by County: South Carolina, 2000 (Residence Data).....	116
Figure 13.	Death Rates by Race: South Carolina, 1976-2000 (Residence Data).....	117
Figure 14.	Percent Distribution of the Ten Leading Causes of Death by Sex: South Carolina, 2000 (Residence Data).....	118
Figure 15.	Marriage and Divorce Rates: South Carolina, 1976-2000 (Residence Data).....	263
Figure 16.	Marriage Rates by Race: South Carolina, 1976-2000 (Occurrence Data).....	265
Figure 17.	Divorce Rates by Race: South Carolina, 1976-2000 (Occurrence Data).....	272

TABLE OF CONTENTS (continued)

TABLES

Vital Events

Table 1.	Population, Live Births, Deaths, Marriages and Divorces with Rates by Race: South Carolina, 1981-2000 (Residence Data).....	3
Table 2.	Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days and Maternal Deaths with Rates by Race: South Carolina, 1981-2000 (Residence Data).....	4
Table 3.	Live Births: South Carolina and Each County, 1989-2000 (Residence Data).....	5
Table 4.	Deaths: South Carolina and Each County, 1989-2000 (Residence Data).....	6

Population

Table 5.	Percent of Population by Age Group: South Carolina, 1990-2000.....	8
Table 6.	Population, Live Births, Deaths and Natural Increase: South Carolina, 1980-2000 (Residence Data).....	9
Table 7.	South Carolina Modified Census Population by Race South Carolina and Each County, 2000 (Residence Data).....	10

Births

Table 8.	Live Births and Birth Rates by Race of Mother: South Carolina, 1976-2000 (Residence Data).....	12
Table 9.	Live Births and Percent of Live Births by Marital Status, Age and Race of Mother: South Carolina, 2000 (Residence Data).....	13
Table 10.	Live Births and Births Rates South Carolina and Each County and Places of 2,500 or More Population, 2000 (Residence Data).....	14
Table 11.	Live Births and Births Rates South Carolina and Each County and Places of 2,500 or More Population, 2000 (Occurrence Data).....	19
Table 12.	Live Births by Race of Mother and Sex: South Carolina and Each County, 2000 (Residence Data).....	24
Table 13.	Live Births by Race of Mother and Sex: South Carolina and Each County, 2000 (Occurrence Data).....	25
Table 14.	Fertility Rates by Race: South Carolina, 1986-2000 (Residence Data).....	26
Table 15.	Population of Females Age 15-44 by Race: South Carolina, 1986-2000 (Residence Data).....	26
Table 16.	Sex Ratio of Males per 100 Females: South Carolina, 1986-2000 (Residence Data).....	27

TABLE OF CONTENTS (continued)

Births

Table 17.	Live Births by County of Occurrence by County of Residence South Carolina, 2000.....	28
Table 18.	Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 2000 (Residence Data).....	30
Table 18-A.	Live Births by Number of Prenatal Care Visits by Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	31
Table 19.	Live Births by Month Prenatal Care Began: South Carolina and Each County, 2000 (Residence Data).....	33
Table 19-A.	Live Births by Month Prenatal Care Began by Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	34
Table 20.	Live Births by Education of Mother: South Carolina and Each County, 2000 (Residence Data).....	36
Table 20-A.	Live Births by Education and Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	37
Table 21.	Live Births by Attendant by Place of Delivery: South Carolina and Each County, 2000 (Residence Data).....	39
Table 22.	Percent of Births Occurring in Hospitals by Race of Mother: South Carolina, 1990-2000 (Residence Data).....	39
Table 23.	Live Births by Attendant: South Carolina and Each County, 2000 (Residence Data).....	40
Table 23-A.	Live Births by Attendant by Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	41
Table 24.	Live Births by Attendant: South Carolina and Each County, 2000 (Occurrence Data).....	43
Table 24-A.	Live Births by Attendant by Race of Mother: South Carolina and Each County, 2000 (Occurrence Data).....	44
Table 25.	Percent Distribution of Live Births by Age of Mother: South Carolina, 1996-2000 (Residence Data).....	46
Table 26.	Live Births by Age of Mother: South Carolina and Each County, 2000 (Residence Data).....	47
Table 26-A.	Live Births by Age and Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	48
Table 27.	Live Births to Mothers Less than 20 Years Old: South Carolina and Each County, 2000 (Residence Data).....	50
Table 27-A.	Live Births to Mothers Less than 20 Years Old by Race South Carolina and Each County, 2000 (Residence Data).....	51
Table 28.	Percent Distribution of Live Births to Unmarried Mothers by Age: South Carolina, 1996-2000 (Residence Data).....	53

TABLE OF CONTENTS (continued)

Births

Table 29.	Live Births and Percent of Live Births to Unmarried Mothers by Race: South Carolina, 1996-2000 (Residence Data).....	54
Table 30.	Live Births to Unmarried Mothers by Age of Mother: South Carolina and Each County, 2000 (Residence Data).....	55
Table 30-A.	Live Births to Unmarried Mothers by Age and Race of Mother South Carolina and Each County, 2000 (Residence Data).....	56
Table 31.	Live Births by Birthweight Groups by Race of Mother: South Carolina, 2000 (Residence Data).....	58
Table 32.	Live Births by Birthweight, Age and Race of Mother: South Carolina, 2000 (Residence Data).....	59
Table 33.	Live Births by Birthweight and Race of Mother: South Carolina, 2000 (Residence Data).....	60
Table 34.	Percent of Births Less than 2,500 Grams, by Age and Race of Mother: South Carolina, 2000 (Residence Data).....	66
Table 35.	Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 2000 (Residence Data).....	67
Table 36.	Low Weight Live Births by Age of Mother: South Carolina and Each County, 2000 (Residence Data).....	68
Table 36-A.	Low Weight Live Births by Age and Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	69
Table 37.	Very Low Weight Live Births and Percent of Very Low Weight Live Births: South Carolina and Each County, 2000 (Residence Data).....	71
Table 38.	Live Births and Number of Mothers who Smoked During Pregnancy: South Carolina and Each County (Residence Data).....	72
Table 39.	Live Births and Number of Mothers who Drank Alcohol During Pregnancy: South Carolina and Each County (Residence Data).....	73
Table 40.	Live Births and Number of Live Births with Congenital Anomalies by Race: South Carolina and Each County (Residence Data).....	74

Teen Pregnancy

Table 41.	Estimated Teenage Pregnancy for Females Age 10-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2000 (Residence Data).....	75
Table 41-A.	Estimated Teenage Pregnancy for Females Age 10-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2000 (Residence Data).....	76
Table 42.	Estimated Teenage Pregnancy for Females Age 10-14, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2000 (Residence Data).....	78
Table 42-A.	Estimated Teenage Pregnancy for Females Age 10-14, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2000 (Residence Data).....	79

TABLE OF CONTENTS (continued)

Teen Pregnancy

Table 43.	Estimated Teenage Pregnancy for Females Age 14-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2000 (Residence Data).....	81
Table 43-A.	Estimated Teenage Pregnancy for Females Age 14-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2000 (Residence Data).....	82
Table 44.	Estimated Teenage Pregnancy for Females Age 15-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2000 (Residence Data).....	84
Table 44-A.	Estimated Teenage Pregnancy for Females Age 15-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2000 (Residence Data).....	85
Table 45.	Estimated Teenage Pregnancy for Females Age 18-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2000 (Residence Data).....	87
Table 45-A.	Estimated Teenage Pregnancy for Females Age 18-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2000 (Residence Data).....	88

Abortions

Table 46.	Abortions and Abortion Rates by Race: South Carolina, 1991-2000 (Residence Data).....	90
Table 47.	Abortions by Age Groups: South Carolina, 2000 (Residence Data).....	91
Table 47-A.	Abortions by Age Groups and Race: South Carolina, 2000 (Residence Data).....	92
Table 48.	Abortions by Age Groups: South Carolina, 2000 (Occurrence Data).....	94
Table 48-A.	Abortions by Age Groups and Race: South Carolina, 2000 (Occurrence Data).....	95

Perinatal

Table 49.	Infant Mortality and Infant Mortality Rates by race: South Carolina, 1976-2000 (Residence Data)	98
Table 50.	Leading Causes of Infant Death by Age at Death: South Carolina, 2000 (Residence Data).....	99
Table 51.	Infant Mortality and Infant Mortality Rates: South Carolina and Each County, 2000, 1998-2000, 1995-1997 (Residence Data).....	100
Table 51-A.	Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 2000, 1998-2000, 1995-1997 (Residence Data).....	101

TABLE OF CONTENTS (continued)

Perinatal

Table 52.	Neonatal Mortality and Neonatal Mortality Rates: South Carolina and Each County, 2000, 1998-2000, 1995-1997 (Residence Data).....	103
Table 52-A.	Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 2000, 1998-2000, 1995-1997 (Residence Data).....	104
Table 53.	PostNeonatal Mortality and Postneonatal Mortality Rates: South Carolina and Each County, 2000, 1998-2000, 1995-1997 (Residence Data).....	106
Table 53-A.	PostNeonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 2000, 1998-2000, 1995-1997 (Residence Data).....	107
Table 54.	Fetal Mortality and Fetal Mortality Rates by Race: South Carolina and Each County, 2000 (Residence Data).....	109
Table 55.	Fetal Deaths by Age of Mother: South Carolina and Each County, 2000 (Residence Data).....	110
Table 55-A	Fetal Deaths by Age and Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	111
Table 56.	Perinatal Mortality and Perinatal Mortality Rates by Race of Mother: South Carolina and Each County, 2000 (Residence Data).....	113
Table 57.	Maternal Death by Cause and Age: South Carolina and Each County, 2000 (Residence Data).....	114
Table 57-A.	Maternal Deaths by Cause, Race and Age: South Carolina and Each County, 2000 (Residence Data).....	115

Deaths

Table 58.	Deaths and Death Rates by Race: South Carolina, 1976-2000 (Residence Data).....	117
Table 59.	Mortality From Ten Leading Causes of Death by Race: South Carolina, 2000 (Residence Data).....	118
Table 59-A.	Mortality From Ten Leading Causes of Death by Race and Sex: South Carolina, 2000 (Residence Data).....	119
Table 60.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 2000 (Residence Data).....	120
Table 60-A.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race and Sex: South Carolina, 2000 (Residence Data).....	121
Table 61.	Percent Distribution of Deaths by Race and Age: South Carolina, 1980, 1990 and 2000 (Residence Data).....	123
Table 62.	Deaths from Major Cardiovascular Diseases: South Carolina, 2000 (Residence Data).....	123
Table 63.	Distribution of Malignant Neoplasms by Site and Sex: South Carolina, 2000 (Residence Data).....	124

TABLE OF CONTENTS (continued)

Deaths

Table 64.	Types of Accidental Deaths by Sex: South Carolina, 2000 (Residence Data).....	125
Table 65.	Methods of Suicidal Deaths by Sex: South Carolina, 2000 (Residence Data).....	125
Table 66.	Methods of Homicidal Deaths by Sex: South Carolina, 2000 (Residence Data).....	125
Table 67.	Deaths by Cause, Age, Race and Sex: South Carolina, 2000 (Residence Data).....	126
Table 68.	Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 2000, (Residence Data).....	140
Table 69.	Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 2000, (Occurrence Data).....	145
Table 70.	Deaths by Race and Sex: South Carolina and Each County, 2000 (Residence Data).....	150
Table 71.	Deaths by Race and Sex: South Carolina and Each County, 2000 (Occurrence Data).....	151
Table 72.	Deaths and Death Rates from Selected Causes, by Race and Sex: South Carolina, 2000 (Residence Data).....	152
Table 72-A.	Deaths and Death Rates from Selected Causes, by Race and Sex: Each County of South Carolina, 2000 (Occurrence Data).....	156
Table 73.	Deaths by Burial Disposition: South Carolina and Each County, 2000 (Residence Data).....	248
Table 73-A.	Deaths by Burial Disposition by Race: South Carolina and Each County, 2000 (Residence Data).....	249
Table 74.	Death by Certifier: South Carolina and Each County, 2000 (Residence Data).....	250
Table 74-A.	Death by Certifier by Race: South Carolina and Each County, 2000 (Residence Data).....	251
Table 75.	Major Causes of Accidental Death: South Carolina and Each County, 2000 (Residence Data).....	252
Table 76.	Major Causes of Accidental Death: South Carolina and Each County, 2000 (Occurrence Data).....	253
Table 77.	Deaths From Suicide by Method: South Carolina and Each County, 2000 (Residence Data).....	254
Table 78.	Deaths From Homicide by Method: South Carolina and Each County, 2000 (Residence Data).....	255
Table 79.	Total Times Mentioned Verses Times Selected as Underlying Cause of Death: South Carolina, 2000 (Residence Data).....	257

TABLE OF CONTENTS (continued)

Deaths

Table 80.	Years of Potential Life Lost Before Age 65 and Before Age 75 for Selected Causes of Death: South Carolina, 2000 (Residence Data).....	260
Table 80-A.	Years of Potential Life Lost Before Age 65 and Before Age 75 for Selected Causes of Death: South Carolina, 2000 (Residence Data).....	261

Marriages, Divorces and Annulments

Table 81.	Marriages by Race of Bride and Race of Groom: South Carolina, 2000 (Residence Data).....	264
Table 82.	Marriages and Marriage Rates by Race: South Carolina, 1975-2000 (Residence Data).....	265
Table 83.	Marriages by Age of Bride and Groom: South Carolina, 2000 (Occurrence Data).....	266
Table 84.	Marriages by Race, Residential Status and Age of Bride: South Carolina, 2000 (Occurrence Data).....	267
Table 85.	Marriages by Race, Residential Status and Age of Groom: South Carolina, 2000 (Occurrence Data).....	268
Table 86.	Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 2000.....	269
Table 87.	Marriages by Residential Status, and County of Marriage: South Carolina, 2000 (Occurrence Data).....	270
Table 88.	Divorces by Age Groups and Race: South Carolina, 2000 (Residence Data).....	271
Table 89.	Divorces and Divorce Rates by Race: South Carolina, 1975-2000 (Residence Data).....	272
Table 90.	Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree: South Carolina, 2000 (Residence Data).....	273
Table 91.	Divorces by Plaintiff, by Legal Grounds of Decree: South Carolina and Each County, 2000.....	274
Table 92.	Divorces and Annulments by Number of Children Involved, and Race South Carolina and Each County, 2000.....	275

Morbidity

Table 93.	Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 2000 (Occurrence Data).....	276
Table 94.	Reported cases of Sexually Transmitted Diseases: South Carolina and Each County, 2000 (Occurrence Data).....	278

SUMMARY OF VITAL EVENTS

“The State Flag”



Officially adopted by the General Assembly in 1861

On an Average Day in South Carolina, 2000

15
Low Weight
Live Births

154
Live Births

114
Marriages

101
Deaths

42
Divorces

27
Heart
Disease
Deaths

8
Stroke
Deaths

3
Diabetes
Deaths

1
Suicide
Death

2
Female
Breast
Cancer
Deaths

22
Cancer
Deaths

23
Births to
Teens

5
Accidental
Deaths

1
Homicide
Death

DID YOU KNOW THAT IN 2000:

The Most Common First Names by Sex and Race for South Carolina

Male			Female		
Total	White	Black & Other	Total	White	Black & Other
William	William	Joshua	Hannah	Hannah	Destiny
Jacob	Jacob	Jalen	Madison	Madison	Jasmine
Joshua	James	Christopher	Emily	Emily	Jada
James	Matthew	Michael	Alexis	Sarah	Alexis
Michael	Joshua	Jordan	Taylor	Taylor	Kayla
Christopher	Andrew	Malik	Sarah	Elizabeth	Diamond
Matthew	Michael	Brandon	Destiny	Anna	Brianna
John	John	Cameron	Kayla	Lauren	Taylor
Andrew	Austin	Isaiah	Elizabeth	Savannah	Kiara
Brandon	Christopher	Justin	Lauren	Alexis	Trinity
Austin	Joseph	James	Brianna	Mary	Angel
Joseph	Zachary	Anthony	Anna	Caroline	Makayla
Cameron	Brandon	David	Savannah	Haley	Faith
David	Hunter	William	Ashley	Olivia	Shania
Justin	Nicholas	Elijah	Mary	Ashley	Ashley

BIRTHS

The month with most births: August (4,869) Least Births: April (4,168)
 Youngest Mother: 11 years old Oldest Mother: 56 years old
 The Biggest baby: 14 lb 6 oz or 6,520 grams

DEATHS

The month with the most deaths: January (3,715) Least deaths: June (2,758)
 The oldest person that died: 112 years old

MARRIAGES

The youngest bride: 13 years old The youngest groom: 15 years old
 The oldest bride: 87 years old The oldest groom: 99 years old
 The month with the most marriages: June (4,539) Least marriages: January (2,307)

DIVORCES

The youngest bride to divorce: 15 years old The youngest groom to divorce: 18 years old
 The oldest bride to divorce: 89 years old The oldest groom to divorce: 95 years old
 The month with the most divorces: June (1,488) Least divorces: July (1,044)
 Greatest number of divorces for bride: 9 For groom: 9

Table 1.
Population¹, Live Births, Deaths, Marriages², and Divorces³, with Rates⁴ by Race⁵
South Carolina, 1981-2000
(Residence Data)

YEAR	RACE	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		MARRIAGES		DIVORCES	
			NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1981	TOTAL	3,196,247	51,745	16.2	25,410	7.9	54,415	17.0	13,974	4.4
	WHITE	2,196,957	30,542	13.9	17,199	7.8	41,746	19.0	11,503	5.2
	NONWHITE	999,290	21,203	21.2	8,211	8.2	12,669	12.7	2,471	2.5
1982	TOTAL	3,256,259	51,554	15.8	25,066	7.7	53,496	16.4	13,600	4.2
	WHITE	2,236,690	30,652	13.7	16,823	7.5	40,655	18.2	11,233	5.0
	NONWHITE	1,019,569	20,902	20.5	8,243	8.1	12,841	12.6	2,367	2.3
1983	TOTAL	3,316,306	50,731	15.3	26,130	7.9	53,691	16.2	13,601	4.1
	WHITE	2,276,477	30,448	13.4	17,717	7.8	41,490	18.2	11,060	4.9
	NONWHITE	1,039,829	20,283	19.5	8,413	8.1	12,201	11.7	2,541	2.4
1984	TOTAL	3,300,500	50,561	15.3	26,363	8.0	55,357	16.8	13,674	4.1
	WHITE	2,259,528	30,607	13.5	17,815	7.9	42,557	18.8	11,111	4.9
	NONWHITE	1,040,972	19,954	19.2	8,548	8.2	12,800	12.3	2,563	2.5
1985	TOTAL	3,366,521	51,846	15.4	27,077	8.0	52,805	15.7	13,456	4.0
	WHITE	2,302,246	31,543	13.7	18,390	8.0	40,315	17.5	11,045	4.8
	NONWHITE	1,064,275	20,303	19.1	8,687	8.2	12,490	11.7	2,411	2.3
1986	TOTAL	3,417,611	51,726	15.1	28,122	8.2	53,974	15.8	13,431	3.9
	WHITE	2,334,192	31,202	13.4	19,098	8.2	40,934	17.5	11,011	4.7
	NONWHITE	1,083,419	20,524	18.9	9,024	8.3	13,040	12.0	2,420	2.2
1987	TOTAL	3,423,400	52,774	15.4	28,470	8.3	53,396	15.6	13,835	4.0
	WHITE	2,341,400	31,982	13.7	19,437	8.3	39,916	17.0	11,229	4.8
	NONWHITE	1,082,000	20,792	19.2	9,033	8.3	13,480	12.5	2,606	2.4
1988	TOTAL	3,519,770	55,090*	15.7	29,397*	8.4	54,615*	15.5	14,672	4.2
	WHITE	2,398,070	33,100	13.8	19,951	8.3	40,839	17.0	11,824	4.9
	NONWHITE	1,121,700	21,986	19.6	9,443	8.4	13,775	12.3	2,848	2.5
1989	TOTAL	3,518,760	57,239*	16.3	29,576*	8.4	54,693*	15.5	15,115*	4.3
	WHITE	2,400,650	34,153	14.2	20,032	8.3	41,704	17.4	12,173	5.1
	NONWHITE	1,118,110	23,076	20.6	9,544	8.5	12,985	11.6	2,889	2.6
1990	TOTAL	3,486,703	58,461*	16.8	29,621*	8.5	55,754	15.8	16,182*	4.6
	WHITE	2,414,178	35,491	14.7	20,192	8.4	42,314	17.5	12,858	5.3
	BLACK/OTHER	1,072,525	22,963	21.4	9,427	8.8	13,440	12.5	3,257	3.0
1991	TOTAL	3,559,600	57,517*	16.2	29,851*	8.4	53,747	15.1	15,187	4.3
	WHITE	2,457,300	34,560	14.1	20,364	8.3	41,004	16.7	12,233	5.0
	BLACK/OTHER	1,102,300	22,949	20.8	9,482	8.6	12,743	11.6	2,954	2.7
1992	TOTAL	3,603,430	56,102*	15.6	30,565*	8.5	53,320*	14.8	15,365*	4.3
	WHITE	2,487,960	33,890	13.6	20,945	8.4	40,726	16.4	12,179	4.9
	BLACK/OTHER	1,115,480	22,206	19.9	9,617	8.6	12,592	11.3	3,103	2.8
1993	TOTAL	3,629,550	53,715*	14.8	31,943*	8.8	53,223*	14.7	15,141*	4.2
	WHITE	2,509,200	32,571	13.0	21,939	8.7	40,655	16.2	11,825	4.7
	BLACK/OTHER	1,120,340	21,134	18.9	10,002	8.9	12,559	11.2	3,275	2.9
1994	TOTAL	3,664,100	51,907*	14.2	32,223*	8.8	51,564*	14.1	15,802*	4.3
	WHITE	2,533,520	31,899	12.6	22,295	8.8	38,750	15.3	12,404	4.9
	BLACK/OTHER	1,130,580	19,996	17.7	9,927	8.8	12,808	11.3	3,394	3.0
1995	TOTAL	3,669,400	50,913*	13.9	33,500*	9.1	45,347	12.4	15,171*	4.1
	WHITE	2,541,610	31,830	12.5	23,342	9.2	33,812	13.3	11,824	4.7
	BLACK/OTHER	1,127,780	19,068	16.9	10,152	9.0	11,535	10.2	3,346	3.0
1996	TOTAL	3,698,670	51,105*	13.8	34,035*	9.2	43,439	11.7	15,319*	4.1
	WHITE	2,565,340	32,309	12.6	23,585	9.2	32,198	12.6	11,838	4.6
	BLACK/OTHER	1,133,330	18,788	16.6	10,448	9.2	11,241	9.9	3,436	3.0
1997	TOTAL	3,760,180	52,205*	13.9	33,660*	9.0	43,411*	11.5	15,780*	4.2
	WHITE	2,588,240	33,011	12.8	23,363	9.0	32,290	12.5	12,226	4.7
	BLACK/OTHER	1,171,940	19,192	16.4	10,276	8.8	11,121	9.5	3,483	3.0
1998	TOTAL	3,835,960	53,833*	14.0	34,781*	9.1	42,380*	11.0	15,083*	3.9
	WHITE	2,645,080	34,065	12.9	24,428	9.2	31,372	11.9	11,653	4.4
	BLACK/OTHER	1,190,880	19,757	16.6	10,333	8.7	11,007	9.2	3,358	2.8
1999	TOTAL	3,885,740	54,706*	14.1	35,972*	9.3	43,664*	11.2	15,115*	3.9
	WHITE	2,683,590	34,683	12.9	25,432	9.5	32,012	11.9	11,647	4.3
	BLACK/OTHER	1,202,150	20,004	16.6	10,523	8.8	11,645	9.7	3,380	2.8
2000	TOTAL	4,012,010	55,964*	13.9	36,816*	9.2	41,592*	10.4	15,196*	3.8
	WHITE	2,749,510	35,146	12.8	26,013	9.5	30,858	11.2	11,608	4.2
	BLACK/OTHER	1,262,510	20,803	16.5	10,785	8.5	10,718	8.5	3,519	2.8

¹ MODIFIED CENSUS POPULATION FOR 2000 (SEE TECHNICAL NOTES), ACTUAL CENSUS COUNTS FOR 1990; ESTIMATED POPULATION FOR INTERCENSAL YEARS

² FIGURES REPRESENT ALL REPORTED MARRIAGES WHERE LICENSE WAS ISSUED IN SOUTH CAROLINA BY RACE OF GROOM

³ FIGURES REPRESENT ALL REPORTED DIVORCES AND ANNULMENTS GRANTED IN SOUTH CAROLINA BY RACE OF HUSBAND

⁴ RATE PER 1,000 POPULATION

⁵ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

* INCLUDES UNKNOWN RACE

Table 2.
 Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 year and Under 28 Days
 and Maternal Deaths with Rates by Race¹
 South Carolina, 1981-2000
 (Residence Data)

YEAR	RACE	LIVE BIRTHS TO UNMARRIED MOTHERS		LOW WEIGHT LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS UNDER 1 YEAR		INFANT DEATHS UNDER 28 DAYS		MATERNAL DEATHS	
		NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ⁴	NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ³
1981	TOTAL	11,339	219.1	4,582	88.5	669	12.9	836	16.2	562	10.9	3	0.6
	WHITE	1,735	56.8	1,876	61.4	280	9.2	379	12.4	247	8.1	-	0
	NONWHITE	9,604	453.0	2,706	127.6	389	18.3	457	21.6	315	14.9	3	1.4
1982	TOTAL	11,626	225.5	4,580	88.8	684	13.3	832	16.1	552	10.7	6	1.2
	WHITE	2,013	65.7	1,884	61.5	284	9.3	367	12.0	248	8.1	-	0
	NONWHITE	9,613	459.9	2,696	129.0	400	19.1	465	22.2	304	14.5	6	2.9
1983	TOTAL	11,908	234.7	4,395	86.6	645	12.7	760	15.0	497	9.8	4	0.8
	WHITE	2,105	69.1	1,864	61.2	272	8.9	343	11.3	215	7.1	1	0.3
	NONWHITE	9,803	483.3	2,531	124.8	373	18.4	417	20.6	282	13.9	3	1.5
1984	TOTAL	11,916	235.7	4,431	87.6	640	12.7	743	14.7	495	9.8	5	1.0
	WHITE	2,129	69.5	1,916	62.6	292	9.5	339	11.1	239	7.8	3	1.0
	NONWHITE	9,787	490.5	2,515	126.0	348	17.4	404	20.2	256	12.8	2	1.0
1985	TOTAL	12,513	241.3	4,461	86.0	588	11.3	735	14.2	516	10.0	3	0.6
	WHITE	2,464	78.1	1,856	58.8	259	8.2	301	9.5	205	6.5	-	0
	NONWHITE	10,049	495.0	2,605	128.3	329	16.2	434	21.4	311	15.3	3	1.5
1986	TOTAL	13,032	251.9	4,443	85.9	545	10.5	685	13.2	456	8.8	10	1.9
	WHITE	2,722	87.2	1,913	61.3	235	7.5	318	10.2	216	6.9	1	0.3
	NONWHITE	10,310	502.3	2,530	123.3	310	15.1	367	17.9	240	11.7	9	4.4
1987	TOTAL	13,889	263.2	4,533	85.9	562	10.6	673	12.8	455	8.6	8	1.5
	WHITE	3,050	95.4	1,950	61.0	247	7.7	309	9.7	207	6.5	5	1.6
	NONWHITE	10,839	521.3	2,583	124.2	315	15.2	364	17.5	248	11.9	3	1.4
1988	TOTAL	14,944*	271.3	4,937	89.6	631	11.5	673	12.2	446	8.1	4	0.7
	WHITE	3,305	99.8	2,096	63.3	289	8.7	316	9.5	207	6.3	2	0.6
	NONWHITE	11,638	529.3	2,841	129.2	342	15.6	357	16.2	239	10.9	2	0.9
1989	TOTAL	15,970	279.0	5,266	92.0	631	11.0	731	12.8	466	8.1	6	1.0
	WHITE	3,686	107.9	2,215	64.9	223	6.5	310	9.1	199	5.8	1	0.3
	NONWHITE	12,284	532.3	3,051	132.2	408	17.7	421	18.2	267	11.6	5	2.2
1990	TOTAL	16,774*	286.9	5,109	87.4	614	10.5	679	11.6	461	7.9	6	1.0
	WHITE	4,036	113.7	2,179	61.4	267	7.5	291	8.2	200	5.6	1	0.3
	BLACK/OTHER	12,737	554.7	2,930	127.6	347	15.1	388	16.9	261	11.4	5	2.2
1991	TOTAL	17,578	305.6	5,278	91.8	599	10.4	644	11.2	399	6.9	8	1.4
	WHITE	4,191	121.3	2,192	63.4	265	7.7	279	8.1	168	4.9	3	0.9
	BLACK/OTHER	13,387	583.3	3,086	134.5	334	14.6	365	15.9	231	10.1	5	2.2
1992	TOTAL	17,026*	303.5	5,071	90.4	599	10.7	588	10.5	388	6.9	9	1.6
	WHITE	4,167	123.0	2,143	63.2	252	7.4	243	7.2	162	4.8	7	2.1
	BLACK/OTHER	12,857	579.0	2,928	131.9	347	15.6	345	15.5	226	10.2	2	0.9
1993	TOTAL	16,299	303.4	5,020	93.5	585	10.9	544	10.1	368	6.9	4	0.7
	WHITE	4,126	126.7	2,184	67.1	245	7.5	218	6.7	143	4.4	-	0
	BLACK/OTHER	12,173	576.0	2,835	134.1	339	16.0	326	15.4	225	10.6	4	1.9
1994	TOTAL	15,767*	303.8	4,760	91.7	561*	10.7	486	9.4	336	6.5	5	1.0
	WHITE	4,206	131.9	2,143	67.2	255	7.9	211	6.6	141	4.4	-	0
	BLACK/OTHER	11,559	578.1	2,617	130.9	305	15.0	275	13.8	195	9.8	5	2.5
1995	TOTAL	14,891*	292.5	4,742*	93.1	497	9.7	480	9.4	328	6.4	4	0.8
	WHITE	4,181	131.4	2,170	68.2	202	6.3	212	6.7	139	4.4	-	0
	BLACK/OTHER	10,709	561.6	2,570	134.8	295	15.5	268	14.1	189	9.9	4	2.1
1996	TOTAL	13,905	272.1	4,704	92.0	521	10.2	424	8.3	286	5.6	4	0.8
	WHITE	3,909	121.0	2,262	70.0	198	6.1	179	5.5	111	3.4	3	0.9
	BLACK/OTHER	9,996	532.0	2,442	130.0	323	17.2	245	13.0	175	9.3	1	0.5
1997	TOTAL	14,249	272.9	4,803	92.0	556*	10.5	494	9.5	352	5.6	4	0.8
	WHITE	4,030	122.1	2,235	67.7	226	6.8	207	6.3	149	4.5	2	0.6
	BLACK/OTHER	10,219	532.5	2,568	133.8	329	16.9	287	15.0	203	10.6	2	1.0
1998	TOTAL	14,802*	275.0	5,142	95.5	512	9.4	511	9.5	358	6.7	4	0.7
	WHITE	4,360	128.0	2,417	71.0	198	5.8	204	6.0	132	3.9	1	0.3
	BLACK/OTHER	10,441	528.5	2,725	137.9	314	15.6	307	15.5	226	11.4	3	1.5
1999	TOTAL	14,833*	271.1	5,393	98.6	526	9.5	564	10.3	394	7.2	10	1.8
	WHITE	4,405	127.0	2,506	72.3	207	5.9	236	6.8	154	4.4	2	0.6
	BLACK/OTHER	10,427	521.2	2,887	144.3	319	15.7	328	16.4	240	12.0	8	4.0
2000	TOTAL	15,146*	270.6	5,412*	96.7	573*	10.1	488	8.7	340	6.1	9	1.6
	WHITE	4,355	123.9	2,539	72.2	246	7.0	192	5.5	135	3.8	4	1.1
	BLACK/OTHER	10,787	518.5	2,872	138.1	324	15.3	296	14.2	205	9.9	5	2.4

¹ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

² RATE PER 1,000 LIVE BIRTHS

³ RATE PER 10,000 LIVE BIRTHS

⁴ FETAL DEATHS: RATES PER 1,000 LIVE BIRTHS; AS OF 1992 RATES PER 1,000 DELIVERIES (LIVE BIRTHS PLUS FETAL DEATHS)

* INCLUDES UNKNOWN RACE

Table 3.
Live Births
South Carolina and Each County, 1990-2000
(Residence Data)


County of Residence	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
South Carolina	58,461	57,517	56,102	53,715	51,907	50,913	51,105	52,205	53,833	54,706	55,964
Abbeville	344	297	324	294	292	344	337	326	364	339	336
Aiken	2,030	2,137	1,998	1,945	1,895	1,874	1,850	1,872	1,797	1,831	1,852
Allendale	198	209	190	201	172	177	172	160	177	169	174
Anderson	2,128	2,073	2,062	1,971	2,000	2,067	2,071	2,103	2,145	2,194	2,217
Bamberg	291	259	266	235	236	227	215	217	208	222	233
Barnwell	342	339	358	357	330	330	287	356	338	344	330
Beaufort	1,799	1,599	1,743	1,573	1,631	1,660	1,558	1,607	1,668	1,746	1,887
Berkeley	2,600	2,486	2,460	2,395	2,174	2,014	1,964	1,961	2,017	2,191	2,114
Calhoun	183	214	182	154	197	143	175	174	168	166	193
Charleston	5,761	5,666	5,441	5,087	4,553	4,133	4,012	4,187	4,403	4,487	4,586
Cherokee	692	747	681	634	634	664	674	743	686	722	784
Chester	529	549	508	496	459	442	445	476	476	453	514
Chesterfield	615	578	605	603	579	579	569	568	550	579	619
Clarendon	514	466	442	394	385	380	401	370	409	408	440
Colleton	532	569	586	570	565	507	529	536	519	550	589
Darlington	981	1,064	995	939	922	871	858	956	907	950	953
Dillon	559	513	559	496	517	502	465	467	489	456	519
Dorchester	1,590	1,570	1,490	1,439	1,274	1,213	1,140	1,144	1,152	1,119	1,228
Edgefield	298	306	297	278	242	259	252	279	265	316	288
Fairfield	382	383	383	343	334	316	318	316	335	307	342
Florence	1,951	1,880	1,857	1,769	1,724	1,737	1,760	1,728	1,867	1,886	1,866
Georgetown	815	796	748	725	737	682	652	770	736	819	770
Greenville	5,048	4,885	4,763	4,704	4,626	4,767	4,906	4,920	5,176	5,361	5,388
Greenwood	937	925	897	901	932	885	865	915	963	933	954
Hampton	331	360	352	326	280	317	282	287	311	294	302
Horry	2,316	2,250	2,207	1,926	1,888	1,989	2,046	2,064	2,324	2,346	2,569
Jasper	310	302	300	286	276	257	306	289	280	267	284
Kershaw	657	691	670	672	608	611	612	676	665	717	729
Lancaster	866	934	828	777	813	722	759	768	809	800	830
Laurens	900	829	811	830	777	794	780	840	864	870	823
Lee	300	314	305	251	257	257	209	246	258	262	264
Lexington	2,810	2,743	2,798	2,702	2,787	2,684	2,892	2,935	3,028	2,969	2,999
McCormick	116	104	96	103	103	88	93	93	83	78	96
Marion	565	2,599	537	503	538	485	465	497	478	501	527
Marlboro	481	502	512	490	431	386	422	424	433	434	434
Newberry	481	531	478	453	422	449	421	444	523	476	497
Oconee	806	748	796	738	695	743	775	752	796	796	768
Orangeburg	1,459	1,508	1,430	1,313	1,237	1,204	1,194	1,194	1,265	1,366	1,310
Pickens	1,262	1,258	1,212	1,225	1,199	1,248	1,223	1,301	1,379	1,345	1,329
Richland	4,783	4,614	4,521	4,491	4,254	3,977	4,132	4,156	4,286	4,361	4,460
Saluda	233	273	226	228	232	221	216	257	256	255	257
Spartanburg	3,447	3,499	3,352	3,280	3,162	3,251	3,331	3,223	3,288	3,262	3,344
Sumter	1,905	1,766	1,772	1,658	1,670	1,599	1,648	1,641	1,699	1,674	1,744
Union	457	393	398	390	396	336	392	380	369	396	376
Williamsburg	635	666	597	599	534	537	479	490	502	553	543
York	2,222	2,123	2,067	1,971	1,935	1,976	1,949	2,094	2,122	2,136	2,301
Unknown	-	-	2	-	3	9	4	3	-	-	-

Table 4.
Deaths
South Carolina and Each County, 1990-2000
(Residence Data)

County of Residence	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
South Carolina	29,621	29,851	30,565	31,943	32,223	33,500	34,035	33,660	34,781	35,972	36,816
Abbeville	248	206	240	215	240	261	259	220	232	235	229
Aiken	1,099	1,068	1,111	1,217	1,230	1,146	1,242	1,183	1,233	1,287	1,305
Allendale	127	110	113	146	130	136	115	129	114	121	109
Anderson	1,307	1,307	1,406	1,480	1,497	1,597	1,602	1,521	1,623	1,719	1,693
Bamberg	167	162	184	164	160	153	178	189	183	186	209
Barnwell	211	191	222	190	210	228	229	222	238	258	222
Beaufort	597	654	661	699	729	789	742	857	819	907	914
Berkeley	684	661	705	756	722	757	836	816	859	835	877
Calhoun	142	114	135	123	119	131	125	133	151	156	157
Charleston	2,274	2,348	2,291	2,452	2,411	2,368	2,467	2,483	2,414	2,553	2,894
Cherokee	393	401	458	452	471	465	516	450	485	527	528
Chester	302	333	335	337	329	341	346	329	323	327	338
Chesterfield	355	387	398	452	415	445	420	422	458	456	422
Clarendon	269	306	313	333	297	363	340	309	337	310	329
Colleton	339	353	337	371	379	349	383	341	385	390	386
Darlington	626	654	680	706	637	636	668	732	708	749	738
Dillon	306	313	312	299	316	333	343	322	323	307	315
Dorchester	509	535	537	540	544	603	659	687	684	716	713
Edgefield	180	187	164	200	203	179	179	189	196	210	197
Fairfield	289	265	275	280	325	294	311	285	249	268	322
Florence	1,133	1,114	1,091	1,135	1,134	1,278	1,156	1,311	1,265	1,278	1,325
Georgetown	396	384	470	429	489	513	498	515	499	552	532
Greenville	2,661	2,648	2,521	2,787	2,873	2,946	3,119	2,900	3,102	3,229	3,346
Greenwood	637	545	591	619	605	652	654	674	699	658	700
Hampton	189	183	148	164	174	209	190	171	211	181	227
Horry	1,157	1,211	1,284	1,328	1,484	1,523	1,655	1,562	1,678	1,803	1,924
Jasper	144	155	135	149	162	149	167	156	157	190	142
Kershaw	384	391	406	392	383	467	440	433	458	496	518
Lancaster	461	509	528	523	525	517	554	561	563	638	619
Laurens	562	615	624	654	705	638	697	682	695	733	711
Lee	204	163	189	189	162	184	183	179	232	205	188
Lexington	1,148	1,127	1,160	1,249	1,260	1,439	1,417	1,435	1,581	1,611	1,692
McCormick	104	78	80	88	113	114	87	97	130	122	97
Marion	303	343	356	383	361	396	389	373	400	405	416
Marlboro	294	312	332	301	342	363	341	334	377	366	354
Newberry	292	344	383	394	368	367	369	321	365	383	355
Oconee	521	490	564	559	574	601	572	557	606	628	635
Orangeburg	841	855	905	891	891	966	866	929	943	960	932
Pickens	693	714	719	816	792	823	848	815	855	918	895
Richland	2,213	2,237	2,255	2,257	2,233	2,311	2,386	2,391	2,412	2,536	2,600
Saluda	174	173	195	216	188	226	201	179	196	208	201
Spartanburg	2,125	2,163	2,133	2,337	2,465	2,422	2,459	2,377	2,420	2,434	2,599
Sumter	809	783	786	810	777	888	881	828	885	909	945
Union	319	345	364	328	348	349	365	419	366	354	356
Williamsburg	369	339	363	369	392	341	386	386	407	386	360
York	1,063	1,075	1,106	1,163	1,109	1,239	1,187	1,251	1,261	1,270	1,236
Unknown	1	-	-	1	4	5	8	5	4	2	14


POPULATION

The State Fruit
"The Peach"



Officially adopted by the General Assembly in 1984

Figure 1.
South Carolina Modified Census Population by County
2000



SUMMARY OF POPULATION

The Census population of South Carolina for 2000 was 4,012,012 an increase of 126,272 from the 1999 estimated population of 3,885,740. The 2000 population showed an increase of 15.1 percent over the 1990 Census population of 3,486,703.

1990 and 2000 CENSUS OF POPULATION

Population Density: In 1990, the population density (number of person per square mile of land area) of South Carolina was approximately 115.8. Based on the 2000 census count, the population density had increased to 133.2, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 1990, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1990, there were 2,414,178 white and 1,072,525 black and other persons residing in South Carolina. The 2000 census count, modified by race*, recorded a 13.9 increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten years population change from 1990 to 2000, the 45-54 years age group showed the greatest percentage increase. Only four age groups, under 1, 15-19, 20-24 and 25-34 showed a decrease in population from 1990 to 2000. The age distribution and the percent change in the number of residents from 1990 to 2000 are as follows:

Table 5.
Percent of Population by Age Group, South Carolina 1990 and 2000

Age Groups	1990		2000		Percent Change 1990-2000
	Total	Percent	Total	Percent	
Total	3,486,703	100.0	4,012,012	100.0	+15.1
Under 1 Year	55,708	1.6	53,947	1.3	-3.2
1-4 Years	207,448	5.9	210,732	5.3	+1.6
5-9 Years	255,303	7.3	285,243	7.1	+11.7
10-14 Years	253,035	7.2	290,479	7.2	+14.8
15-19 Years	278,416	8.0	295,377	7.3	+6.1
20-24 Years	284,400	8.2	281,714	7.0	- 0.9
25-34 Years	591,191	16.6	560,831	14.0	- 5.1
35-44 Years	521,761	15.0	625,124	15.6	+19.8
45-54 Years	352,866	10.1	550,321	13.7	+56.0
55-64 Years	292,526	8.4	372,911	9.3	+27.5
65-74 Years	244,985	7.0	270,048	6.7	+10.2
75 and Over	149,064	4.3	215,285	5.4	+44.4

* Refer to Technical notes in appendix.

Table 6.
Population, Live Births, Deaths, and Natural Increase
South Carolina 1980-2000
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase (Births minus Death)
		Number	Rate*	Number	Rate*	
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335
1982	3,256,259	51,554	15.8	25,066	7.7	26,488
1983	3,316,306	50,731	15.3	26,130	7.9	24,601
1984	3,300,500	50,561	15.3	26,363	8.0	24,198
1985	3,366,521	51,846	15.4	27,077	8.0	24,769
1986	3,417,611	51,726	15.1	28,122	8.2	23,604
1987	3,423,400	52,774	15.4	28,470	8.3	24,304
1988	3,519,770	55,090	15.7	29,397	8.4	25,693
1989	3,518,760	57,239	16.3	29,576	8.4	27,663
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148

* Rate per 1,000 population


Table 7.
 South Carolina Modified¹ Census Population and Percents by Race
 South Carolina and Each County, 2000.

County of Residence	Total	Modified			
		White		Black and Other	
		Number	Percent	Number	Percent
South Carolina	4,012,012	2,749,510	68.5	1,262,510	31.5
Abbeville	26,167	18,060	69.0	8,110	31.0
Aiken	142,552	103,750	72.8	38,800	27.2
Allendale	11,211	3,110	27.7	8,110	72.3
Anderson	165,740	136,770	82.5	28,970	17.5
Bamberg	16,658	6,120	36.7	10,540	63.3
Barnwell	23,478	13,150	56.0	10,330	44.0
Beaufort	120,937	89,040	73.6	31,900	26.4
Berkeley	142,651	99,860	70.0	42,800	30.0
Calhoun	15,185	7,670	50.5	7,520	49.5
Charleston	309,969	196,070	63.3	113,900	36.7
Cherokee	52,537	41,210	78.4	11,320	21.5
Chester	34,068	20,570	60.4	13,500	39.6
Chesterfield	42,768	28,000	65.5	14,770	34.5
Clarendon	32,502	14,800	45.5	17,710	54.5
Colleton	38,264	21,530	56.3	16,730	43.7
Darlington	67,394	38,740	57.5	28,660	42.5
Dillon	30,722	15,730	51.2	14,990	48.8
Dorchester	96,413	69,840	72.4	26,570	27.6
Edgefield	24,595	14,120	57.4	10,480	42.6
Fairfield	23,454	9,370	40.0	14,090	60.1
Florence	125,761	74,520	59.3	51,240	40.7
Georgetown	55,797	33,710	60.4	22,090	39.6
Greenville	379,616	301,870	79.5	77,750	20.5
Greenwood	66,271	44,200	66.7	22,070	33.3
Hampton	21,386	9,260	43.3	12,130	56.7
Horry	196,629	162,860	82.8	33,770	17.2
Jasper	20,678	9,130	44.2	11,540	55.8
Kershaw	52,647	38,250	72.7	14,400	27.4
Lancaster	61,351	44,260	72.1	17,100	27.9
Laurens	69,567	50,650	72.8	18,920	27.2
Lee	20,119	7,120	35.4	13,000	64.6
Lexington	216,014	185,040	85.7	30,970	14.3
McCormick	9,958	4,500	45.2	5,460	54.8
Marion	35,466	14,990	42.3	20,480	57.7
Marlboro	28,818	12,970	45.0	15,850	55.0
Newberry	36,108	23,610	65.4	12,500	34.6
Oconee	66,215	60,140	90.8	6,070	9.2
Orangeburg	91,582	34,380	37.5	57,200	62.5
Pickens	110,757	101,540	91.7	9,220	8.3
Richland	320,677	165,190	51.5	155,490	48.5
Saluda	19,181	13,120	68.4	6,070	31.6
Spartanburg	253,791	195,090	76.9	58,700	23.1
Sumter	104,646	53,480	51.1	51,170	48.9
Union	29,881	20,410	68.3	9,470	31.7
Williamsburg	37,217	12,260	32.9	24,960	67.1
York	164,614	129,480	78.7	35,130	21.3

Note: Races and Counties may not add to total due to rounding

¹ See Technical Notes


**The State Bird
"The Wren"**



Officially adopted by the General Assembly in 1948

**B
I
R
T
H**

Figure 2.
 Live Birth Rates* by County
 South Carolina, 2000
 (Residence Data)



Live Birth Rates

- 9.6 - 12.0
- 12.0 - 13.5
- 13.5 - 14.9
- 14.9 - 16.9

*Rates calculated per 1,000 population

Map Source: GIS Lab, Division of Biostatistics,
 PHSIS, SC DHEC

Data Source: Division of Biostatistics, PHSIS,
 SC DHEC

Table 8.
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina, 1976-2000
 (Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1976	47,651	16.7	28,529	15.4	19,122	21.6
1977	49,848	17.3	29,646	15.1	20,202	22.2
1978	49,558	17.0	29,048	14.4	20,510	22.7
1979	50,586	17.3	29,839	14.8	20,747	22.8
1980	51,908	16.6	30,559	14.2	21,349	21.9
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5
1983	50,731	15.3	30,448	13.4	20,283	19.5
1984	50,561	15.3	30,607	13.5	19,954	19.2
1985	51,846	15.4	31,543	13.7	20,303	19.1
1986	51,726	15.1	31,202	13.4	20,524	18.9
1987	52,774	15.4	31,982	13.7	20,792	19.2
1988	55,090*	15.7	33,100	13.8	21,986	19.6
1989	57,239*	16.3	34,153	14.2	23,076	20.6
1990	58,461*	16.8	35,491	14.7	22,963	21.4
1991	57,517*	16.2	34,560	14.1	22,949	20.8
1992	56,102*	15.6	33,890	13.6	22,206	19.9
1993	53,715*	14.8	32,571	13.0	21,134	18.9
1994	51,907*	14.2	31,899	12.6	19,996	17.7
1995	50,913*	13.9	31,830	12.5	19,068	16.9
1996	51,105*	13.8	32,309	12.6	18,788	16.6
1997	52,205*	13.9	33,011	12.8	19,192	16.4
1998	53,833*	14.0	34,065	12.9	19,757	16.6
1999	54,706*	14.1	34,683	12.9	20,004	16.6
2000	55,964*	13.9	35,146	12.8	20,803	16.5

*Includes unknown race

¹Rate per 1,000 population

Figure 3.
 Live Birth Rates by Race of Mother
 South Carolina, 1976-2000
 (Residence Data)




Table 9.
Live Births and Percent of Live Births by Marital Status, Age and Race of Mother
South Carolina, 2000
(Residence Data)

Age of Mother	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total Live Births by Age of Mother ¹						
All Ages	55,964 *	100	35,146	100	20,803	100
<15	207	0.4	63	0.2	144	0.7
15-19	8,358 *	14.9	4,054	11.5	4,303	20.7
20-24	16,186 *	28.9	8,931	25.4	7,248	34.8
25-29	15,039 *	26.9	10,265	29.2	4,768	22.9
30-34	10,556 *	18.9	7,813	22.2	2,742	13.2
35-39	4,728	8.4	3,417	9.7	1,311	6.3
40-44	831	1.5	565	1.6	266	1.3
45+	48	0.1	30	0.1	18	0.1
Not Stated	11	0.0	8	0.0	3	0.0
Live Births by Age of Married Mother						
All Ages	40,804 *	100	30,783	100	10,012	100
<15	22	0.1	15	0.0	7	0.1
15-19	3,706	9.1	2,593	8.4	1,113	11.1
20-24	10,174 *	24.9	7,324	23.8	2,846	28.4
25-29	12,444 *	30.5	9,527	30.9	2,912	29.1
30-34	9,508	23.3	7,494	24.3	2,014	20.1
35-39	4,196	10.3	3,266	10.6	930	9.3
40-44	707	1.7	529	1.7	178	1.8
45+	40	0.1	29	0.1	11	0.1
Not Stated	7	0.0	6	0.0	1	0.0
Live Births by Age of Unmarried Mother						
All Ages	15,146 *	100	4,355	100	10,787	100
<15	185	1.2	48	1.1	137	1.3
15-19	4,650	30.7	1,461	33.5	3,189	29.6
20-24	6,009 *	39.7	1,606	36.9	4,400	40.8
25-29	2,591	17.1	735	16.9	1,856	17.2
30-34	1,045 *	6.9	317	7.3	727	6.7
35-39	531	3.5	150	3.4	381	3.5
40-44	124	0.8	36	0.8	88	0.8
45+	8	0.1	1	0.0	7	0.1
Not Stated	3	0.0	1	0.0	2	0.0

* Includes unknown race

¹ Includes unknown marital status

Table 10.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	55,964 *	13.9	35,146	12.8	20,803	16.5
Abbeville	336	12.8	225	12.5	111	13.7
Abbeville	108	---	52	---	56	---
Honea Path (Part)	5	---	3	---	2	---
Balance of County	223	---	170	---	53	---
Aiken	1,852 *	13	1,215	11.7	623	16.1
New Ellenton	14	---	5	---	9	---
Belvedere	2	---	1	---	1	---
Clearwater	1	---	1	---	-	---
Gloverville	4	---	1	---	3	---
Aiken	438 *	---	224	---	210	---
N Augusta	339 *	---	224	---	111	---
Balance of County	1,054 *	---	759	---	289	---
Allendale	174	15.5	28	9	146	18
Allendale	71	---	6	---	65	---
Balance of County	103	---	22	---	81	---
Anderson	2,217	13.4	1,689	12.3	528	18.2
Homeland Park	-	---	-	---	-	---
Piedmont (Part)	27	---	24	---	3	---
Northlake	-	---	-	---	-	---
Belton	76	---	60	---	16	---
Honea Path (Part)	35	---	31	---	4	---
Williamston	54	---	44	---	10	---
Clemson (Part)	8	---	4	---	4	---
Pendleton	53	---	26	---	27	---
Centerville	-	---	-	---	-	---
Anderson	449	---	238	---	211	---
Balance of County	1,515	---	1,262	---	253	---
Bamberg	233	14	78	12.8	155	14.7
Bamberg	62	---	21	---	41	---
Denmark	50	---	3	---	47	---
Balance of County	121	---	54	---	67	---
Barnwell	330	14.1	140	10.6	190	18.4
Barnwell	73	---	23	---	50	---
Williston	34	---	16	---	18	---
Blackville	39	---	3	---	36	---
Balance of County	184	---	98	---	86	---
Beaufort	1,887	15.6	1,343	15.1	544	17.1
Beaufort	274	---	197	---	77	---
Port Royal	31	---	21	---	10	---
Burton	24	---	9	---	15	---
Laurel Bay	3	---	2	---	1	---
Parris Island	7	---	5	---	2	---
Shell Point	-	---	-	---	-	---
Hilton Head	181	---	158	---	23	---
Balance of County	1,367	---	951	---	416	---
Berkeley	2,114	14.8	1,477	14.8	637	14.9
Ladson (Part)	127	---	103	---	24	---
N Charleston (Part)	3	---	2	---	1	---
Moncks Corner	316	---	195	---	121	---
Summerville (Part)	245	---	199	---	46	---
Hanahan	107	---	83	---	24	---
Goose Creek	832	---	624	---	208	---
Balance of County	484	---	271	---	213	---

Table 10 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Calhoun	193	12.7	82	10.7	111	14.8
Balance of County	193	---	82	---	111	---
Charleston	4,586	14.8	2,589	13.2	1,997	17.5
Mt Pleasant	775	---	674	---	101	---
Isle of Palms	40	---	39	---	1	---
Summerville (Part)	14	---	11	---	3	---
Ladson (Part)	50	---	28	---	22	---
Charleston	2,106	---	1,093	---	1,013	---
N Charleston (Part)	919	---	350	---	569	---
Balance of County	682	---	394	---	288	---
Cherokee	784	14.9	589	14.3	195	17.2
East Gaffney	-	---	-	---	-	---
Gaffney	212	---	95	---	117	---
Balance of County	572	---	494	---	78	---
Chester	514	15.1	258	12.5	256	19
Chester	121	---	28	---	93	---
Great Falls	39	---	24	---	15	---
Balance of County	354	---	206	---	148	---
Chesterfield	619	14.5	347	12.4	272	18.4
Cheraw	114	---	40	---	74	---
Pageland	30	---	18	---	12	---
Balance of County	475	---	289	---	186	---
Clarendon	440	13.5	166	11.2	274	15.5
Manning	105	---	24	---	81	---
Balance of County	333	---	142	---	191	---
Colleton	589	15.4	304	14.1	285	17
Walterboro	207	---	99	---	108	---
Balance of County	382	---	205	---	177	---
Darlington	953	14.1	448	11.6	505	17.6
Darlington	161	---	54	---	107	---
Hartsville	153	---	56	---	97	---
North Hartsville	-	---	-	---	-	---
Balance of County	639	---	338	---	301	---
Dillon	519	16.9	236	15	283	18.9
Dillon	151	---	60	---	91	---
Balance of County	368	---	176	---	192	---
Dorchester	1,228 *	12.7	857	12.3	370	13.9
N Charleston (Part)	71	---	45	---	26	---
Summerville (Part)	702 *	---	529	---	172	---
Balance of County	455	---	283	---	172	---
Edgefield	288	11.7	159	11.3	129	12.3
Edgefield	27	---	5	---	22	---
Johnston	35	---	9	---	26	---
N Augusta	14	---	4	---	10	---
Balance of County	212	---	141	---	71	---
Fairfield	342	14.6	102	10.9	240	17
Winnsboro	120	---	32	---	88	---
Balance of County	222	---	70	---	152	---
Florence	1,866	14.8	931	12.5	935	18.2
Lake City	141	---	25	---	116	---
Florence	593	---	238	---	355	---
Balance of County	1,132	---	668	---	464	---

Table 10 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Georgetown	770	13.8	405	12	365	16.5
Andrews	67	---	28	---	39	---
Georgetown	277	---	102	---	175	---
Murrells Inlet	33	---	29	---	4	---
Balance of County	393	---	246	---	147	---
Greenville	5,388	14.2	4,141	13.7	1,247	16
Mauldin	185	---	145	---	40	---
Berea	-	---	-	---	-	---
Gantt	-	---	-	---	-	---
Parker	-	---	-	---	-	---
Taylors	171	---	131	---	40	---
Wade Hampton	-	---	-	---	-	---
Simpsonville	351	---	300	---	51	---
Welcome	-	---	-	---	-	---
Travelers Rest	85	---	68	---	17	---
Piedmont (Part)	39	---	27	---	12	---
Fountain Inn (Part)	96	---	62	---	34	---
Judson	-	---	-	---	-	---
Dunean	16	---	11	---	5	---
San Souci	-	---	-	---	-	---
Greenville	1,673	---	1,028	---	645	---
Greer (Part)	243	---	195	---	48	---
Balance of County	2,529	---	2,174	---	355	---
Greenwood	954	14.4	569	12.9	385	17.4
Greenwood	555	---	288	---	267	---
Balance of County	397	---	279	---	118	---
Hampton	302	14.1	126	13.6	176	14.5
Hampton	38	---	20	---	18	---
Balance of County	264	---	106	---	158	---
Horry	2,569	13.1	1,885	11.6	684	20.3
Red Hill	-	---	-	---	-	---
Conway	282	---	143	---	139	---
Forestbrook	-	---	-	---	-	---
Surfside Beach	81	---	75	---	6	---
N Myrtle Beach	102	---	88	---	14	---
Garden City	25	---	22	---	3	---
Little River	70	---	53	---	17	---
Socastee	2	---	2	---	-	---
Myrtle Beach	486	---	379	---	107	---
Balance of County	1,521	---	1,123	---	398	---
Jasper	284	13.7	142	15.5	142	12.3
Balance of County	284	---	142	---	142	---
Kershaw	729	13.8	528	13.8	201	14
Camden	109	---	61	---	48	---
Lugoff	54	---	47	---	7	---
Balance of County	566	---	420	---	146	---
Lancaster	830	13.5	553	12.5	277	16.2
Lancaster	187	---	87	---	100	---
Springdale	-	---	-	---	-	---
Balance of County	643	---	466	---	177	---
Laurens	823	11.8	569	11.2	254	13.4
Clinton	51	---	28	---	23	---
Laurens	192	---	106	---	86	---
Fountain Inn (Part)	17	---	11	---	6	---
Balance of County	563	---	424	---	139	---

Table 10 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Lee	264	13.1	61	8.6	203	15.6
Bishopville	93	---	12	---	81	---
Balance of County	171	---	49	---	122	---
Lexington	2,999	13.9	2,415	13.1	584	18.9
Irmo (Part)	68	---	48	---	20	---
Cayce	123	---	81	---	42	---
Batesburg	61	---	27	---	34	---
Lexington	354	---	321	---	33	---
Oak Grove	-	---	-	---	-	---
Springdale	-	---	-	---	-	---
Red Bank	-	---	-	---	-	---
W Columbia	402	---	249	---	153	---
Seven Oaks	-	---	-	---	-	---
Balance of County	1,991	---	1,689	---	302	---
McCormick	96	9.6	34	7.6	62	11.4
Balance of County	96	---	34	---	62	---
Marion	527	14.9	203	13.5	324	15.8
Marion	148	---	42	---	106	---
Mullins	97	---	27	---	70	---
Balance of County	282	---	134	---	148	---
Marlboro	434	15.1	185	14.3	249	15.7
Bennettsville	169	---	50	---	119	---
McColl	21	---	14	---	7	---
Balance of County	244	---	121	---	123	---
Newberry	497	13.8	294	12.5	203	16.2
Newberry	197	---	89	---	108	---
Balance of County	300	---	205	---	95	---
Oconee	768	11.6	685	11.4	83	13.7
Seneca	111	---	67	---	44	---
Walhalla	73	---	65	---	8	---
Westminster	37	---	35	---	2	---
Balance of County	547	---	518	---	29	---
Orangeburg	1,310	14.3	416	12.1	894	15.6
Brookdale	-	---	-	---	-	---
Edisto	1	---	1	---	-	---
Wilkinson Heights	-	---	-	---	-	---
Orangeburg	229	---	43	---	186	---
Balance of County	1,080	---	372	---	708	---
Pickens	1,329	12	1,221	12	108	11.7
Ariel	-	---	-	---	-	---
Liberty	44	---	37	---	7	---
Pickens	52	---	50	---	2	---
Easley	282	---	245	---	37	---
Clemson (Part)	64	---	47	---	17	---
Balance of County	886	---	842	---	44	---
Richland	4,460	13.9	1,897	11.5	2,563	16.5
Dentsville	-	---	-	---	-	---
Irmo (Part)	148	---	105	---	43	---
Forest Acres	2	---	2	---	-	---
Valencia Heights	-	---	-	---	-	---
Woodfield	-	---	-	---	-	---
Columbia/Ft Jackson	2,857	---	1,028	---	1,829	---
St Andrews	-	---	-	---	-	---
Balance of County	1,453	---	762	---	691	---

Table 10 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Saluda	257	13.4	164	12.5	93	15.3
Batesburg (Part)	1	---	1	---	-	---
Saluda	104	---	59	---	45	---
Balance of County	152	---	104	---	48	---
Spartanburg	3,344	13.2	2,483	12.7	861	14.7
Boiling Springs	17	---	11	---	6	---
Woodruff	68	---	54	---	14	---
Southern Shops	-	---	-	---	-	---
Valley Falls	-	---	-	---	-	---
Wellford	19	---	13	---	6	---
Saxon	-	---	-	---	-	---
Spartanburg	514	---	186	---	328	---
Greer (Part)	69	---	52	---	17	---
Balance of County	2,657	---	2,167	---	490	---
Sumter	1,744	16.7	832	15.6	912	17.8
Cherryvale	1	---	-	---	1	---
South Sumter	-	---	-	---	-	---
Sumter	900	---	346	---	554	---
Balance of County	843	---	486	---	357	---
Union	376	12.6	215	10.5	161	17.0
Union	149	---	58	---	91	---
Balance of County	227	---	157	---	70	---
Williamsburg	543	14.6	152	12.4	391	15.7
Andrews (Part)	11	---	6	---	5	---
Kingstree	125	---	23	---	102	---
Balance of County	407	---	123	---	284	---
York	2,301	14.0	1,706	13.2	595	16.9
Clover	71	---	53	---	18	---
Fort Mill	90	---	70	---	20	---
York	122	---	79	---	43	---
Lake Wylie	9	---	8	---	1	---
Tega Cay	14	---	14	---	-	---
Rock Hill	769	---	432	---	337	---
Balance of County	1,226	---	1,050	---	176	---

¹ Rate per 1,000 Modified Census Population (See Technical Notes)

* Includes unknown race

Table 11.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	53,562	13.4	33,247	12.1	20,315	16.1
Abbeville	221	8.4	143	7.9	78	9.6
Abbeville	220	---	142	---	78	---
Honea Path (Part)	-	---	-	---	-	---
Balance of County	1	---	1	---	-	---
Aiken	990	6.9	464	4.5	526	13.6
New Ellenton	-	---	-	---	-	---
Belvedere	-	---	-	---	-	---
Clearwater	-	---	-	---	-	---
Gloverville	-	---	-	---	-	---
Aiken	986	---	461	---	525	---
N Augusta	1	---	1	---	-	---
Balance of County	3	---	2	---	1	---
Allendale	133	11.9	13	4.2	120	14.8
Allendale	-	---	-	---	-	---
Balance of County	133	---	13	---	120	---
Anderson	1,853	11.2	1,339	9.8	514	17.7
Homeland Park	-	---	-	---	-	---
Piedmont (Part)	-	---	-	---	-	---
Northlake	-	---	-	---	-	---
Belton	-	---	-	---	-	---
Honea Path (Part)	-	---	-	---	-	---
Williamston	-	---	-	---	-	---
Clemson (Part)	-	---	-	---	-	---
Pendleton	-	---	-	---	-	---
Centerville	-	---	-	---	-	---
Anderson	1,843	---	1,331	---	512	---
Balance of County	9	---	7	---	2	---
Bamberg	122	7.3	57	9.3	65	6.2
Bamberg	122	---	57	---	65	---
Denmark	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Barnwell	5	0.2	3	0.2	2	0.2
Barnwell	3	---	1	---	2	---
Williston	-	---	-	---	-	---
Blackville	-	---	-	---	-	---
Balance of County	2	---	2	---	-	---
Beaufort	2,171	18	1,447	16.3	724	22.7
Beaufort	1,706	---	1,065	---	641	---
Port Royal	-	---	-	---	-	---
Burton	-	---	-	---	-	---
Laurel Bay	-	---	-	---	-	---
Parris Island	-	---	-	---	-	---
Shell Point	-	---	-	---	-	---
Hilton Head	464	---	382	---	82	---
Balance of County	1	---	-	---	1	---
Berkeley	10	0.1	5	0.1	5	0.1
Ladson (Part)	-	---	-	---	-	---
N Charleston (Part)	-	---	-	---	-	---
Moncks Corner	4	---	1	---	3	---
Summerville (Part)	1	---	-	---	1	---
Hanahan	-	---	-	---	-	---
Goose Creek	2	---	1	---	1	---
Balance of County	3	---	3	---	-	---

Table 11 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Calhoun	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Charleston	7,977	25.7	4,836	24.7	3,141	27.6
Mt Pleasant	1,338	---	1,085	---	253	---
Isle of Palms	-	---	-	---	-	---
Summerville (Part)	-	---	-	---	-	---
Ladson (Part)	-	---	-	---	-	---
Charleston	4,634	---	2,313	---	2,321	---
N Charleston (Part)	3	---	1	---	2	---
Balance of County	2,002	---	1,437	---	565	---
Cherokee	366	7	242	5.9	124	11
East Gaffney	-	---	-	---	-	---
Gaffney	-	---	-	---	-	---
Balance of County	366	---	242	---	124	---
Chester	209	6.1	64	3.1	145	10.7
Chester	-	---	-	---	-	---
Great Falls	1	---	1	---	-	---
Balance of County	208	---	63	---	145	---
Chesterfield	260	6.1	104	3.7	156	10.6
Cheraw	259	---	104	---	155	---
Pageland	-	---	-	---	-	---
Balance of County	1	---	-	---	1	---
Clarendon	580	17.8	171	11.6	409	23.1
Manning	579	---	170	---	409	---
Balance of County	1	---	1	---	-	---
Colleton	361	9.4	159	7.4	202	12.1
Walterboro	361	---	159	---	202	---
Balance of County	-	---	-	---	-	---
Darlington	658	9.8	248	6.4	410	14.3
Darlington	1	---	-	---	1	---
Hartsville	655	---	248	---	407	---
North Hartsville	-	---	-	---	-	---
Balance of County	2	---	-	---	2	---
Dillon	290	9.4	94	6	196	13.1
Dillon	289	---	93	---	196	---
Balance of County	1	---	1	---	-	---
Dorchester	675	7	494	7.1	181	6.8
N Charleston (Part)	-	---	-	---	-	---
Summerville (Part)	675	---	494	---	181	---
Balance of County	-	---	-	---	-	---
Edgefield	3	0.1	-	-	3	0.3
Edgefield	2	---	-	---	2	---
Johnston	-	---	-	---	-	---
N Augusta	-	---	-	---	-	---
Balance of County	1	---	-	---	1	---
Fairfield	-	---	-	---	-	---
Winnsboro	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Florence	3,327	26.5	1,739	23.3	1,588	31
Lake City	2	---	-	---	2	---
Florence	3,321	---	1,739	---	1,582	---
Balance of County	4	---	-	---	4	---

Table 11 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Georgetown	723	13	400	11.9	323	14.6
Andrews	-	---	-	---	-	---
Georgetown	722	---	399	---	323	---
Murrells Inlet	-	---	-	---	-	---
Balance of County	1	---	1	---	-	---
Greenville	7,214	19	5,785	19.2	1,429	18.4
Mauldin	-	---	-	---	-	---
Berea	-	---	-	---	-	---
Gantt	-	---	-	---	-	---
Parker	-	---	-	---	-	---
Taylors	1	---	1	---	-	---
Wade Hampton	-	---	-	---	-	---
Simpsonville	1	---	1	---	-	---
Welcome	-	---	-	---	-	---
Travelers Rest	1	---	1	---	-	---
Piedmont (Part)	-	---	-	---	-	---
Fountain Inn (Part)	1	---	1	---	-	---
Judson	-	---	-	---	-	---
Duncan	-	---	-	---	-	---
San Souci	-	---	-	---	-	---
Greenville	5,032	---	3,890	---	1,142	---
Greer (Part)	406	---	347	---	59	---
Balance of County	1,772	---	1,544	---	228	---
Greenwood	1,586	23.9	918	20.8	668	30.3
Greenwood	1,572	---	906	---	666	---
Balance of County	14	---	12	---	2	---
Hampton	6	0.3	-	-	6	0.5
Hampton	-	---	-	---	-	---
Balance of County	6	---	-	---	6	---
Horry	2,517	12.8	1,811	11.1	706	20.9
Red Hill	-	---	-	---	-	---
Conway	2	---	1	---	1	---
Forestbrook	-	---	-	---	-	---
Surfside Beach	-	---	-	---	-	---
N Myrtle Beach	1	---	-	---	1	---
Garden City	-	---	-	---	-	---
Little River	-	---	-	---	-	---
Socastee	-	---	-	---	-	---
Myrtle Beach	948	---	762	---	186	---
Balance of County	1,566	---	1,048	---	518	---
Jasper	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Kershaw	397	7.5	245	6.4	152	10.6
Camden	397	---	245	---	152	---
Lugoff	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Lancaster	693	11.3	393	8.9	300	17.5
Lancaster	691	---	392	---	299	---
Springdale	-	---	-	---	-	---
Balance of County	2	---	1	---	1	---
Laurens	375	5.4	233	4.6	142	7.5
Clinton	-	---	-	---	-	---
Laurens	1	---	-	---	1	---
Fountain Inn (Part)	-	---	-	---	-	---
Balance of County	374	---	233	---	141	---

Table 11 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Lee	3	0.1	-	-	3	0.2
Bishopville	1	---	-	---	1	---
Balance of County	2	---	-	---	2	---
Lexington	2,405	11.1	1,834	9.9	571	18.4
Irmo (Part)	-	---	-	---	-	---
Cayce	-	---	-	---	-	---
Batesburg	-	---	-	---	-	---
Lexington	1	---	1	---	-	---
Oak Grove	-	---	-	---	-	---
Springdale	-	---	-	---	-	---
Red Bank	-	---	-	---	-	---
W Columbia	1	---	1	---	-	---
Seven Oaks	-	---	-	---	-	---
Balance of County	2,403	---	1,832	---	571	---
McCormick	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Marion	602	17	235	15.7	367	17.9
Marion	-	---	-	---	-	---
Mullins	-	---	-	---	-	---
Balance of County	602	---	235	---	367	---
Marlboro	151	5.2	40	3.1	111	7
Bennettsville	151	---	40	---	111	---
McColl	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Newberry	274	7.6	136	5.8	138	11
Newberry	272	---	135	---	137	---
Balance of County	2	---	1	---	1	---
Oconee	637	9.6	554	9.2	83	13.7
Seneca	-	---	-	---	-	---
Walhalla	2	---	2	---	-	---
Westminster	1	---	1	---	-	---
Balance of County	634	---	551	---	83	---
Orangeburg	1,511	16.5	446	13	1,065	18.6
Brookdale	-	---	-	---	-	---
Edisto	-	---	-	---	-	---
Wilkinson Heights	-	---	-	---	-	---
Orangeburg	3	---	2	---	1	---
Balance of County	1,508	---	444	---	1,064	---
Pickens	624	5.6	573	5.6	51	5.5
Arial	-	---	-	---	-	---
Liberty	1	---	1	---	-	---
Pickens	-	---	-	---	-	---
Easley	621	---	570	---	51	---
Clemson (Part)	-	---	-	---	-	---
Balance of County	2	---	2	---	-	---
Richland	6,572	20.5	3,404	20.6	3,168	20.4
Dentsville	-	---	-	---	-	---
Irmo (Part)	1	---	1	---	-	---
Forest Acres	-	---	-	---	-	---
Valencia Heights	-	---	-	---	-	---
Woodfield	-	---	-	---	-	---
Columbia/Ft Jackson	6,324	---	3,217	---	3,107	---
St Andrews	-	---	-	---	-	---
Balance of County	247	---	186	---	61	---

Table 11 (cont.)
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County and Places of 2,500 or More Population, 2000
 (Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Saluda	1	0.1	-	-	1	0.2
Batesburg (Part)	-	---	-	---	-	---
Saluda	-	---	-	---	-	---
Balance of County	1	---	-	---	1	---
Spartanburg	3,762	14.8	2,765	14.2	997	17
Boiling Springs	-	---	-	---	-	---
Woodruff	-	---	-	---	-	---
Southern Shops	-	---	-	---	-	---
Valley Falls	-	---	-	---	-	---
Wellford	-	---	-	---	-	---
Saxon	-	---	-	---	-	---
Spartanburg	2,477	---	1,775	---	702	---
Greer (Part)	-	---	-	---	-	---
Balance of County	1,285	---	990	---	295	---
Sumter	1,544	14.8	700	13.1	844	16.5
Cherryvale	-	---	-	---	-	---
South Sumter	-	---	-	---	-	---
Sumter	1,230	---	475	---	755	---
Balance of County	314	---	225	---	89	---
Union	143	4.8	69	3.4	74	7.8
Union	142	---	69	---	73	---
Balance of County	1	---	-	---	1	---
Williamsburg	5	0.1	-	-	5	0.2
Andrews (Part)	-	---	-	---	-	---
Kingstree	4	---	-	---	4	---
Balance of County	1	---	-	---	1	---
York	1,606	9.8	1,084	8.4	522	14.9
Clover	-	---	-	---	-	---
Fort Mill	-	---	-	---	-	---
York	3	---	1	---	2	---
Lake Wylie	-	---	-	---	-	---
Tega Cay	-	---	-	---	-	---
Rock Hill	1,599	---	1,080	---	519	---
Balance of County	4	---	3	---	1	---
Unknown	-	---	-	---	-	---

¹ Rate per 1,000 Modified Census Population (See Technical Notes)

Table 12.
 Live Births by Race of Mother and Sex
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	55,964	28,640	27,323	35,146 ²	18,016	17,129	20,803	10,614	10,189
Abbeville	336	185	151	225	123	102	111	62	49
Aiken	1,852	964	888	1,215	601	614	623	354	269
Allendale	174	88	86	28	13	15	146	75	71
Anderson	2,217	1,148	1,069	1,689	893	796	528	255	273
Bamberg	233	120	113	78	39	39	155	81	74
Barnwell	330	171	159	140	73	67	190	98	92
Beaufort	1,887	937	950	1,343	684	659	544	253	291
Berkeley	2,114	1,100	1,014	1,477	760	717	637	340	297
Calhoun	193	97	96	82	42	40	111	55	56
Charleston	4,586	2,292	2,294	2,589	1,297	1,292	1,997	995	1,002
Cherokee	784	413	371	589	314	275	195	99	96
Chester	514	264	250	258	140	118	256	124	132
Chesterfield	619	330	289	347	180	167	272	150	122
Clarendon	440	238	202	166	92	74	274	146	128
Colleton	589	295	294	304	152	152	285	143	142
Darlington	953	486	467	448	225	223	505	261	244
Dillon	519	258	261	236	121	115	283	137	146
Dorchester	1,228	600	628	857	428	429	370	171	199
Edgefield	288	141	147	159	79	80	129	62	67
Fairfield	342	174	168	102	57	45	240	117	123
Florence	1,866	953	913	931	481	450	935	472	463
Georgetown	770	408	362	405	205	200	365	203	162
Greenville	5,388 *	2,761	2,626	4,141	2,109	2,031	1,247	652	595
Greenwood	954	473	481	569	279	290	385	194	191
Hampton	302	140	162	126	68	58	176	72	104
Horry	2,569	1,310	1,259	1,885	961	924	684	349	335
Jasper	284	131	153	142	67	75	142	64	78
Kershaw	729	391	338	528	281	247	201	110	91
Lancaster	830	408	422	553	279	274	277	129	148
Laurens	823	415	408	569	281	288	254	134	120
Lee	264	135	129	61	33	28	203	102	101
Lexington	2,999	1,527	1,472	2,415	1,235	1,180	584	292	292
McCormick	96	46	50	34	21	13	62	25	37
Marion	527	280	247	203	97	106	324	183	141
Marlboro	434	242	192	185	105	80	249	137	112
Newberry	497	263	234	294	161	133	203	102	101
Oconee	768	399	369	685	350	335	83	49	34
Orangeburg	1,310	679	631	416	210	206	894	469	425
Pickens	1,329	652	677	1,221	596	625	108	56	52
Richland	4,460	2,309	2,151	1,897	1,019	878	2,563	1,290	1,273
Saluda	257	122	135	164	79	85	93	43	50
Spartanburg	3,344	1,736	1,608	2,483	1,304	1,179	861	432	429
Sumter	1,744	914	830	832	425	407	912	489	423
Union	376	188	188	215	115	100	161	73	88
Williamsburg	543	269	274	152	69	83	391	200	191
York	2,301	1,187	1,114	1,706	872	834	595	315	280

* Includes unknown races

¹ Includes unknown race and sex

² Includes unknown sex

Table 13.
 Live Births by Race of Mother and Sex
 South Carolina and Each County, 2000
 (Occurrence Data)

County of Occurrence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	53,562	27,375	26,187	33,247	17,008	16,239	20,315	10,367	9,948
Abbeville	221	116	105	143	73	70	78	43	35
Aiken	990	500	490	464	211	253	526	289	237
Allendale	133	65	68	13	5	8	120	60	60
Anderson	1,853	956	897	1,339	710	629	514	246	268
Bamberg	122	57	65	57	24	33	65	33	32
Barnwell	5	1	4	3	1	2	2	-	2
Beaufort	2,171	1,055	1,116	1,447	718	729	724	337	387
Berkeley	10	5	5	5	3	2	5	2	3
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	7,977	4,025	3,952	4,836	2,449	2,387	3,141	1,576	1,565
Cherokee	366	191	175	242	124	118	124	67	57
Chester	209	105	104	64	32	32	145	73	72
Chesterfield	260	144	116	104	56	48	156	88	68
Clarendon	580	308	272	171	87	84	409	221	188
Colleton	361	178	183	159	79	80	202	99	103
Darlington	658	348	310	248	130	118	410	218	192
Dillon	290	144	146	94	45	49	196	99	97
Dorchester	675	342	333	494	252	242	181	90	91
Edgefield	3	-	3	-	-	-	3	-	3
Fairfield	-	-	-	-	-	-	-	-	-
Florence	3,327	1,696	1,631	1,739	895	844	1,588	801	787
Georgetown	723	368	355	400	196	204	323	172	151
Greenville	7,214	3,708	3,506	5,785	2,955	2,830	1,429	753	676
Greenwood	1,586	785	801	918	462	456	668	323	345
Hampton	6	2	4	-	-	-	6	2	4
Horry	2,517	1,297	1,220	1,811	933	878	706	364	342
Jasper	-	-	-	-	-	-	-	-	-
Kershaw	397	199	198	245	128	117	152	71	81
Lancaster	693	333	360	393	196	197	300	137	163
Laurens	375	197	178	233	115	118	142	82	60
Lee	3	2	1	-	-	-	3	2	1
Lexington	2,405	1,235	1,170	1,834	938	896	571	297	274
McCormick	-	-	-	-	-	-	-	-	-
Marion	602	310	292	235	113	122	367	197	170
Marlboro	151	81	70	40	21	19	111	60	51
Newberry	274	141	133	136	68	68	138	73	65
Oconee	637	326	311	554	275	279	83	51	32
Orangeburg	1,511	793	718	446	229	217	1,065	564	501
Pickens	624	318	306	573	290	283	51	28	23
Richland	6,572	3,412	3,160	3,404	1,805	1,599	3,168	1,607	1,561
Saluda	1	1	-	-	-	-	1	1	-
Spartanburg	3,762	1,929	1,833	2,765	1,454	1,311	997	475	522
Sumter	1,544	817	727	700	368	332	844	449	395
Union	143	73	70	69	35	34	74	38	36
Williamsburg	5	2	3	-	-	-	5	2	3
York	1,606	810	796	1,084	533	551	522	277	245

FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the population exposed to the chance of having a birth since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. When the event of birth is related to the population exposed at risk, that is, to females of the childbearing ages 15-44, a more specific rate is computed.

Table 14.
Fertility Rates* by Race: South Carolina, 1986-2000
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1986	62.5	56.9	73.4
1987	63.8	58.4	74.3
1988	64.9	59.3	75.6
1989	67.5	61.3	79.4
1990	69.5	63.0	82.5
1991	67.2	60.7	80.0
1992	64.7	58.7	76.7
1993	61.5	56.0	72.6
1994	58.9	54.3	68.1
1995	57.7	54.0	65.1
1996	57.5	54.3	63.8
1997	60.4	58.4	64.2
1998	60.9	59.0	64.4
1999	61.9	59.9	65.5
2000	63.0	60.7	67.1

*Rate per 1,000 Population of Females Aged 15-44 Years

Table 15.
Population of Females Age 15-44 by Race
South Carolina, 1986-2000
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1986	827,405	547,943	279,462
1987	827,741	547,804	279,937
1988	848,959	558,092	290,867
1989	847,538	556,796	290,742
1990	840,958	562,521	278,437
1991	856,300	569,580	286,720
1992	866,790	577,100	289,690
1993	873,055	582,103	290,952
1994	881,319	587,647	293,672
1995	881,993	589,105	292,888
1996	888,920	594,535	294,385
1997	864,721	565,567	299,154
1998	879,477	575,366	304,021
1999	884,147	578,968	305,179
2000	884,317	577,081	307,236

SEX RATIO

Out of the total 53,562 live births occurring to South Carolina residents in 2000, male births numbered 27,375 and female births numbered 26,187 giving a ratio of 104.5 males per 100 females. Table 16 shows the ratio of males to females for the past five years.

Table 16.
Sex Ratio of Males per 100 Females:
South Carolina, 1996-2000
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1996	104.3	104.7	103.6
1997	107.8	108.6	106.5
1998	104.6	104.8	104.3
1999	104.1	104.6	103.2
2000	104.5	104.7	104.2

MULTIPLE BIRTHS

During 2000, a total of 1,666 live births were multiple births. Of that number, 1,593 were twins (not sets), 86 were triplets (not sets), and 8 were quadruplets (not sets). The 1,666 multiple births resulted in a ratio of 1 multiple birth per 33.6 live births.

Table 17.
Live Births by County of Occurrence by County of Residence
South Carolina, 2000 (Residence Data)

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																								
	ABBEVILLE	AIKEN	ALLENDALE	ANDERSON	BAMBERG	BARNWELL	BEAUFORT	BERKELEY	CALHOUN	CHARLESTON	CHEROKEE	CHESTER	CHESTERFIELD	CLARENDON	COLLETON	DARLINGTON	DILLON	DORCHESTER	EDGEFIELD	FAIRFIELD	FLORENCE	GEORGETOWN	GREENVILLE	GREENWOOD	
Abbeville	154			11																					33
Aiken		737	28		2	132													52						
Allendale			71		1	7																			
Anderson	54			1581		1																	13	3	
Bamberg		1	6		58	12	3		1	4				1	6			1							
Barnwell						5																			
Beaufort			7				1742								13							1			
Berkeley								10																	
Charleston			2	3	2	2	57	1928		4451				8	224	1		821			6	181	8		
Cherokee											342														
Chester											1	190								10					
Chesterfield													166			1					1				
Clarendon									1	1				338		1		1			8				
Colleton					1	2	1	1	1	1					312			7							
Darlington													141			336						2			
Dillon																1	246								
Dorchester								160		99				1	24			375				1			
Edgefield																			3						
Florence													125	42		603	111			1	1827	20	2		
Georgetown									3												2	499			
Greenville	5	1		556			2				2												5208	12	
Greenwood	120	2		15							1								72				6	889	
Hampton															1										
Horry										2			1	1			2					67	3		
Kershaw													3							2					
Lancaster										1		75	42							4					
Laurens																							4	5	
Lee																									
Lexington		60				3		2	25				1	1	1			1	3	20				1	
Marion																	151				6				
Marlboro													4				1								
Newberry																					1				
Oconee				15																		1		2	
Orangeburg		3	40		155	113		1	113	1				4	7			14					1	1	
Pickens				28																				16	
Richland		26	10	1	11	14	2	2	54	6		17	11	15		7	3	3	1	299	6		5	2	
Saluda																									
Spartanburg				2						1														97	
Sumter										1											1	1			
Union															25										
Williamsburg																									
York										1											2				
Out-of-State	3	1022	10	5	3	39	80	3		18	45	47	125	4	1	3	5	5	157	2	5	2	21	9	

Table 17 (cont.)
 Live Births by County of Occurrence by County of Residence
 South Carolina, 2000 (Residence Data)

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																						
	HAMPTON	HORRY	JASPER	KERSHAW	LANCASTER	LAURENS	LEE	LEXINGTON	MCCORMICK	MARION	MARLBORO	NEWBERRY	OCONEE	ORANGEBURG	PICKENS	RICHLAND	SALUDA	SPARTANBURG	SUMTER	UNION	WILLIAMSBURG	YORK	OUT-OF-STATE
Abbeville	-	-	-	-	-	1	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Aiken	7	-	-	-	-	-	-	3	1	-	-	1	-	7	-	1	11	-	1	-	-	-	7
Allendale	54	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	-	-	-	-	-	-	-	-	-	-	-	-	59	-	25	-	-	3	-	-	-	-	112
Bamberg	4	-	-	1	-	-	-	2	-	-	-	-	-	20	-	-	-	-	-	-	-	-	2
Barnwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	158	-	227	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	19
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	13	58	14	2	-	2	1	1	-	6	-	1	-	90	2	7	-	3	10	-	37	1	35
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	2	-	3	10
Chester	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1
Chesterfield	-	-	-	-	-	-	1	-	-	-	89	-	-	-	-	-	-	-	-	-	-	-	2
Clarendon	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	69	-	159	-	1
Colleton	33	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Darlington	-	-	-	6	-	-	144	-	-	-	25	-	-	-	-	-	-	-	2	-	-	-	2
Dillon	-	-	-	-	-	-	-	-	-	4	9	-	-	-	-	-	-	-	-	-	-	-	30
Dorchester	-	-	-	-	-	-	-	1	-	-	-	-	-	12	-	-	-	-	-	-	-	-	2
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	41	-	7	1	-	50	-	-	98	94	-	-	1	-	-	-	-	40	-	251	1	12
Georgetown	-	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74	-	1
Greenville	-	1	-	-	-	214	-	2	-	-	-	3	127	-	679	2	-	374	1	1	-	1	23
Greenwood	-	1	-	-	-	214	-	3	54	-	-	49	-	-	1	-	153	-	-	1	-	-	5
Hampton	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	2266	-	-	1	-	-	1	-	14	-	-	-	-	-	-	-	1	-	-	-	1	157
Kershaw	-	-	-	335	10	-	24	1	-	-	-	-	-	-	-	7	-	-	14	-	-	-	1
Lancaster	-	1	-	21	538	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	7	2
Laurens	-	-	-	-	-	358	-	1	-	-	1	-	-	-	-	-	-	5	-	1	-	-	-
Lee	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	3	-	-	13	-	2	2	1681	-	1	-	94	-	18	-	404	59	1	7	-	-	-	2
Marion	-	33	-	-	-	-	1	-	-	402	1	-	-	-	-	-	-	-	-	-	-	-	8
Marlboro	-	-	-	-	-	-	-	-	-	-	145	-	-	-	-	-	-	-	-	-	-	-	1
Newberry	-	-	-	1	-	5	-	2	-	-	-	253	-	-	-	-	8	1	-	3	-	-	-
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	568	-	47	-	-	-	-	-	-	-	1
Orangeburg	9	-	2	-	-	-	1	6	-	-	-	-	-	1033	-	4	-	-	-	-	-	1	3
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	7	1	571	-	-	-	-	-	-	1	2
Richland	5	3	-	337	12	6	19	1286	-	1	1	92	-	122	1	4003	14	-	125	2	6	16	26
Saluda	-	-	-	-	-	1	19	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Spartanburg	-	1	-	-	1	19	-	2	-	-	-	1	-	-	2	-	-	2926	-	225	-	4	88
Sumter	-	-	-	4	1	-	18	2	-	-	-	-	-	-	-	10	-	1	1469	-	7	-	4
Union	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	138	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-
York	-	-	-	-	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1323	19
Out-of-State	11	20	40	2	188	-	-	5	22	1	69	2	7	4	1	22	11	17	5	1	3	938	2

Table 18.
Live Births by Number of Prenatal Care Visits
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits						
		No. Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	55,964 *	558	2,016	1,154	18,096	27,022	6,531	587
Abbeville	336	2	11	8	137	148	29	1
Aiken	1,852 *	28	89	65	801	665	191	13
Allendale	174	3	13	2	75	63	15	3
Anderson	2,217	29	44	27	965	919	224	9
Bamberg	233	2	6	3	101	90	26	5
Barnwell	330	3	24	9	120	128	46	-
Beaufort	1,887	2	149	80	687	755	94	120
Berkeley	2,114	18	28	26	724	1,169	126	23
Calhoun	193	2	14	5	78	72	21	1
Charleston	4,586	46	85	59	1,494	2,363	456	83
Cherokee	784	7	15	9	160	375	211	7
Chester	514	10	25	17	122	267	72	1
Chesterfield	619	13	41	15	176	267	101	6
Clarendon	440	6	31	8	110	229	52	4
Colleton	589	5	9	3	168	335	52	17
Darlington	953	15	31	14	209	437	230	17
Dillon	519	7	21	6	170	262	51	2
Dorchester	1,228 *	7	21	22	384	707	74	13
Edgefield	288	4	16	9	126	112	20	1
Fairfield	342	4	17	8	123	157	31	2
Florence	1,866	25	60	40	527	926	242	46
Georgetown	770	9	38	21	266	354	75	7
Greenville	5,388	39	143	84	1,954	2,763	380	25
Greenwood	954	7	59	29	363	393	102	1
Hampton	302	6	16	18	120	93	30	19
Horry	2,569	32	111	65	675	1,287	390	9
Jasper	284	4	21	12	104	103	24	16
Kershaw	729	3	26	12	218	385	69	16
Lancaster	830	6	25	5	210	474	107	3
Laurens	823	7	36	20	252	396	111	1
Lee	264	5	5	3	71	102	73	5
Lexington	2,999	23	72	46	583	1,686	587	2
McCormick	96	4	5	3	42	36	6	-
Marion	527	2	29	11	186	250	46	3
Marlboro	434	7	28	23	140	148	82	6
Newberry	497	5	27	12	149	244	54	6
Oconee	768	5	22	14	227	377	121	2
Orangeburg	1,310	16	72	34	623	439	113	13
Pickens	1,329	3	17	11	329	582	386	1
Richland	4,460	52	118	103	1,423	2,293	460	11
Saluda	257	2	20	7	87	120	20	1
Spartanburg	3,344	38	108	48	1,068	1,617	436	29
Sumter	1,744	10	86	59	600	801	184	4
Union	376	7	19	7	104	173	54	12
Williamsburg	543	3	23	14	167	223	100	13
York	2,301	25	140	58	677	1,236	157	8

* Includes unknown race

Table 18-A.
 Live Births by Number of Prenatal Care Visits by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total Births	Number of Prenatal Care Visits						
		No. Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	35,146	223	810	525	10,412	18,487	4,389	300
Abbeville	225	-	1	3	85	115	21	-
Aiken	1,215	12	38	26	507	484	142	6
Allendale	28	-	-	-	8	15	3	2
Anderson	1,689	12	30	18	733	725	165	6
Bamberg	78	1	1	-	37	32	5	2
Barnwell	140	1	2	-	51	59	27	-
Beaufort	1,343	2	95	57	476	574	60	79
Berkeley	1,477	14	12	18	500	852	71	10
Calhoun	82	-	-	2	23	44	12	1
Charleston	2,589	12	25	14	736	1,539	231	32
Cherokee	589	4	10	6	115	289	161	4
Chester	258	3	8	6	50	155	35	1
Chesterfield	347	6	7	6	88	173	65	2
Clarendon	166	-	7	2	36	91	28	2
Colleton	304	-	2	1	72	190	32	7
Darlington	448	2	9	3	78	203	148	5
Dillon	236	1	6	3	64	128	33	1
Dorchester	857	3	11	12	241	526	55	9
Edgefield	159	-	1	3	69	75	11	-
Fairfield	102	-	4	-	30	52	15	1
Florence	931	5	17	16	214	514	141	24
Georgetown	405	4	9	4	117	214	55	2
Greenville	4,141	23	68	49	1,478	2,210	293	20
Greenwood	569	4	22	17	198	260	67	1
Hampton	126	1	2	3	42	56	15	7
Horry	1,885	21	60	34	466	997	305	2
Jasper	142	-	8	3	51	64	8	8
Kershaw	528	2	10	7	148	297	56	8
Lancaster	553	2	13	4	129	338	64	3
Laurens	569	5	18	12	173	271	89	1
Lee	61	1	1	1	18	20	19	1
Lexington	2,415	13	43	34	432	1,414	479	-
McCormick	34	-	-	-	18	12	4	-
Marion	203	1	4	2	57	115	24	-
Marlboro	185	3	8	7	66	66	32	3
Newberry	294	4	13	4	73	159	38	3
Oconee	685	4	18	12	200	344	105	2
Orangeburg	416	2	9	5	192	169	33	6
Pickens	1,221	2	14	10	299	545	350	1
Richland	1,897	15	30	27	514	1,088	219	4
Saluda	164	1	7	4	55	82	14	1
Spartanburg	2,483	22	69	27	712	1,278	357	18
Sumter	832	3	17	20	214	467	109	2
Union	215	3	5	2	44	114	43	4
Williamsburg	152	-	3	3	49	77	18	2
York	1,706	9	73	38	453	994	132	7

Table 18-A (cont.)
 Live Births by Number of Prenatal Care Visits by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Births	Number of Prenatal Care Visits						
		No. Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	20,803	335	1,206	629	7,673	8,534	2,142	284
Abbeville	111	2	10	5	52	33	8	1
Aiken	623	16	51	39	283	180	49	5
Allendale	146	3	13	2	67	48	12	1
Anderson	528	17	14	9	232	194	59	3
Bamberg	155	1	5	3	64	58	21	3
Barnwell	190	2	22	9	69	69	19	-
Beaufort	544	-	54	23	211	181	34	41
Berkeley	637	4	16	8	224	317	55	13
Calhoun	111	2	14	3	55	28	9	-
Charleston	1,997	34	60	45	758	824	225	51
Cherokee	195	3	5	3	45	86	50	3
Chester	256	7	17	11	72	112	37	-
Chesterfield	272	7	34	9	88	94	36	4
Clarendon	274	6	24	6	74	138	24	2
Colleton	285	5	7	2	96	145	20	10
Darlington	505	13	22	11	131	234	82	12
Dillon	283	6	15	3	106	134	18	1
Dorchester	370	4	10	10	143	181	19	3
Edgefield	129	4	15	6	57	37	9	1
Fairfield	240	4	13	8	93	105	16	1
Florence	935	20	43	24	313	412	101	22
Georgetown	365	5	29	17	149	140	20	5
Greenville	1,247	16	75	35	476	553	87	5
Greenwood	385	3	37	12	165	133	35	-
Hampton	176	5	14	15	78	37	15	12
Horry	684	11	51	31	209	290	85	7
Jasper	142	4	13	9	53	39	16	8
Kershaw	201	1	16	5	70	88	13	8
Lancaster	277	4	12	1	81	136	43	-
Laurens	254	2	18	8	79	125	22	-
Lee	203	4	4	2	53	82	54	4
Lexington	584	10	29	12	151	272	108	2
McCormick	62	4	5	3	24	24	2	-
Marion	324	1	25	9	129	135	22	3
Marlboro	249	4	20	16	74	82	50	3
Newberry	203	1	14	8	76	85	16	3
Oconee	83	1	4	2	27	33	16	-
Orangeburg	894	14	63	29	431	270	80	7
Pickens	108	1	3	1	30	37	36	-
Richland	2,563	37	88	76	909	1,205	241	7
Saluda	93	1	13	3	32	38	6	-
Spartanburg	861	16	39	21	356	339	79	11
Sumter	912	7	69	39	386	334	75	2
Union	161	4	14	5	60	59	11	8
Williamsburg	391	3	20	11	118	146	82	11
York	595	16	67	20	224	242	25	1

Table 19.
 Live Births by Month Prenatal Care Began
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total	Month Prenatal Care Began										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	10th Month
South Carolina	55,964	557	6,363	26,190	11,429	4,389	2,545	1,538	1,138	628	306	293
Abbeville	336	2	23	202	47	20	20	10	6	3	1	-
Aiken	1,852 *	28	386	699	298	180	104	57	36	30	9	7
Allendale	174	3	11	61	38	22	15	6	6	8	-	-
Anderson	2,217	29	42	1,643	257	97	52	37	31	17	5	-
Bamberg	233	2	16	103	59	14	14	11	3	1	-	-
Barnwell	330	3	36	130	63	47	15	12	11	12	-	-
Beaufort	1,887	2	142	550	338	130	105	72	66	63	73	217
Berkeley	2,114	18	451	1,188	251	86	46	26	16	6	6	4
Calhoun	193	2	18	83	44	24	13	5	-	1	3	-
Charleston	4,586	46	1,068	2,224	659	206	146	72	56	32	18	11
Cherokee	784	7	140	369	142	52	28	27	10	3	1	-
Chester	514	10	54	227	117	36	29	15	12	11	3	-
Chesterfield	619	13	49	238	155	74	38	22	12	8	2	-
Clarendon	440	6	26	158	114	36	36	22	12	8	5	4
Colleton	589	5	202	241	67	29	8	7	6	2	-	2
Darlington	953	15	105	393	241	81	39	25	22	9	4	1
Dillon	519	7	57	242	116	37	18	18	7	5	7	-
Dorchester	1,228 *	7	289	681	142	40	17	14	13	10	3	2
Edgefield	288	4	59	109	55	18	17	14	3	5	1	-
Fairfield	342	4	21	165	67	35	17	18	11	3	-	-
Florence	1,866	25	226	759	439	170	76	53	47	12	9	1
Georgetown	770	9	85	347	152	67	53	22	14	11	5	1
Greenville	5,388	39	319	2,350	1,559	469	281	151	105	74	16	-
Greenwood	954	7	46	524	194	59	54	21	27	9	9	1
Hampton	302	6	39	84	59	33	25	16	10	3	2	2
Horry	2,569	32	255	1,117	585	207	122	86	76	49	24	5
Jasper	284	4	20	64	55	34	21	18	10	5	4	26
Kershaw	729	3	54	329	168	79	40	22	12	7	4	2
Lancaster	830	6	122	351	157	94	52	21	14	7	3	-
Laurens	823	7	24	389	180	87	49	31	33	13	8	-
Lee	264	5	13	109	70	30	15	9	6	2	1	-
Lexington	2,999	23	257	1,705	568	182	117	54	45	30	16	-
McCormick	96	4	13	40	18	6	2	5	3	2	1	-
Marion	527	2	92	230	103	41	19	12	7	8	5	-
Marlboro	434	7	45	162	103	48	22	13	14	7	2	1
Newberry	497	5	29	222	112	50	26	20	13	7	3	-
Oconee	768	5	39	332	210	91	39	26	16	5	3	1
Orangeburg	1,310	16	84	519	360	131	82	53	40	13	2	-
Pickens	1,329	3	61	709	342	118	34	29	20	7	3	1
Richland	4,460	51	400	2,376	845	376	157	99	92	39	13	-
Saluda	257	2	12	118	57	19	18	11	9	7	2	-
Spartanburg	3,344	38	295	1,643	745	262	175	98	58	12	4	-
Sumter	1,744	10	130	638	440	222	118	87	44	27	19	3
Union	376	7	37	183	75	21	19	7	10	4	-	-
Williamsburg	543	3	55	214	108	49	40	21	25	8	3	1
York	2,301	25	416	970	455	179	112	63	48	23	4	-

* Includes unknown race

Table 19-A.
 Live Births by Month Prenatal Care Began
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total	Month Prenatal Care Began										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	10th Month
South Carolina	35,146	222	4,423	18,014	6,913	2,220	1,191	678	505	294	158	224
Abbeville	225	-	19	143	29	11	14	6	2	1	-	-
Aiken	1,215	12	300	520	185	103	39	22	13	10	1	3
Allendale	28	-	5	14	5	3	-	-	-	-	-	-
Anderson	1,689	12	36	1,273	209	63	34	24	20	11	2	-
Bamberg	78	1	8	37	18	4	4	2	1	-	-	-
Barnwell	140	1	21	62	29	20	1	3	2	1	-	-
Beaufort	1,343	2	89	382	230	80	74	57	49	44	61	186
Berkeley	1,477	14	320	864	172	45	26	18	7	3	1	1
Calhoun	82	-	8	50	17	5	2	-	-	-	-	-
Charleston	2,589	12	671	1,370	327	83	46	18	18	13	11	2
Cherokee	589	4	108	294	96	39	19	17	7	2	1	-
Chester	258	3	39	120	63	13	9	2	3	5	1	-
Chesterfield	347	6	37	158	87	28	10	9	3	5	-	-
Clarendon	166	-	15	77	40	6	12	4	3	2	2	1
Colleton	304	-	105	131	34	12	5	5	2	-	-	1
Darlington	448	2	65	212	114	26	11	7	4	2	-	-
Dillon	236	1	31	123	47	14	7	3	1	1	4	-
Dorchester	857	3	209	494	87	24	12	7	8	6	-	2
Edgefield	159	-	48	67	25	8	3	5	2	-	-	-
Fairfield	102	-	6	59	24	5	4	2	1	1	-	-
Florence	931	5	130	441	212	63	26	12	14	4	2	1
Georgetown	405	4	55	198	79	25	23	9	5	3	-	1
Greenville	4,141	23	284	1,964	1,152	328	178	88	57	37	9	-
Greenwood	569	4	37	345	91	27	27	11	17	3	5	-
Hampton	126	1	26	50	21	6	6	2	3	-	1	2
Horry	1,885	21	192	897	415	141	78	45	42	31	14	4
Jasper	142	-	13	34	28	12	11	6	4	4	-	16
Kershaw	528	2	50	261	125	46	18	13	3	3	-	-
Lancaster	553	2	89	253	101	54	32	7	5	5	3	-
Laurens	569	5	20	309	118	47	27	10	18	10	4	-
Lee	61	1	5	32	15	5	1	-	1	-	-	-
Lexington	2,415	13	217	1,444	453	124	73	30	29	21	11	-
McCormick	34	-	5	19	5	2	1	1	-	-	1	-
Marion	203	1	49	92	33	16	3	3	3	-	1	-
Marlboro	185	3	22	79	43	21	5	3	3	1	-	-
Newberry	294	4	22	147	57	24	12	9	7	6	1	-
Oconee	685	4	36	300	186	79	34	24	13	4	3	1
Orangeburg	416	2	29	218	108	27	15	4	5	2	1	-
Pickens	1,221	2	59	656	316	106	27	23	19	7	3	1
Richland	1,897	14	214	1,125	319	101	45	24	29	13	5	-
Saluda	164	1	10	79	35	14	10	7	2	4	-	-
Spartanburg	2,483	22	238	1,308	550	155	93	62	33	9	3	-
Sumter	832	3	76	367	220	76	33	30	11	7	4	2
Union	215	3	29	112	45	10	5	3	2	2	-	-
Williamsburg	152	-	27	76	26	4	10	3	1	1	-	-
York	1,706	9	349	758	322	114	66	38	32	10	3	-

Table 19-A (cont.)
 Live Births by Month Prenatal Care Began
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total	Month Prenatal Care Began										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	10th Month
South Carolina	20,803	335	1,933	8,174	4,515	2,167	1,354	860	633	334	148	69
Abbeville	111	2	4	59	18	9	6	4	4	2	1	-
Aiken	623	16	79	177	112	75	65	35	23	20	8	4
Allendale	146	3	6	47	33	19	15	6	6	8	-	-
Anderson	528	17	6	370	48	34	18	13	11	6	3	-
Bamberg	155	1	8	66	41	10	10	9	2	1	-	-
Barnwell	190	2	15	68	34	27	14	9	9	11	-	-
Beaufort	544	-	53	168	108	50	31	15	17	19	12	31
Berkeley	637	4	131	324	79	41	20	8	9	3	5	3
Calhoun	111	2	10	33	27	19	11	5	-	1	3	-
Charleston	1,997	34	397	854	332	123	100	54	38	19	7	9
Cherokee	195	3	32	75	46	13	9	10	3	1	-	-
Chester	256	7	15	107	54	23	20	13	9	6	2	-
Chesterfield	272	7	12	80	68	46	28	13	9	3	2	-
Clarendon	274	6	11	81	74	30	24	18	9	6	3	3
Colleton	285	5	97	110	33	17	3	2	4	2	-	1
Darlington	505	13	40	181	127	55	28	18	18	7	4	1
Dillon	283	6	26	119	69	23	11	15	6	4	3	-
Dorchester	370	4	80	187	55	16	5	7	5	4	3	-
Edgefield	129	4	11	42	30	10	14	9	1	5	1	-
Fairfield	240	4	15	106	43	30	13	16	10	2	-	-
Florence	935	20	96	318	227	107	50	41	33	8	7	-
Georgetown	365	5	30	149	73	42	30	13	9	8	5	-
Greenville	1,247	16	35	386	407	141	103	63	48	37	7	-
Greenwood	385	3	9	179	103	32	27	10	10	6	4	1
Hampton	176	5	13	34	38	27	19	14	7	3	1	-
Horry	684	11	63	220	170	66	44	41	34	18	10	1
Jasper	142	4	7	30	27	22	10	12	6	1	4	10
Kershaw	201	1	4	68	43	33	22	9	9	4	4	2
Lancaster	277	4	33	98	56	40	20	14	9	2	-	-
Laurens	254	2	4	80	62	40	22	21	15	3	4	-
Lee	203	4	8	77	55	25	14	9	5	2	1	-
Lexington	584	10	40	261	115	58	44	24	16	9	5	-
McCormick	62	4	8	21	13	4	1	4	3	2	-	-
Marion	324	1	43	138	70	25	16	9	4	8	4	-
Marlboro	249	4	23	83	60	27	17	10	11	6	2	1
Newberry	203	1	7	75	55	26	14	11	6	1	2	-
Oconee	83	1	3	32	24	12	5	2	3	1	-	-
Orangeburg	894	14	55	301	252	104	67	49	35	11	1	-
Pickens	108	1	2	53	26	12	7	6	1	-	-	-
Richland	2,563	37	186	1,251	526	275	112	75	63	26	8	-
Saluda	93	1	2	39	22	5	8	4	7	3	2	-
Spartanburg	861	16	57	335	195	107	82	36	25	3	1	-
Sumter	912	7	54	271	220	146	85	57	33	20	15	1
Union	161	4	8	71	30	11	14	4	8	2	-	-
Williamsburg	391	3	28	138	82	45	30	18	24	7	3	1
York	595	16	67	212	133	65	46	25	16	13	1	-

Table 20.
Live Births by Education of Mother
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total Births	Education of Mother								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Years College	4 Years College	5+ Years College	Technical School	Unknown
South Carolina	55,964 *	25	1,648	10,016	19,676	10,740	7,953	3,656	1,956	294
Abbeville	336	-	6	76	136	46	36	8	28	-
Aiken	1,852 *	-	53	316	632	383	237	143	73	15
Allendale	174	-	2	44	81	29	8	7	2	1
Anderson	2,217	1	56	492	789	265	283	101	229	1
Bamberg	233	-	7	50	78	63	21	8	6	-
Barnwell	330	-	5	59	146	77	21	5	14	3
Beaufort	1,887	-	71	229	795	371	293	102	10	16
Berkeley	2,114	5	39	287	858	540	248	92	28	17
Calhoun	193	-	2	40	68	41	30	10	2	-
Charleston	4,586	-	142	709	1,278	944	961	446	49	57
Cherokee	784	1	33	211	322	122	60	25	9	1
Chester	514	-	13	116	251	70	34	16	14	-
Chesterfield	619	-	24	156	257	85	37	16	41	3
Clarendon	440	1	18	90	172	69	42	14	32	2
Colleton	589	-	8	134	246	114	46	26	14	1
Darlington	953	1	21	214	401	112	102	32	66	4
Dillon	519	-	30	143	205	62	33	16	24	6
Dorchester	1,228 *	-	17	172	472	294	166	81	19	7
Edgefield	288	-	13	48	108	59	27	16	11	6
Fairfield	342	-	2	68	171	68	18	10	2	3
Florence	1,866	-	41	340	728	298	257	83	114	5
Georgetown	770	-	21	122	322	156	98	39	10	2
Greenville	5,388	6	233	870	1,563	879	1,082	474	279	2
Greenwood	954	-	34	164	350	138	141	51	59	17
Hampton	302	-	6	91	130	41	21	10	1	2
Horry	2,569	2	74	474	921	630	318	120	23	7
Jasper	284	-	18	70	139	39	11	4	1	2
Kershaw	729	-	17	129	290	120	95	50	26	2
Lancaster	830	-	35	182	295	188	86	29	14	1
Laurens	823	3	47	209	332	80	64	25	58	5
Lee	264	-	7	59	107	51	20	8	10	2
Lexington	2,999	-	62	393	902	599	557	291	183	12
McCormick	96	-	-	18	39	22	5	3	8	1
Marion	527	-	13	124	230	89	40	14	8	9
Marlboro	434	-	11	122	194	58	24	10	12	3
Newberry	497	-	26	103	168	78	57	23	34	8
Oconee	768	-	34	172	297	112	75	49	29	-
Orangeburg	1,310	-	20	241	482	341	148	67	11	-
Pickens	1,329	-	37	273	490	201	176	79	73	-
Richland	4,460	-	73	543	1,173	1,101	891	574	65	40
Saluda	257	5	19	58	89	23	22	13	24	4
Spartanburg	3,344	-	164	689	1,101	687	448	181	71	3
Sumter	1,744	-	26	329	692	369	156	77	81	14
Union	376	-	4	85	155	81	29	14	8	-
Williamsburg	543	-	8	111	234	91	43	19	28	9
York	2,301	-	56	391	786	453	386	175	53	1

* Includes unknown race

Table 20-A.
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total Births	Education of Mother								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Years College	4 Years College	5+ Years College	Technical School	Unknown
South Carolina	35,146	19	1,233	5,238	10,902	6,762	6,408	3,052	1386	146
Abbeville	225	-	4	40	84	31	34	7	25	-
Aiken	1,215	-	41	184	374	262	190	119	40	5
Allendale	28	-	-	4	8	7	4	5	-	-
Anderson	1,689	-	44	338	568	210	248	94	186	1
Bamberg	78	-	5	15	27	13	12	6	-	-
Barnwell	140	-	4	24	52	36	14	3	6	1
Beaufort	1,343	-	62	149	483	276	261	90	9	13
Berkeley	1,477	4	33	193	581	371	185	78	18	14
Calhoun	82	-	1	10	20	18	26	5	2	-
Charleston	2,589	-	78	193	537	508	812	395	37	29
Cherokee	589	1	31	150	225	98	54	22	8	-
Chester	258	-	8	53	111	38	25	14	9	-
Chesterfield	347	-	16	70	132	61	28	15	24	1
Clarendon	166	1	12	30	48	25	25	10	15	-
Colleton	304	-	6	68	116	58	29	18	8	1
Darlington	448	1	5	74	156	60	78	27	47	-
Dillon	236	-	22	59	65	29	25	15	18	3
Dorchester	857	-	15	120	300	208	132	65	14	3
Edgefield	159	-	9	14	53	40	24	14	3	2
Fairfield	102	-	1	18	40	25	8	8	1	1
Florence	931	-	24	135	298	155	170	65	82	2
Georgetown	405	-	17	57	125	77	84	36	7	2
Greenville	4,141	4	192	557	1,117	691	961	421	196	2
Greenwood	569	-	30	89	165	80	113	41	40	11
Hampton	126	-	5	33	47	17	15	8	1	-
Horry	1,885	2	55	286	609	506	299	105	19	4
Jasper	142	-	18	35	57	20	7	3	1	1
Kershaw	528	-	15	86	200	90	71	46	18	2
Lancaster	553	-	26	101	170	146	76	23	10	1
Laurens	569	3	34	120	223	59	58	23	45	4
Lee	61	-	2	6	20	8	14	6	5	-
Lexington	2,415	-	55	297	668	475	485	259	169	7
McCormick	34	-	-	5	8	11	4	3	3	-
Marion	203	-	6	41	73	40	26	9	6	2
Marlboro	185	-	5	45	82	27	13	8	5	-
Newberry	294	-	25	45	80	43	53	20	22	6
Oconee	685	-	33	152	265	92	67	48	28	-
Orangeburg	416	-	6	73	130	117	54	31	5	-
Pickens	1,221	-	35	249	453	184	165	72	63	-
Richland	1,897	-	47	112	353	366	563	409	32	15
Saluda	164	3	18	28	41	17	21	12	20	4
Spartanburg	2,483	-	124	447	775	521	401	155	57	3
Sumter	832	-	11	113	295	198	114	59	39	3
Union	215	-	1	44	79	51	22	12	6	-
Williamsburg	152	-	4	22	52	34	18	13	7	2
York	1,706	-	48	254	536	362	320	155	30	1

Table 20-A (cont.)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Births	Education of Mother								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Years College	4 Years College	5+ Years College	Technical School	Unknown
South Carolina	20,803	6	412	4,775	8,770	3,977	1,544	604	570	145
Abbeville	111	-	2	36	52	15	2	1	3	-
Aiken	623	-	9	129	254	120	46	24	33	8
Allendale	146	-	2	40	73	22	4	2	2	1
Anderson	528	1	12	154	221	55	35	7	43	-
Bamberg	155	-	2	35	51	50	9	2	6	-
Barnwell	190	-	1	35	94	41	7	2	8	2
Beaufort	544	-	9	80	312	95	32	12	1	3
Berkeley	637	1	6	94	277	169	63	14	10	3
Calhoun	111	-	1	30	48	23	4	5	-	-
Charleston	1,997	-	64	516	741	436	149	51	12	28
Cherokee	195	-	2	61	97	24	6	3	1	1
Chester	256	-	5	63	140	32	9	2	5	-
Chesterfield	272	-	8	86	125	24	9	1	17	2
Clarendon	274	-	6	60	124	44	17	4	17	2
Colleton	285	-	2	66	130	56	17	8	6	-
Darlington	505	-	16	140	245	52	24	5	19	4
Dillon	283	-	8	84	140	33	8	1	6	3
Dorchester	370	-	2	52	172	86	34	16	5	3
Edgefield	129	-	4	34	55	19	3	2	8	4
Fairfield	240	-	1	50	131	43	10	2	1	2
Florence	935	-	17	205	430	143	87	18	32	3
Georgetown	365	-	4	65	197	79	14	3	3	-
Greenville	1,247	2	41	313	446	188	121	53	83	-
Greenwood	385	-	4	75	185	58	28	10	19	6
Hampton	176	-	1	58	83	24	6	2	-	2
Horry	684	-	19	188	312	124	19	15	4	3
Jasper	142	-	-	35	82	19	4	1	-	1
Kershaw	201	-	2	43	90	30	24	4	8	-
Lancaster	277	-	9	81	125	42	10	6	4	-
Laurens	254	-	13	89	109	21	6	2	13	1
Lee	203	-	5	53	87	43	6	2	5	2
Lexington	584	-	7	96	234	124	72	32	14	5
McCormick	62	-	-	13	31	11	1	-	5	1
Marion	324	-	7	83	157	49	14	5	2	7
Marlboro	249	-	6	77	112	31	11	2	7	3
Newberry	203	-	1	58	88	35	4	3	12	2
Oconee	83	-	1	20	32	20	8	1	1	-
Orangeburg	894	-	14	168	352	224	94	36	6	-
Pickens	108	-	2	24	37	17	11	7	10	-
Richland	2,563	-	26	431	820	735	328	165	33	25
Saluda	93	2	1	30	48	6	1	1	4	-
Spartanburg	861	-	40	242	326	166	47	26	14	-
Sumter	912	-	15	216	397	171	42	18	42	11
Union	161	-	3	41	76	30	7	2	2	-
Williamsburg	391	-	4	89	182	57	25	6	21	7
York	595	-	8	137	250	91	66	20	23	-

ATTENDANT AT BIRTH

Of the 54,706 resident births, physicians attended 94.4 percent. The term “physician” includes osteopaths, residents, interns and externs. Midwives attended 5.3 percent of the total births, 5.1 percent of the white births, and 4.4 percent of the black and other births. Other and Unknown attendant accounted for less than one percent of the total births. The term “other” includes any specific attendant other than physician, midwife or self-attended, such as a friend or relative, EMT, RN, PA, etc. included in the “unknown” category are not specified or not classifiable attendants.

Table 21.
Live Births by Attendant by Place of Delivery
South Carolina, 2000
(Residence Data)

Place of Birth	Total Births	Physician	Licensed Midwife	Certified Nurse Midwife	Self	Other Attendant	Unknown
Hospital	55,698	53,025	6	2,599	-	1	11
En Route/BOA*	40	3	-	-	10	27	-
Freestanding/ Birthing Center	11	-	11	-	-	-	-
Doctor's Office	2	-	-	1	1	-	-
Residence	207	1	79	5	61	61	-
Other	4	1	-	-	2	1	-
Unknown	2	1	-	-	-	1	-
Total	55,964	53,031	96	2,605	76	144	11

Table 22.
Percent of Births Occurring in Hospitals by Race of Mother
South Carolina, 1991-2000
(Residence Data)

Year	Total	White	Black & Other	Year	Total	White	Black & Other
1991	99.0	99.1	98.7	1996	99.5	99.6	99.4
1992	99.4	99.5	99.1	1997	99.4	99.5	99.2
1993	99.3	99.5	99.5	1998	99.4	99.5	99.2
1994	99.3	99.5	99.1	1999	99.6	99.6	99.7
1995	99.2	99.4	99.0	2000	99.5	99.6	99.1

Table 23.
Live Births by Attendant
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital			
South Carolina	55,964 *	53,028	3	2,599	6	7	90	144	76	11
Abbeville	336	333	-	-	1	-	1	1	-	-
Aiken	1,852 *	1,826	-	13	-	-	3	5	4	1
Allendale	174	169	-	3	-	-	-	1	1	-
Anderson	2,217	2,169	-	26	1	-	8	11	2	-
Bamberg	233	187	-	46	-	-	-	-	-	-
Barnwell	330	312	-	13	-	-	2	2	1	-
Beaufort	1,887	1,875	-	4	-	-	-	6	2	-
Berkeley	2,114	1,896	-	204	1	-	-	7	4	2
Calhoun	193	184	-	8	-	-	-	1	-	-
Charleston	4,586	4,325	1	239	-	-	3	11	6	1
Cherokee	784	769	-	14	-	-	-	1	-	-
Chester	514	481	-	31	-	-	-	2	-	-
Chesterfield	619	577	-	39	-	-	-	2	1	-
Clarendon	440	435	-	3	-	-	1	-	1	-
Colleton	589	567	-	21	-	1	-	-	-	-
Darlington	953	895	1	53	-	1	-	2	1	-
Dillon	519	515	-	1	-	-	-	2	1	-
Dorchester	1,228 *	1,059	-	168	-	1	-	-	-	-
Edgefield	288	285	-	1	-	-	-	-	2	-
Fairfield	342	333	-	8	-	-	-	-	1	-
Florence	1,866	1,855	-	1	-	-	-	3	7	-
Georgetown	770	705	-	59	-	-	-	2	4	-
Greenville	5,388	5,343	-	7	-	-	19	11	6	2
Greenwood	954	941	-	-	1	1	3	4	4	-
Hampton	302	295	-	5	-	-	-	1	1	-
Horry	2,569	2,359	-	196	-	-	4	5	5	-
Jasper	284	282	-	-	-	1	-	1	-	-
Kershaw	729	722	-	6	-	-	-	-	1	-
Lancaster	830	796	-	30	-	-	1	1	2	-
Laurens	823	807	-	1	-	-	3	12	-	-
Lee	264	225	-	35	-	-	-	4	-	-
Lexington	2,999	2,607	-	378	1	-	8	2	3	-
McCormick	96	96	-	-	-	-	-	-	-	-
Marion	527	523	-	2	-	-	-	1	-	1
Marlboro	434	416	-	17	-	-	-	1	-	-
Newberry	497	488	-	7	-	-	-	1	1	-
Oconee	768	756	-	3	1	-	5	2	1	-
Orangeburg	1,310	1,246	-	56	-	-	-	5	3	-
Pickens	1,329	1,318	-	1	-	-	4	6	-	-
Richland	4,460	4,328	1	106	-	-	9	8	5	3
Saluda	257	243	-	11	-	-	-	3	-	-
Spartanburg	3,344	3,231	-	89	-	-	12	10	2	-
Sumter	1,744	1,629	-	115	-	-	-	-	-	-
Union	376	367	-	7	-	-	-	-	2	-
Williamsburg	543	531	-	10	-	-	-	1	1	-
York	2,301	1,725	-	562	-	2	4	6	1	1

* includes unknown race

Table 23-A.
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital			
South Carolina	35,146	33,248	2	1,693	5	7	90	68	26	7
Abbeville	225	222	-	-	1	-	1	1	-	-
Aiken	1,215	1,195	-	11	-	-	3	3	2	1
Allendale	28	25	-	3	-	-	-	-	-	-
Anderson	1,689	1,656	-	16	1	-	8	7	1	-
Bamberg	78	61	-	17	-	-	-	-	-	-
Barnwell	140	132	-	5	-	-	2	1	-	-
Beaufort	1,343	1,336	-	3	-	-	-	4	-	-
Berkeley	1,477	1,331	-	139	-	-	-	3	2	2
Calhoun	82	75	-	7	-	-	-	-	-	-
Charleston	2,589	2,451	1	126	-	-	3	5	2	1
Cherokee	589	576	-	13	-	-	-	-	-	-
Chester	258	239	-	18	-	-	-	1	-	-
Chesterfield	347	321	-	25	-	-	-	1	-	-
Clarendon	166	162	-	3	-	-	1	-	-	-
Colleton	304	285	-	18	-	1	-	-	-	-
Darlington	448	421	1	25	-	1	-	-	-	-
Dillon	236	234	-	1	-	-	-	-	1	-
Dorchester	857	735	-	121	-	1	-	-	-	-
Edgefield	159	158	-	1	-	-	-	-	-	-
Fairfield	102	97	-	5	-	-	-	-	-	-
Florence	931	929	-	-	-	-	-	1	1	-
Georgetown	405	378	-	26	-	-	-	-	1	-
Greenville	4,141	4,106	-	5	-	-	19	6	4	1
Greenwood	569	560	-	-	1	1	3	3	1	-
Hampton	126	122	-	4	-	-	-	-	-	-
Horry	1,885	1,763	-	114	-	-	4	1	3	-
Jasper	142	141	-	-	-	1	-	-	-	-
Kershaw	528	524	-	4	-	-	-	-	-	-
Lancaster	553	526	-	25	-	-	1	1	-	-
Laurens	569	559	-	1	-	-	3	6	-	-
Lee	61	58	-	3	-	-	-	-	-	-
Lexington	2,415	2,099	-	303	1	-	8	1	3	-
McCormick	34	34	-	-	-	-	-	-	-	-
Marion	203	201	-	2	-	-	-	-	-	-
Marlboro	185	172	-	13	-	-	-	-	-	-
Newberry	294	286	-	7	-	-	-	1	-	-
Oconee	685	674	-	2	1	-	5	2	1	-
Orangeburg	416	376	-	37	-	-	-	2	1	-
Pickens	1,221	1,210	-	1	-	-	4	6	-	-
Richland	1,897	1,807	-	78	-	-	9	1	1	1
Saluda	164	154	-	9	-	-	-	1	-	-
Spartanburg	2,483	2,403	-	59	-	-	12	9	-	-
Sumter	832	744	-	88	-	-	-	-	-	-
Union	215	212	-	2	-	-	-	-	1	-
Williamsburg	152	149	-	3	-	-	-	-	-	-
York	1,706	1,347	-	350	-	2	4	1	1	1

Table 23-A (cont.)
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital			
South Carolina	20,803	19,766	1	905	1	-	-	76	50	4
Abbeville	111	111	-	-	-	-	-	-	-	-
Aiken	623	617	-	2	-	-	-	2	2	-
Allendale	146	144	-	-	-	-	-	1	1	-
Anderson	528	513	-	10	-	-	-	4	1	-
Bamberg	155	126	-	29	-	-	-	-	-	-
Barnwell	190	180	-	8	-	-	-	1	1	-
Beaufort	544	539	-	1	-	-	-	2	2	-
Berkeley	637	565	-	65	1	-	-	4	2	-
Calhoun	111	109	-	1	-	-	-	1	-	-
Charleston	1,997	1,874	-	113	-	-	-	6	4	-
Cherokee	195	193	-	1	-	-	-	1	-	-
Chester	256	242	-	13	-	-	-	1	-	-
Chesterfield	272	256	-	14	-	-	-	1	1	-
Clarendon	274	273	-	-	-	-	-	-	1	-
Colleton	285	282	-	3	-	-	-	-	-	-
Darlington	505	474	-	28	-	-	-	2	1	-
Dillon	283	281	-	-	-	-	-	2	-	-
Dorchester	370	324	-	46	-	-	-	-	-	-
Edgefield	129	127	-	-	-	-	-	-	2	-
Fairfield	240	236	-	3	-	-	-	-	1	-
Florence	935	926	-	1	-	-	-	2	6	-
Georgetown	365	327	-	33	-	-	-	2	3	-
Greenville	1,247	1,237	-	2	-	-	-	5	2	1
Greenwood	385	381	-	-	-	-	-	1	3	-
Hampton	176	173	-	1	-	-	-	1	1	-
Horry	684	596	-	82	-	-	-	4	2	-
Jasper	142	141	-	-	-	-	-	1	-	-
Kershaw	201	198	-	2	-	-	-	-	1	-
Lancaster	277	270	-	5	-	-	-	-	2	-
Laurens	254	248	-	-	-	-	-	6	-	-
Lee	203	167	-	32	-	-	-	4	-	-
Lexington	584	508	-	75	-	-	-	1	-	-
McCormick	62	62	-	-	-	-	-	-	-	-
Marion	324	322	-	-	-	-	-	1	-	1
Marlboro	249	244	-	4	-	-	-	1	-	-
Newberry	203	202	-	-	-	-	-	-	1	-
Oconee	83	82	-	1	-	-	-	-	-	-
Orangeburg	894	870	-	19	-	-	-	3	2	-
Pickens	108	108	-	-	-	-	-	-	-	-
Richland	2,563	2,521	1	28	-	-	-	7	4	2
Saluda	93	89	-	2	-	-	-	2	-	-
Spartanburg	861	828	-	30	-	-	-	1	2	-
Sumter	912	885	-	27	-	-	-	-	-	-
Union	161	155	-	5	-	-	-	-	1	-
Williamsburg	391	382	-	7	-	-	-	1	1	-
York	595	378	-	212	-	-	-	5	-	-

Table 24.
Live Births by Attendant
South Carolina and Each County, 2000
(Occurrence Data)

County of Occurrence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital			
South Carolina	53,562	50,782	2	2,464	6	-	90	141	76	1
Abbeville	221	220	-	-	1	-	-	-	-	-
Aiken	990	980	-	1	-	-	2	3	4	-
Allendale	133	132	-	-	-	-	-	-	1	-
Anderson	1,853	1,802	-	31	1	-	6	12	1	-
Bamberg	122	29	-	91	-	-	-	1	1	-
Barnwell	5	2	-	-	-	-	1	1	1	-
Beaufort	2,171	2,162	-	-	-	-	-	7	2	-
Berkeley	10	1	-	-	-	-	-	5	4	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	7,977	7,460	1	491	1	-	3	14	6	1
Cherokee	366	366	-	-	-	-	-	-	-	-
Chester	209	206	-	-	-	-	1	1	1	-
Chesterfield	260	259	-	-	-	-	-	-	1	-
Clarendon	580	577	-	-	-	-	1	1	1	-
Colleton	361	361	-	-	-	-	-	-	-	-
Darlington	658	523	-	132	-	-	-	2	1	-
Dillon	290	287	-	-	-	-	-	2	1	-
Dorchester	675	529	-	146	-	-	-	-	-	-
Edgefield	3	2	-	-	-	-	-	-	1	-
Florence	3,327	3,315	-	-	-	-	-	5	7	-
Fairfield	-	-	-	-	-	-	-	-	-	-
Georgetown	723	641	-	77	-	-	-	2	3	-
Greenville	7,214	7,174	-	2	-	-	18	13	7	-
Greenwood	1,586	1,559	-	-	1	-	12	9	5	-
Hampton	6	4	-	-	-	-	-	1	1	-
Horry	2,517	2,258	-	242	-	-	3	7	7	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	397	397	-	-	-	-	-	-	-	-
Lancaster	693	687	-	-	-	-	1	2	3	-
Laurens	375	366	-	-	-	-	1	8	-	-
Lee	3	-	-	-	-	-	-	3	-	-
Lexington	2,405	1,864	-	526	1	-	8	2	4	-
Marion	602	602	-	-	-	-	-	-	-	-
Marlboro	151	150	-	-	-	-	-	1	-	-
Newberry	274	272	-	-	-	-	-	1	1	-
Oconee	637	629	-	-	1	-	5	1	1	-
Orangeburg	1,511	1,467	-	37	-	-	-	5	2	-
Pickens	624	615	-	-	-	-	3	6	-	-
Richland	6,572	6,550	1	-	-	-	9	8	4	-
Saluda	1	-	-	-	-	-	-	1	-	-
Spartanburg	3,762	3,631	-	107	-	-	12	11	1	-
Sumter	1,544	1,426	-	118	-	-	-	-	-	-
Union	143	141	-	-	-	-	-	-	2	-
Williamsburg	5	4	-	-	-	-	-	-	1	-
York	1,606	1,132	-	463	-	-	4	6	1	-

Table 24-A.
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2000
 (Occurrence Data)
 White

County of Occurrence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital			
South Carolina	33,247	31,491	1	1,568	5	-	90	66	26	-
Abbeville	143	142	-	-	1	-	-	-	-	-
Aiken	464	459	-	-	-	-	2	1	2	-
Allendale	13	13	-	-	-	-	-	-	-	-
Anderson	1,339	1,304	-	20	1	-	6	8	-	-
Bamberg	57	10	-	46	-	-	-	-	1	-
Barnwell	3	1	-	-	-	-	1	1	-	-
Beaufort	1,447	1,443	-	-	-	-	-	4	-	-
Berkeley	5	-	-	-	-	-	-	3	2	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	4,836	4,519	1	306	-	-	3	5	2	-
Cherokee	242	242	-	-	-	-	-	-	-	-
Chester	64	62	-	-	-	-	1	1	-	-
Chesterfield	104	104	-	-	-	-	-	-	-	-
Clarendon	171	170	-	-	-	-	1	-	-	-
Colleton	159	159	-	-	-	-	-	-	-	-
Darlington	248	193	-	55	-	-	-	-	-	-
Dillon	94	93	-	-	-	-	-	-	1	-
Dorchester	494	397	-	97	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-
Fairfield	1,739	1,737	-	-	-	-	-	1	1	-
Georgetown	400	361	-	38	-	-	-	-	1	-
Greenville	5,785	5,753	-	1	-	-	18	9	4	-
Greenwood	918	898	-	-	1	-	12	6	1	-
Hampton	-	-	-	-	-	-	-	-	-	-
Horry	1,811	1,662	-	140	-	-	3	2	4	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	245	245	-	-	-	-	-	-	-	-
Lancaster	393	390	-	-	-	-	1	2	-	-
Laurens	233	229	-	-	-	-	1	3	-	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	1,834	1,402	-	419	1	-	8	1	3	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	235	235	-	-	-	-	-	-	-	-
Marlboro	40	40	-	-	-	-	-	-	-	-
Newberry	136	135	-	-	-	-	-	1	-	-
Oconee	554	546	-	-	1	-	5	1	1	-
Orangeburg	446	414	-	30	-	-	-	2	-	-
Pickens	573	564	-	-	-	-	3	6	-	-
Richland	3,404	3,393	-	-	-	-	9	1	1	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	2,765	2,676	-	70	-	-	12	7	-	-
Sumter	700	613	-	87	-	-	-	-	-	-
Union	69	68	-	-	-	-	-	-	1	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	1,084	819	-	259	-	-	4	1	1	-

Table 24-A (cont.)
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2000
 (Occurrence Data)
 Black and Other

County of Occurrence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out Hospital			
South Carolina	20,315	19,291	1	896	1	-	-	75	50	1
Abbeville	78	78	-	-	-	-	-	-	-	-
Aiken	526	521	-	1	-	-	-	2	2	-
Allendale	120	119	-	-	-	-	-	-	1	-
Anderson	514	498	-	11	-	-	-	4	1	-
Bamberg	65	19	-	45	-	-	-	1	-	-
Barnwell	2	1	-	-	-	-	-	-	1	-
Beaufort	724	719	-	-	-	-	-	3	2	-
Berkeley	5	1	-	-	-	-	-	2	2	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	3,141	2,941	-	185	1	-	-	9	4	1
Cherokee	124	124	-	-	-	-	-	-	-	-
Chester	145	144	-	-	-	-	-	-	1	-
Chesterfield	156	155	-	-	-	-	-	-	1	-
Clarendon	409	407	-	-	-	-	-	1	1	-
Colleton	202	202	-	-	-	-	-	-	-	-
Darlington	410	330	-	77	-	-	-	2	1	-
Dillon	196	194	-	-	-	-	-	2	-	-
Dorchester	181	132	-	49	-	-	-	-	-	-
Edgefield	3	2	-	-	-	-	-	-	1	-
Florence	1,588	1,578	-	-	-	-	-	4	6	-
Fairfield	-	-	-	-	-	-	-	-	-	-
Georgetown	323	280	-	39	-	-	-	2	2	-
Greenville	1,429	1,421	-	1	-	-	-	4	3	-
Greenwood	668	661	-	-	-	-	-	3	4	-
Hampton	6	4	-	-	-	-	-	1	1	-
Horry	706	596	-	102	-	-	-	5	3	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	152	152	-	-	-	-	-	-	-	-
Lancaster	300	297	-	-	-	-	-	-	3	-
Laurens	142	137	-	-	-	-	-	5	-	-
Lee	3	-	-	-	-	-	-	3	-	-
Lexington	571	462	-	107	-	-	-	1	1	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	367	367	-	-	-	-	-	-	-	-
Marlboro	111	110	-	-	-	-	-	1	-	-
Newberry	138	137	-	-	-	-	-	-	1	-
Oconee	83	83	-	-	-	-	-	-	-	-
Orangeburg	1,065	1,053	-	7	-	-	-	3	2	-
Pickens	51	51	-	-	-	-	-	-	-	-
Richland	3,168	3,157	1	-	-	-	-	7	3	-
Saluda	1	-	-	-	-	-	-	1	-	-
Spartanburg	997	955	-	37	-	-	-	4	1	-
Sumter	844	813	-	31	-	-	-	-	-	-
Union	74	73	-	-	-	-	-	-	1	-
Williamsburg	5	4	-	-	-	-	-	-	1	-
York	522	313	-	204	-	-	-	5	-	-

AGE OF MOTHER

In 2000, there were 207 resident live births to mothers under 15 years of age and only 48 live births to mothers 45 years of age and over. As shown in Table 25, women aged 15-44 years were responsible for 99.5 percent of all live births. In 1980, the median age of mothers was 23.8 years. In 1986, the median age increased to 25 and remained there until 1997. The median age rose to 26 in 1997 and has remained unchanged. The youngest resident mother to give birth in 2000 was 11 years old and the oldest was 56 years old.

Table 25.
Percent Distribution of Live Births by Age of Mother:
South Carolina, 1996-2000
(Residence Data)

Age of Mother	1996	1997	1998	1999	2000
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.5	0.4	0.4	0.4	0.4
15-19 Years	16.3	16.0	15.6	15.5	14.9
20-24 Years	27.5	27.5	28.0	28.3	28.9
25-29 Years	26.8	26.8	27.2	27.2	26.9
30-34 Years	19.7	19.7	18.9	18.8	18.9
35-39 Years	7.9	7.9	8.5	8.4	8.4
40-44 Years	1.3	1.3	1.4	1.3	1.5
45 Years and Over	0.0	0.0	0.1	0.0	0.0

Figure 4.

Percent of Live Births to Women Age 30 and Over
South Carolina, 1991-2000
(Residence Data)




Table 26.
Live Births by Age of Mother
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	55,964	207	8,358	16,186	15,039	10,556	4,728	831	48	11
Abbeville	336	1	54	113	89	58	18	3	-	-
Aiken	1,852 *	8	304	488	509	356	153	34	-	-
Allendale	174	1	39	66	29	27	8	3	1	-
Anderson	2,217	6	362	624	628	396	170	29	2	-
Bamberg	233	-	45	79	55	33	19	2	-	-
Barnwell	330	2	60	122	81	44	16	5	-	-
Beaufort	1,887	8	210	596	519	337	194	22	-	1
Berkeley	2,114	1	292	640	612	397	144	26	2	-
Calhoun	193	1	34	45	51	43	16	3	-	-
Charleston	4,586	23	566	1,166	1,132	1,038	562	92	6	1
Cherokee	784	2	161	245	215	112	42	6	1	-
Chester	514	4	105	181	141	57	18	8	-	-
Chesterfield	619	5	121	218	146	80	38	11	-	-
Clarendon	440	2	85	135	112	62	33	9	2	-
Colleton	589	1	103	193	153	100	35	4	-	-
Darlington	953	3	171	322	254	140	57	6	-	-
Dillon	519	1	116	182	133	60	22	5	-	-
Dorchester	1,228 *	2	154	341	354	238	108	28	2	1
Edgefield	288	1	44	80	74	67	21	1	-	-
Fairfield	342	-	63	104	91	59	19	5	1	-
Florence	1,866	8	301	574	509	314	143	13	2	2
Georgetown	770	1	126	245	185	123	73	17	-	-
Greenville	5,388	20	642	1,283	1,516	1,290	537	98	2	-
Greenwood	954	6	170	308	208	188	60	13	1	-
Hampton	302	1	67	95	73	47	14	5	-	-
Horry	2,569	7	383	770	695	450	225	35	3	1
Jasper	284	2	56	112	66	28	17	3	-	-
Kershaw	729	1	131	198	200	132	56	9	2	-
Lancaster	830	4	145	267	214	136	51	13	-	-
Laurens	823	4	146	282	226	105	57	3	-	-
Lee	264	1	48	91	66	36	17	4	1	-
Lexington	2,999	7	332	733	883	692	301	45	5	1
McCormick	96	-	15	38	26	7	7	3	-	-
Marion	527	8	116	186	136	57	20	4	-	-
Marlboro	434	4	96	167	92	53	20	2	-	-
Newberry	497	2	72	149	150	78	42	4	-	-
Oconee	768	-	119	251	193	140	53	12	-	-
Orangeburg	1,310	8	230	415	348	192	88	25	4	-
Pickens	1,329	6	190	411	350	245	109	16	2	-
Richland	4,460	15	517	1,092	1,213	1,028	495	96	3	1
Saluda	257	1	52	83	70	30	18	3	-	-
Spartanburg	3,344	12	518	965	954	605	253	33	2	2
Sumter	1,744	10	319	597	429	262	103	22	1	1
Union	376	1	65	149	90	48	21	2	-	-
Williamsburg	543	2	94	176	152	87	27	5	-	-
York	2,301	4	319	608	616	479	228	44	3	-

* Includes unknown race

Table 26-A.
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	35,146	63	4,054	8,931	10,265	7,813	3,417	565	30	8
Abbeville	225	-	26	70	65	50	12	2	-	-
Aiken	1,215	3	156	291	361	270	112	22	-	-
Allendale	28	-	2	9	7	8	2	-	-	-
Anderson	1,689	3	232	453	494	336	144	25	2	-
Bamberg	78	-	12	22	17	18	8	1	-	-
Barnwell	140	-	18	49	41	21	8	3	-	-
Beaufort	1,343	1	125	394	388	266	152	16	-	1
Berkeley	1,477	1	195	451	445	269	101	14	1	-
Calhoun	82	-	4	15	26	29	7	1	-	-
Charleston	2,589	3	165	435	720	794	408	59	4	1
Cherokee	589	1	110	171	169	94	38	5	1	-
Chester	258	1	43	93	78	28	13	2	-	-
Chesterfield	347	1	52	114	93	55	25	7	-	-
Clarendon	166	-	17	43	60	28	15	3	-	-
Colleton	304	1	50	89	84	54	24	2	-	-
Darlington	448	-	56	118	142	91	38	3	-	-
Dillon	236	1	43	71	76	32	10	3	-	-
Dorchester	857	-	100	214	268	181	73	20	-	1
Edgefield	159	-	11	37	44	52	14	1	-	-
Fairfield	102	-	13	36	28	20	4	1	-	-
Florence	931	2	117	227	289	196	94	6	-	-
Georgetown	405	-	46	106	117	80	44	12	-	-
Greenville	4,141	9	411	901	1,213	1,081	439	85	2	-
Greenwood	569	3	85	154	147	132	38	9	1	-
Hampton	126	-	22	32	34	26	9	3	-	-
Horry	1,885	3	221	518	533	389	189	28	3	1
Jasper	142	1	28	45	40	17	9	2	-	-
Kershaw	528	1	89	132	154	106	39	6	1	-
Lancaster	553	3	76	169	158	105	34	8	-	-
Laurens	569	-	78	179	173	87	49	3	-	-
Lee	61	-	8	16	17	12	5	3	-	-
Lexington	2,415	5	231	551	730	600	255	37	5	1
McCormick	34	-	5	10	10	4	4	1	-	-
Marion	203	-	33	63	63	30	12	2	-	-
Marlboro	185	1	39	72	43	26	4	-	-	-
Newberry	294	-	27	78	100	56	32	1	-	-
Oconee	685	-	104	224	171	133	42	11	-	-
Orangeburg	416	-	58	98	138	76	37	8	1	-
Pickens	1,221	5	172	376	325	227	101	13	2	-
Richland	1,897	5	89	292	562	598	293	56	2	-
Saluda	164	-	24	46	51	27	13	3	-	-
Spartanburg	2,483	6	312	670	760	496	209	27	1	2
Sumter	832	1	104	259	249	149	56	12	1	1
Union	215	-	34	76	60	32	11	2	-	-
Williamsburg	152	-	20	44	43	36	9	-	-	-
York	1,706	2	191	417	478	396	182	37	3	-

Table 26-A (cont.)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	20,803	144	4,303	7,248	4,768	2,742	1,311	266	18	3
Abbeville	111	1	28	43	24	8	6	1	-	-
Aiken	623	5	148	190	142	85	41	12	-	-
Allendale	146	1	37	57	22	19	6	3	1	-
Anderson	528	3	130	171	134	60	26	4	-	-
Bamberg	155	-	33	57	38	15	11	1	-	-
Barnwell	190	2	42	73	40	23	8	2	-	-
Beaufort	544	7	85	202	131	71	42	6	-	-
Berkeley	637	-	97	189	167	128	43	12	1	-
Calhoun	111	1	30	30	25	14	9	2	-	-
Charleston	1,997	20	401	731	412	244	154	33	2	-
Cherokee	195	1	51	74	46	18	4	1	-	-
Chester	256	3	62	88	63	29	5	6	-	-
Chesterfield	272	4	69	104	53	25	13	4	-	-
Clarendon	274	2	68	92	52	34	18	6	2	-
Colleton	285	-	53	104	69	46	11	2	-	-
Darlington	505	3	115	204	112	49	19	3	-	-
Dillon	283	-	73	111	57	28	12	2	-	-
Dorchester	370	2	53	127	86	57	35	8	2	-
Edgefield	129	1	33	43	30	15	7	-	-	-
Fairfield	240	-	50	68	63	39	15	4	1	-
Florence	935	6	184	347	220	118	49	7	2	2
Georgetown	365	1	80	139	68	43	29	5	-	-
Greenville	1,247	11	231	382	303	209	98	13	-	-
Greenwood	385	3	85	154	61	56	22	4	-	-
Hampton	176	1	45	63	39	21	5	2	-	-
Horry	684	4	162	252	162	61	36	7	-	-
Jasper	142	1	28	67	26	11	8	1	-	-
Kershaw	201	-	42	66	46	26	17	3	1	-
Lancaster	277	1	69	98	56	31	17	5	-	-
Laurens	254	4	68	103	53	18	8	-	-	-
Lee	203	1	40	75	49	24	12	1	1	-
Lexington	584	2	101	182	153	92	46	8	-	-
McCormick	62	-	10	28	16	3	3	2	-	-
Marion	324	8	83	123	73	27	8	2	-	-
Marlboro	249	3	57	95	49	27	16	2	-	-
Newberry	203	2	45	71	50	22	10	3	-	-
Oconee	83	-	15	27	22	7	11	1	-	-
Orangeburg	894	8	172	317	210	116	51	17	3	-
Pickens	108	1	18	35	25	18	8	3	-	-
Richland	2,563	10	428	800	651	430	202	40	1	1
Saluda	93	1	28	37	19	3	5	-	-	-
Spartanburg	861	6	206	295	194	109	44	6	1	-
Sumter	912	9	215	338	180	113	47	10	-	-
Union	161	1	31	73	30	16	10	-	-	-
Williamsburg	391	2	74	132	109	51	18	5	-	-
York	595	2	128	191	138	83	46	7	-	-

Table 27.
 Live Births to Mothers Less than 20 Years Old
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total Births Under 20 Years	Age of Mother					
		<15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	8,565 *	207	416	887	1,612	2,391	3,052
Abbeville	55	1	7	3	9	16	19
Aiken	312	8	10	30	55	89	120
Allendale	40	1	1	6	8	14	10
Anderson	368	6	18	51	83	92	118
Bamberg	45	-	2	3	7	13	20
Barnwell	62	2	2	2	15	10	31
Beaufort	218	8	6	18	42	49	95
Berkeley	293	1	7	28	48	77	132
Calhoun	35	1	2	5	7	12	8
Charleston	589	23	35	65	95	165	206
Cherokee	163	2	9	22	43	30	57
Chester	109	4	4	11	25	28	37
Chesterfield	126	5	5	19	30	36	31
Clarendon	87	2	4	4	21	22	34
Colleton	104	1	5	9	20	26	43
Darlington	174	3	10	17	27	48	69
Dillon	117	1	13	10	24	27	42
Dorchester	156 *	2	4	17	34	44	55
Edgefield	45	1	3	5	7	13	16
Fairfield	63	-	8	6	9	22	18
Florence	309	8	15	36	56	99	95
Georgetown	127	1	7	14	31	40	34
Greenville	662	20	34	73	131	158	246
Greenwood	176	6	7	16	27	54	66
Hampton	68	1	3	8	13	18	25
Horry	390	7	17	31	76	117	142
Jasper	58	2	1	5	16	13	21
Kershaw	132	1	7	11	33	41	39
Lancaster	149	4	8	15	30	44	48
Laurens	150	4	6	16	29	39	56
Lee	49	1	3	7	9	10	19
Lexington	339	7	15	34	62	94	127
McCormick	15	-	1	2	3	3	6
Marion	124	8	11	8	24	31	42
Marlboro	100	4	9	7	17	30	33
Newberry	74	2	1	8	11	23	29
Oconee	119	-	5	12	27	40	35
Orangeburg	238	8	14	25	44	78	69
Pickens	196	6	11	16	35	66	62
Richland	532	15	27	59	80	149	202
Saluda	53	1	1	3	20	13	15
Spartanburg	530	12	18	61	100	156	183
Sumter	329	10	13	36	59	93	118
Union	66	1	4	9	10	14	28
Williamsburg	96	2	5	10	18	27	34
York	323	4	18	34	42	108	117

*Includes Unknown Race

Table 27-A.
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total Births Under 20 Years	Age of Mother					
		<15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	4,117	63	149	360	755	1,203	1,587
Abbeville	26	-	3	-	6	7	10
Aiken	159	3	4	12	31	49	60
Allendale	2	-	-	-	1	1	-
Anderson	235	3	10	28	51	56	87
Bamberg	12	-	-	2	2	2	6
Barnwell	18	-	-	-	2	5	11
Beaufort	126	1	1	9	24	27	64
Berkeley	196	1	4	17	27	50	97
Calhoun	4	-	1	1	-	1	1
Charleston	168	3	4	15	23	60	63
Cherokee	111	1	5	13	29	22	41
Chester	44	1	1	3	11	9	19
Chesterfield	53	1	-	4	14	22	12
Clarendon	17	-	1	-	2	6	8
Colleton	51	1	2	5	9	13	21
Darlington	56	-	-	5	6	15	30
Dillon	44	1	6	4	9	10	14
Dorchester	100	-	3	10	22	29	36
Edgefield	11	-	-	1	2	-	8
Fairfield	13	-	1	1	3	6	2
Florence	119	2	5	15	18	36	43
Georgetown	46	-	1	4	10	17	14
Greenville	420	9	19	42	80	104	166
Greenwood	88	3	4	8	12	29	32
Hampton	22	-	-	4	5	5	8
Horry	224	3	7	16	38	72	88
Jasper	29	1	-	-	8	6	14
Kershaw	90	1	5	7	19	30	28
Lancaster	79	3	5	6	17	24	24
Laurens	78	-	2	5	17	23	31
Lee	8	-	-	1	2	3	2
Lexington	236	5	7	16	45	67	96
McCormick	5	-	1	-	-	2	2
Marion	33	-	6	-	5	9	13
Marlboro	40	1	2	1	7	12	17
Newberry	27	-	-	1	6	7	13
Oconee	104	-	4	11	23	37	29
Orangeburg	58	-	2	4	11	23	18
Pickens	177	5	10	14	30	63	55
Richland	94	5	1	9	14	30	35
Saluda	24	-	1	-	9	8	6
Spartanburg	318	6	8	27	58	97	122
Sumter	105	1	-	9	20	33	42
Union	34	-	3	5	4	7	15
Williamsburg	20	-	-	2	4	3	11
York	193	2	10	23	19	66	73

Table 27-A (cont.)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Births Under 20 Years	Age of Mother					
		<15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	4,447	144	267	527	856	1,188	1,465
Abbeville	29	1	4	3	3	9	9
Aiken	153	5	6	18	24	40	60
Allendale	38	1	1	6	7	13	10
Anderson	133	3	8	23	32	36	31
Bamberg	33	-	2	1	5	11	14
Barnwell	44	2	2	2	13	5	20
Beaufort	92	7	5	9	18	22	31
Berkeley	97	-	3	11	21	27	35
Calhoun	31	1	1	4	7	11	7
Charleston	421	20	31	50	72	105	143
Cherokee	52	1	4	9	14	8	16
Chester	65	3	3	8	14	19	18
Chesterfield	73	4	5	15	16	14	19
Clarendon	70	2	3	4	19	16	26
Colleton	53	-	3	4	11	13	22
Darlington	118	3	10	12	21	33	39
Dillon	73	-	7	6	15	17	28
Dorchester	55	2	1	7	11	15	19
Edgefield	34	1	3	4	5	13	8
Fairfield	50	-	7	5	6	16	16
Florence	190	6	10	21	38	63	52
Georgetown	81	1	6	10	21	23	20
Greenville	242	11	15	31	51	54	80
Greenwood	88	3	3	8	15	25	34
Hampton	46	1	3	4	8	13	17
Horry	166	4	10	15	38	45	54
Jasper	29	1	1	5	8	7	7
Kershaw	42	-	2	4	14	11	11
Lancaster	70	1	3	9	13	20	24
Laurens	72	4	4	11	12	16	25
Lee	41	1	3	6	7	7	17
Lexington	103	2	8	18	17	27	31
McCormick	10	-	-	2	3	1	4
Marion	91	8	5	8	19	22	29
Marlboro	60	3	7	6	10	18	16
Newberry	47	2	1	7	5	16	16
Oconee	15	-	1	1	4	3	6
Orangeburg	180	8	12	21	33	55	51
Pickens	19	1	1	2	5	3	7
Richland	438	10	26	50	66	119	167
Saluda	29	1	-	3	11	5	9
Spartanburg	212	6	10	34	42	59	61
Sumter	224	9	13	27	39	60	76
Union	32	1	1	4	6	7	13
Williamsburg	76	2	5	8	14	24	23
York	130	2	8	11	23	42	44

LIVE BIRTHS TO UNMARRIED MOTHERS

In 2000, there were 15,146 live births to resident unmarried mothers in South Carolina, representing 27.1 percent of all live births. As in the past, live births to unmarried mothers occurred more frequently among young mothers. As shown in Table 28, females under age 20 accounted for 31.9 percent of all live births to unmarried mothers in 2000.

Table 28.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 1996-2000
(Residence Data)

Age of Mother	1996	1997	1998	1999	2000
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	1.5	1.2	1.4	1.2	1.2
15-19 Years	35.5	34.7	34.0	33.0	30.7
20-24 Years	35.7	36.6	37.4	37.6	39.7
25-29 Years	15.4	16.3	16.4	16.9	17.1
30 Years and Older	11.9	11.1	10.8	11.3	11.3

Figure 5.
Percent Distrubution of Live Births to Unmarried Mothers by Age
South Carolina, 2000
(Residence Data)




Table 29.
 Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	15146 *	27.1	4,355	12.4	10787	51.9
Abbeville	88	26.2	24	10.7	64	57.7
Aiken	610 *	32.9	248	20.4	358	57.5
Allendale	98	56.3	4	14.3	94	64.4
Anderson	419	18.9	201	11.9	218	41.3
Bamberg	77	33	10	12.8	67	43.2
Barnwell	108	32.7	13	9.3	95	50
Beaufort	348	18.4	117	8.7	231	42.5
Berkeley	461	21.8	188	12.7	273	42.9
Calhoun	51	26.4	3	3.7	48	43.2
Charleston	1,508	32.9	291	11.2	1,217	60.9
Cherokee	193	24.6	94	16	99	50.8
Chester	182	35.4	40	15.5	142	55.5
Chesterfield	222	35.9	62	17.9	160	58.8
Clarendon	190	43.2	20	12	170	62
Colleton	191	32.4	43	14.1	148	51.9
Darlington	381	40	59	13.2	322	63.8
Dillon	237	45.7	58	24.6	179	63.3
Dorchester	303	24.7	129	15.1	174	47
Edgefield	105	36.5	23	14.5	82	63.6
Fairfield	155	45.3	17	16.7	138	57.5
Florence	774	41.5	168	18	606	64.8
Georgetown	214	27.8	39	9.6	175	47.9
Greenville	877	16.3	388	9.4	489	39.2
Greenwood	339	35.5	96	16.9	243	63.1
Hampton	123	40.7	16	12.7	107	60.8
Horry	558	21.7	222	11.8	336	49.1
Jasper	113	39.8	23	16.2	90	63.4
Kershaw	128	17.6	42	8	86	42.8
Lancaster	241	29	99	17.9	142	51.3
Laurens	228	27.7	81	14.2	147	57.9
Lee	119	45.1	7	11.5	112	55.2
Lexington	531	17.7	282	11.7	249	42.6
McCormick	39	40.6	7	20.6	32	51.6
Marion	255	48.4	40	19.7	215	66.4
Marlboro	189	43.5	50	27	139	55.8
Newberry	140	28.2	41	13.9	99	48.8
Oconee	111	14.5	85	12.4	26	31.3
Orangeburg	402	30.7	29	7	373	41.7
Pickens	128	9.6	100	8.2	28	25.9
Richland	1,353	30.3	165	8.7	1,188	46.4
Saluda	100	38.9	31	18.9	69	74.2
Spartanburg	688	20.6	281	11.3	407	47.3
Sumter	645	37	125	15	520	57
Union	107	28.5	26	12.1	81	50.3
Williamsburg	247	45.5	19	12.5	228	58.3
York	570	24.8	249	14.6	321	53.9

* Includes unknown race

Table 30.
 Live Births to Unmarried Mothers by Age
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	15,146 *	185	4,650	6,009	2,591	1,045	531	124	8	3
Abbeville	88	1	32	34	13	5	2	1	-	-
Aiken	610 *	8	204	204	114	44	25	11	-	-
Allendale	98	1	32	40	12	8	3	2	-	-
Anderson	419	5	152	154	62	32	12	2	-	-
Bamberg	77	-	25	32	13	3	4	-	-	-
Barnwell	108	2	27	43	20	9	6	1	-	-
Beaufort	348	7	99	131	64	25	16	6	-	-
Berkeley	461	-	118	194	89	36	21	2	1	-
Calhoun	51	1	18	16	7	5	4	-	-	-
Charleston	1,508	22	410	625	248	117	64	21	1	-
Cherokee	193	1	74	73	31	12	1	1	-	-
Chester	182	4	57	69	38	7	4	3	-	-
Chesterfield	222	5	80	88	32	7	6	4	-	-
Clarendon	190	2	63	77	28	12	6	1	1	-
Colleton	191	-	53	83	31	17	6	1	-	-
Darlington	381	3	120	167	61	21	7	2	-	-
Dillon	237	-	90	93	37	13	4	-	-	-
Dorchester	303	2	88	121	56	20	12	4	-	-
Edgefield	105	1	33	41	16	12	2	-	-	-
Fairfield	155	-	51	53	28	14	8	1	-	-
Florence	774	6	230	302	139	62	31	2	-	2
Georgetown	214	1	65	93	33	9	9	4	-	-
Greenville	877	16	268	331	148	73	35	6	-	-
Greenwood	339	5	108	143	51	22	8	2	-	-
Hampton	123	1	35	48	24	13	1	1	-	-
Horry	558	6	162	216	110	37	22	5	-	-
Jasper	113	2	23	56	22	3	7	-	-	-
Kershaw	128	1	42	45	25	9	4	-	2	-
Lancaster	241	3	84	95	41	13	4	1	-	-
Laurens	228	4	84	97	25	11	7	-	-	-
Lee	119	1	35	46	25	8	3	-	1	-
Lexington	531	6	163	218	92	29	20	2	-	1
McCormick	39	-	10	19	6	2	1	1	-	-
Marion	255	8	87	98	44	14	4	-	-	-
Marlboro	189	4	66	77	28	9	4	1	-	-
Newberry	140	2	38	57	31	9	3	-	-	-
Oconee	111	-	37	51	13	5	5	-	-	-
Orangeburg	402	7	108	161	73	28	19	6	-	-
Pickens	128	4	51	47	12	8	6	-	-	-
Richland	1,353	15	374	531	268	95	57	12	1	-
Saluda	100	1	34	40	20	4	1	-	-	-
Spartanburg	688	11	234	272	98	51	18	3	1	-
Sumter	645	10	195	262	98	51	22	7	-	-
Union	107	1	30	49	20	6	1	-	-	-
Williamsburg	247	1	70	108	45	15	6	2	-	-
York	570	4	191	209	100	40	20	6	-	-

* Includes unknown race

Table 30-A.
 Live Births to Unmarried Mothers by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	4,355	48	1,461	1,606	735	317	150	36	1	1
Abbeville	24	-	9	9	5	1	-	-	-	-
Aiken	248	3	93	82	45	14	8	3	-	-
Allendale	4	-	1	3	-	-	-	-	-	-
Anderson	201	2	72	77	25	19	5	1	-	-
Bamberg	10	-	4	6	-	-	-	-	-	-
Barnwell	13	-	5	6	1	1	-	-	-	-
Beaufort	117	-	37	38	25	9	6	2	-	-
Berkeley	188	-	58	80	34	10	5	1	-	-
Calhoun	3	-	1	-	-	2	-	-	-	-
Charleston	291	2	70	112	52	35	13	7	-	-
Cherokee	94	-	42	27	14	9	1	1	-	-
Chester	40	1	16	15	6	-	2	-	-	-
Chesterfield	62	1	23	24	9	3	1	1	-	-
Clarendon	20	-	8	7	4	1	-	-	-	-
Colleton	43	-	15	14	7	4	3	-	-	-
Darlington	59	-	17	25	10	5	2	-	-	-
Dillon	58	-	24	18	13	2	1	-	-	-
Dorchester	129	-	49	45	25	6	2	2	-	-
Edgefield	23	-	7	8	3	4	1	-	-	-
Fairfield	17	-	7	5	2	2	1	-	-	-
Florence	168	1	64	48	31	15	9	-	-	-
Georgetown	39	-	12	13	8	2	3	1	-	-
Greenville	388	7	122	148	67	30	14	-	-	-
Greenwood	96	2	42	30	15	3	3	1	-	-
Hampton	16	-	5	8	2	1	-	-	-	-
Horry	222	2	64	80	45	19	10	2	-	-
Jasper	23	1	5	8	6	1	2	-	-	-
Kershaw	42	1	16	12	8	4	-	-	1	-
Lancaster	99	3	37	36	18	3	1	1	-	-
Laurens	81	-	31	35	8	4	3	-	-	-
Lee	7	-	3	3	1	-	-	-	-	-
Lexington	282	4	94	114	39	17	12	1	-	1
McCormick	7	-	2	3	1	1	-	-	-	-
Marion	40	-	16	16	4	4	-	-	-	-
Marlboro	50	1	20	18	9	2	-	-	-	-
Newberry	41	-	10	17	8	4	2	-	-	-
Oconee	85	-	28	40	10	3	4	-	-	-
Orangeburg	29	-	9	8	11	1	-	-	-	-
Pickens	100	3	42	35	8	7	5	-	-	-
Richland	165	5	40	59	37	10	12	2	-	-
Saluda	31	-	10	12	6	3	-	-	-	-
Spartanburg	281	6	95	105	40	24	9	2	-	-
Sumter	125	1	33	52	19	13	4	3	-	-
Union	26	-	11	5	5	5	-	-	-	-
Williamsburg	19	-	8	9	1	1	-	-	-	-
York	249	2	84	91	48	13	6	5	-	-

Table 30-A (cont.)
 Live Births to Unmarried Mothers by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	10,787	137	3,189	4,400	1,856	727	381	88	7	2
Abbeville	64	1	23	25	8	4	2	1	-	-
Aiken	358	5	111	119	69	29	17	8	-	-
Allendale	94	1	31	37	12	8	3	2	-	-
Anderson	218	3	80	77	37	13	7	1	-	-
Bamberg	67	-	21	26	13	3	4	-	-	-
Barnwell	95	2	22	37	19	8	6	1	-	-
Beaufort	231	7	62	93	39	16	10	4	-	-
Berkeley	273	-	60	114	55	26	16	1	1	-
Calhoun	48	1	17	16	7	3	4	-	-	-
Charleston	1,217	20	340	513	196	82	51	14	1	-
Cherokee	99	1	32	46	17	3	-	-	-	-
Chester	142	3	41	54	32	7	2	3	-	-
Chesterfield	160	4	57	64	23	4	5	3	-	-
Clarendon	170	2	55	70	24	11	6	1	1	-
Colleton	148	-	38	69	24	13	3	1	-	-
Darlington	322	3	103	142	51	16	5	2	-	-
Dillon	179	-	66	75	24	11	3	-	-	-
Dorchester	174	2	39	76	31	14	10	2	-	-
Edgefield	82	1	26	33	13	8	1	-	-	-
Fairfield	138	-	44	48	26	12	7	1	-	-
Florence	606	5	166	254	108	47	22	2	-	2
Georgetown	175	1	53	80	25	7	6	3	-	-
Greenville	489	9	146	183	81	43	21	6	-	-
Greenwood	243	3	66	113	36	19	5	1	-	-
Hampton	107	1	30	40	22	12	1	1	-	-
Horry	336	4	98	136	65	18	12	3	-	-
Jasper	90	1	18	48	16	2	5	-	-	-
Kershaw	86	-	26	33	17	5	4	-	1	-
Lancaster	142	-	47	59	23	10	3	-	-	-
Laurens	147	4	53	62	17	7	4	-	-	-
Lee	112	1	32	43	24	8	3	-	1	-
Lexington	249	2	69	104	53	12	8	1	-	-
McCormick	32	-	8	16	5	1	1	1	-	-
Marion	215	8	71	82	40	10	4	-	-	-
Marlboro	139	3	46	59	19	7	4	1	-	-
Newberry	99	2	28	40	23	5	1	-	-	-
Oconee	26	-	9	11	3	2	1	-	-	-
Orangeburg	373	7	99	153	62	27	19	6	-	-
Pickens	28	1	9	12	4	1	1	-	-	-
Richland	1,188	10	334	472	231	85	45	10	1	-
Saluda	69	1	24	28	14	1	1	-	-	-
Spartanburg	407	5	139	167	58	27	9	1	1	-
Sumter	520	9	162	210	79	38	18	4	-	-
Union	81	1	19	44	15	1	1	-	-	-
Williamsburg	228	1	62	99	44	14	6	2	-	-
York	321	2	107	118	52	27	14	1	-	-

LIVE BIRTHS BY BIRTHWEIGHT

Birthweight distribution by race reveals racial differences. For both races the highest segment of births weighed 3,000-3,499 grams, but the median birthweight for whites was greater than the median birthweight for black and other. Figure 6 illustrates the birthweight distribution by race.

Table 31.
Live Births by Birthweight Groups by Race of Mother:
South Carolina, 2000
(Residence Data)

Weight Group	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
Total	55,964*	100.0	35,146	100.0	20,803	100.0
Less Than 2,500 grams	5,412*	9.7	2,539	7.2	2,872	13.8
Under 500 grams	127	0.2	32	0.1	95	0.5
500-999 grams	440	0.8	152	0.4	288	1.4
1,000-1,499 grams	540	1.0	261	0.7	542	2.6
1,500-1,999 grams	1,103	2.0	542	1.5	561	2.7
2,000-2,499 grams	3,202*	5.7	1,552	4.4	1,649	7.9
2,500 or More grams	50,549*	90.3	32,606	92.8	17,931	86.2
Unknown Weight	3	0.0	1	0.0	-	0

* Includes unknown race

Figure 6.
Percent Distribution of Live Births by Birthweight (in grams)
and Race of Mother, South Carolina, 2000
(Residence Data)




Table 32.
Live Births by Birthweight , Age and Race of Mother
South Carolina, 2000
(Residence Data)

Age and Race	Birthweight												
	Total Births	< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	Not Stated
South Carolina	55,964 *	127	440	540	1,103	3,202	10,661	20,780	14,403	3,981	650	74	3
White	35,146	32	152	261	542	1,552	5,449	12,822	10,558	3,181	536	60	1
Black/Other	20,803	95	288	279	561	1,649	5,209	7,953	3,843	798	114	14	-
Under 15 Years	207	-	1	5	5	13	62	85	27	9	-	-	-
White	63	-	-	3	1	4	15	25	9	6	-	-	-
Black/Other	144	-	1	2	4	9	47	60	18	3	-	-	-
15-19 Years	8,358 *	20	89	87	206	607	2,108	3,152	1,687	354	42	5	1
White	4,054	1	29	30	75	222	834	1,546	1,034	251	28	4	-
Black/Other	4,303	19	60	57	131	385	1,274	1,606	653	103	14	1	-
20-24 Years	16,186 *	43	144	172	337	982	3,385	6,239	3,804	919	146	15	-
White	8,931	10	38	65	131	405	1,517	3,406	2,524	702	119	14	-
Black/Other	7,248	33	106	107	206	576	1,867	2,831	1,278	216	27	1	-
25-34 Years	25,595 *	52	156	224	416	1,249	4,143	9,362	7,351	2,250	352	39	1
White	18,078	18	61	129	249	724	2,480	6,438	5,799	1,852	298	30	-
Black/Other	7,510	34	95	95	167	525	1,661	2,921	1,552	397	54	9	-
35-44 Years	5,559	12	48	50	137	347	949	1,925	1,519	448	109	15	-
White	3,982	3	24	34	84	196	596	1,394	1,180	369	90	12	-
Black/Other	1,577	9	24	16	53	151	353	531	339	79	19	3	-
45 and Over	48	-	2	2	1	4	10	14	14	-	1	-	-
White	30	-	-	-	1	1	5	11	11	-	1	-	-
Black/Other	18	-	2	2	-	3	5	3	3	-	-	-	-
Not Stated	11	-	-	-	1	-	4	3	1	1	-	-	1
White	8	-	-	-	1	-	2	2	1	1	-	-	1
Black/Other	3	-	-	-	-	-	2	1	-	-	-	-	-

* Includes unknown race

Table 33.
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Unknown Weight
South Carolina	55,964 *	127	440	540	1,103	3,202	10,661	20,780	14,403	3,981	650	74	3
White	35,146	32	152	261	542	1,552	5,449	12,822	10,558	3,181	536	60	1
Black/Other	20,803	95	288	279	561	1,649	5,209	7,953	3,843	798	114	14	-
Abbeville	336	2	2	1	8	17	66	118	91	24	7	-	-
White	225	-	1	1	5	10	38	79	69	18	4	-	-
Black/Other	111	2	1	-	3	7	28	39	22	6	3	-	-
Aiken	1,852 *	3	9	10	28	133	341	702	471	130	22	2	1
White	1,215	1	7	6	16	78	183	452	352	98	20	2	-
Black/Other	623	2	2	4	12	54	155	245	117	30	2	-	-
Allendale	174	-	-	1	1	18	44	62	37	9	1	1	-
White	28	-	-	-	-	1	4	11	11	1	-	-	-
Black/Other	146	-	-	1	1	17	40	51	26	8	1	1	-
Anderson	2,217	8	11	14	39	112	351	790	671	183	34	4	-
White	1,689	1	6	8	25	80	228	597	539	170	31	4	-
Black/Other	528	7	5	6	14	32	123	193	132	13	3	-	-
Bamberg	233	1	3	1	7	11	57	88	53	8	4	-	-
White	78	-	-	-	2	1	18	31	21	3	2	-	-
Black/Other	155	1	3	1	5	10	39	57	32	5	2	-	-
Barnwell	330	1	3	4	8	21	77	130	68	16	2	-	-
White	140	-	1	3	3	7	26	48	39	12	1	-	-
Black/Other	190	1	2	1	5	14	51	82	29	4	1	-	-
Beaufort	1,887	3	13	12	16	79	328	726	525	160	22	3	-
White	1,343	1	6	1	10	44	191	523	414	132	19	2	-
Black/Other	544	2	7	11	6	35	137	203	111	28	3	1	-

Table 33 (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	
Berkeley	2,114	4	21	15	25	106	378	775	592	161	33	4	-
White	1,477	-	7	8	14	58	242	520	464	135	25	4	-
Black/Other	637	4	14	7	11	48	136	255	128	26	8	-	-
Calhoun	193	1	1	3	-	10	52	77	42	5	2	-	-
White	82	-	-	2	-	3	17	32	23	4	1	-	-
Black/Other	111	1	1	1	-	7	35	45	19	1	1	-	-
Charleston	4,586	8	36	51	105	259	895	1,700	1,178	286	60	7	1
White	2,589	3	10	20	45	90	380	951	826	213	45	5	1
Black/Other	1,997	5	26	31	60	169	515	749	352	73	15	2	-
Cherokee	784	-	6	11	21	55	167	275	189	53	7	-	-
White	589	-	5	7	16	40	111	209	150	45	6	-	-
Black/Other	195	-	1	4	5	15	56	66	39	8	1	-	-
Chester	514	2	5	2	12	31	76	197	135	44	8	2	-
White	258	1	1	1	5	13	30	94	78	31	4	-	-
Black/Other	256	1	4	1	7	18	46	103	57	13	4	2	-
Chesterfield	619	3	8	5	19	50	143	216	133	40	2	-	-
White	347	1	3	-	7	22	70	122	87	33	2	-	-
Black/Other	272	2	5	5	12	28	73	94	46	7	-	-	-
Clarendon	440	2	2	4	8	31	111	167	90	21	3	1	-
White	166	-	-	1	2	6	27	68	46	13	3	-	-
Black/Other	274	2	2	3	6	25	84	99	44	8	-	1	-
Colleton	589	1	-	5	8	32	121	212	157	44	5	4	-
White	304	-	-	2	5	10	53	99	96	33	4	2	-
Black/Other	285	1	-	3	3	22	68	113	61	11	1	2	-

Table 33 (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	
Darlington	953	5	8	11	25	68	218	369	193	47	9	-	-
White	448	-	1	3	11	25	72	180	119	31	6	-	-
Black/Other	505	5	7	8	14	43	146	189	74	16	3	-	-
Dillon	519	1	15	7	10	31	103	200	120	26	5	1	-
White	236	-	1	2	6	8	33	87	73	20	5	1	-
Black/Other	283	1	14	5	4	23	70	113	47	6	-	-	-
Dorchester	1,228 *	1	9	16	22	72	220	458	328	87	13	1	1
White	857	-	5	9	9	37	127	315	265	80	10	-	-
Black/Other	370	1	4	7	13	35	93	143	63	7	3	1	-
Edgefield	288	2	2	1	5	18	62	84	88	23	3	-	-
White	159	-	-	-	1	11	24	46	55	19	3	-	-
Black/Other	129	2	2	1	4	7	38	38	33	4	-	-	-
Fairfield	342	-	9	5	9	20	79	131	73	15	-	1	-
White	102	-	2	4	3	7	14	32	29	11	-	-	-
Black/Other	240	-	7	1	6	13	65	99	44	4	-	1	-
Florence	1,866	6	16	22	39	132	442	710	389	98	12	-	-
White	931	1	2	9	14	48	175	351	247	77	7	-	-
Black/Other	935	5	14	13	25	84	267	359	142	21	5	-	-
Georgetown	770	3	15	10	26	40	166	286	175	44	5	-	-
White	405	-	4	1	11	14	77	148	113	32	5	-	-
Black/Other	365	3	11	9	15	26	89	138	62	12	-	-	-
Greenville	5,388	3	40	39	99	284	881	1,945	1,534	474	81	8	-
White	4,141	1	26	26	71	188	595	1,477	1,264	410	75	8	-
Black/Other	1,247	2	14	13	28	96	286	468	270	64	6	-	-

Table 33 (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	
Greenwood	954	7	8	7	18	56	179	340	257	71	11	-	-
White	569	1	4	3	5	26	82	208	184	48	8	-	-
Black/Other	385	6	4	4	13	30	97	132	73	23	3	-	-
Hampton	302	2	2	1	3	20	65	123	66	15	5	-	-
White	126	-	-	1	-	6	23	57	27	9	3	-	-
Black/Other	176	2	2	-	3	14	42	66	39	6	2	-	-
Horry	2,569	5	16	17	41	138	497	1,000	651	163	31	10	-
White	1,885	1	7	10	22	84	325	735	526	140	25	10	-
Black/Other	684	4	9	7	19	54	172	265	125	23	6	-	-
Jasper	284	-	1	1	4	18	69	96	69	18	7	1	-
White	142	-	-	-	2	3	28	46	46	11	5	1	-
Black/Other	142	-	1	1	2	15	41	50	23	7	2	-	-
Kershaw	729	-	4	8	11	44	131	274	200	45	12	-	-
White	528	-	-	4	7	28	72	199	168	40	10	-	-
Black/Other	201	-	4	4	4	16	59	75	32	5	2	-	-
Lancaster	830	1	9	9	27	55	157	279	220	64	8	1	-
White	553	-	5	6	17	33	84	173	170	58	6	1	-
Black/Other	277	1	4	3	10	22	73	106	50	6	2	-	-
Laurens	823	-	3	11	18	44	154	293	217	66	16	1	-
White	569	-	1	7	12	30	86	196	168	54	14	1	-
Black/Other	254	-	2	4	6	14	68	97	49	12	2	-	-
Lee	264	1	3	4	6	22	55	98	47	23	2	3	-
White	61	1	-	1	-	2	6	21	16	11	1	2	-
Black/Other	203	-	3	3	6	20	49	77	31	12	1	1	-

Table 33 (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	Unknown Weight
Lexington	2,999	10	15	34	37	121	482	1,152	857	240	47	4	-
White	2,415	6	4	30	28	90	351	923	728	208	43	4	-
Black/Other	584	4	11	4	9	31	131	229	129	32	4	-	-
McCormick	96	1	1	-	5	9	20	36	20	3	1	-	-
White	34	-	-	-	2	1	6	14	8	2	1	-	-
Black/Other	62	1	1	-	3	8	14	22	12	1	-	-	-
Marion	527	3	7	6	13	36	104	207	122	27	2	-	-
White	203	-	3	-	1	7	34	79	60	18	1	-	-
Black/Other	324	3	4	6	12	29	70	128	62	9	1	-	-
Marlboro	434	3	5	7	11	32	105	165	90	15	1	-	-
White	185	2	3	2	5	11	34	72	44	11	1	-	-
Black/Other	249	1	2	5	6	21	71	93	46	4	-	-	-
Newberry	497	-	3	3	11	29	128	170	120	29	4	-	-
White	294	-	3	-	3	12	58	95	97	22	4	-	-
Black/Other	203	-	-	3	8	17	70	75	23	7	-	-	-
Oconee	768	1	3	3	18	37	127	293	214	63	8	1	-
White	685	1	3	3	16	33	106	256	197	61	8	1	-
Black/Other	83	-	-	-	2	4	21	37	17	2	-	-	-
Orangeburg	1,310	5	19	21	41	101	309	516	249	47	2	-	-
White	416	-	4	3	4	15	81	154	129	25	1	-	-
Black/Other	894	5	15	18	37	86	228	362	120	22	1	-	-
Pickens	1,329	1	3	7	15	69	195	496	388	135	17	3	-
White	1,221	1	1	7	13	62	178	442	367	130	17	3	-
Black/Other	108	-	2	-	2	7	17	54	21	5	-	-	-

Table 33 (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	
Richland	4,460	8	35	54	125	266	932	1,681	1,064	263	29	3	-
White	1,897	1	2	16	49	77	299	685	582	165	20	1	-
Black/Other	2,563	7	33	38	76	189	633	996	482	98	9	2	-
Saluda	257	-	1	5	5	13	63	83	59	26	2	-	-
White	164	-	-	4	2	4	34	54	43	21	2	-	-
Black/Other	93	-	1	1	3	9	29	29	16	5	-	-	-
Spartanburg	3,344	3	16	29	61	202	607	1,215	881	273	53	4	-
White	2,483	1	9	20	36	135	394	899	715	224	46	4	-
Black/Other	861	2	7	9	25	67	213	316	166	49	7	-	-
Sumter	1,744	2	20	20	39	94	339	645	456	114	14	1	-
White	832	1	4	6	9	23	114	305	283	78	8	1	-
Black/Other	912	1	16	14	30	71	225	340	173	36	6	-	-
Union	376	1	7	4	10	28	58	151	86	27	4	-	-
White	215	-	1	1	9	10	30	85	57	19	3	-	-
Black/Other	161	1	6	3	1	18	28	66	29	8	1	-	-
Williamsburg	543	4	5	8	14	40	121	223	99	27	2	-	-
White	152	-	-	2	4	6	29	65	36	10	-	-	-
Black/Other	391	4	5	6	10	34	92	158	63	17	2	-	-
York	2,301	9	20	31	30	98	386	825	638	229	32	3	-
White	1,706	6	10	21	15	53	260	586	526	195	31	3	-
Black/Other	595	3	10	10	15	45	126	239	112	34	1	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 9.6 percent of the 55,964 resident births in 2000. In relation to age of mother, low weight births were comparatively frequent among very young mothers; 12.1 percent of all live births to mothers 15-19 were low weight. Only 8.2 percent of all live births to mothers 25-34 were low weight.

Figure 7.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2000
(Residence Data)




Table 34.
Percent* of Live Births Less Than 2,500 Grams
by Age and Race of Mother: South Carolina, 2000
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	11.6	12.1	10.4	8.2	10.7	18.8
White	12.7	8.8	7.3	6.5	8.6	6.7
Black & Other	11.1	15.2	14.2	12.2	16.0	38.9

* Percentages are based on total live births within each age group

Table 35.

Low Weight¹ Live Births and Percent of Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	5,412	9.7	2,539	7.2	2,872	13.8
Abbeville	30	8.9	17	7.6	13	11.7
Aiken	183	9.9	108	8.9	74	11.9
Allendale	20	11.5	1	3.6	19	13.0
Anderson	184	8.3	120	7.1	64	12.1
Bamberg	23	9.9	3	3.8	20	12.9
Barnwell	37	11.2	14	10.0	23	12.1
Beaufort	123	6.5	62	4.6	61	11.2
Berkeley	171	8.1	87	5.9	84	13.2
Calhoun	15	7.8	5	6.1	10	9.0
Charleston	459	10.0	168	6.5	291	14.6
Cherokee	93	11.9	68	11.5	25	12.8
Chester	52	10.1	21	8.1	31	12.1
Chesterfield	85	13.7	33	9.5	52	19.1
Clarendon	47	10.7	9	5.4	38	13.9
Colleton	46	7.8	17	5.6	29	10.2
Darlington	117	12.3	40	8.9	77	15.2
Dillon	64	12.3	17	7.2	47	16.6
Dorchester	120	9.8	60	7.0	60	16.2
Edgefield	28	9.7	12	7.5	16	12.4
Fairfield	43	12.6	16	15.7	27	11.3
Florence	215	11.5	74	7.9	141	15.1
Georgetown	94	12.2	30	7.4	64	17.5
Greenville	465	8.6	312	7.5	153	12.3
Greenwood	96	10.1	39	6.9	57	14.8
Hampton	28	9.3	7	5.6	21	11.9
Horry	217	8.4	124	6.6	93	13.6
Jasper	24	8.5	5	3.5	19	13.4
Kershaw	67	9.2	39	7.4	28	13.9
Lancaster	101	12.2	61	11.0	40	14.4
Laurens	76	9.2	50	8.8	26	10.2
Lee	36	13.6	4	6.6	32	15.8
Lexington	217	7.2	158	6.5	59	10.1
McCormick	16	16.7	3	8.8	13	21.0
Marion	65	12.3	11	5.4	54	16.7
Marlboro	58	13.4	23	12.4	35	14.1
Newberry	46	9.3	18	6.1	28	13.8
Oconee	62	8.1	56	8.2	6	7.2
Orangeburg	187	14.3	26	6.3	161	18.0
Pickens	95	7.1	84	6.9	11	10.2
Richland	488	10.9	145	7.6	343	13.4
Saluda	24	9.3	10	6.1	14	15.1
Spartanburg	311	9.3	201	8.1	110	12.8
Sumter	175	10.0	43	5.2	132	14.5
Union	50	13.3	21	9.8	29	18.0
Williamsburg	71	13.1	12	7.9	59	15.1
York	188	8.2	105	6.2	83	13.9

¹ Live birth weighing less than 2,500 grams

Table 36.
 Low Weight¹ Live Births by Age of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	5,412	24	1,009	1,678	1,227	870	484	110	9	1
Abbeville	30	-	6	11	6	5	1	1	-	-
Aiken	183	2	36	41	47	35	15	7	-	-
Allendale	20	-	4	7	4	3	1	1	-	-
Anderson	184	1	31	57	46	29	18	1	1	-
Bamberg	23	-	5	10	5	3	-	-	-	-
Barnwell	37	-	6	17	6	2	5	1	-	-
Beaufort	123	-	27	35	25	16	18	2	-	-
Berkeley	171	-	29	52	36	43	10	1	-	-
Calhoun	15	-	1	2	7	4	1	-	-	-
Charleston	459	3	67	157	79	80	58	15	-	-
Cherokee	93	-	25	24	26	15	2	-	1	-
Chester	52	-	13	15	15	7	-	2	-	-
Chesterfield	85	-	23	35	15	6	4	2	-	-
Clarendon	47	-	10	15	8	8	4	1	1	-
Colleton	46	-	13	11	13	6	3	-	-	-
Darlington	117	-	22	41	28	18	8	-	-	-
Dillon	64	-	22	21	14	3	4	-	-	-
Dorchester	120	-	25	27	34	18	13	3	-	-
Edgefield	28	-	6	9	5	7	1	-	-	-
Fairfield	43	-	9	14	5	10	2	2	1	-
Florence	215	1	40	73	46	35	19	1	-	-
Georgetown	94	-	18	33	21	12	8	2	-	-
Greenville	465	4	69	112	122	96	51	11	-	-
Greenwood	96	1	15	36	16	21	7	-	-	-
Hampton	28	-	8	12	4	3	-	1	-	-
Horry	217	2	42	64	62	25	20	2	-	-
Jasper	24	-	2	13	4	2	2	1	-	-
Kershaw	67	-	14	20	18	7	4	3	1	-
Lancaster	101	-	22	41	19	15	3	1	-	-
Laurens	76	-	11	26	22	12	5	-	-	-
Lee	36	-	7	14	5	7	1	1	1	-
Lexington	217	1	22	56	61	47	28	2	-	-
McCormick	16	-	1	5	7	2	1	-	-	-
Marion	65	1	20	21	16	7	-	-	-	-
Marlboro	58	1	12	21	12	8	3	1	-	-
Newberry	46	-	6	20	12	2	5	1	-	-
Oconee	62	-	9	25	12	7	8	1	-	-
Orangeburg	187	2	42	65	40	26	4	7	1	-
Pickens	95	-	19	29	21	14	11	1	-	-
Richland	488	3	76	121	117	92	58	20	1	-
Saluda	24	-	4	10	5	2	3	-	-	-
Spartanburg	311	1	66	105	64	42	26	5	1	1
Sumter	175	-	44	57	36	18	14	6	-	-
Union	50	-	11	20	9	4	6	-	-	-
Williamsburg	71	-	14	24	13	14	5	1	-	-
York	188	1	35	54	39	32	24	3	-	-

¹Live birth weighing less than 2,500 grams

Table 36-A.
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 White

County of Residence	Total	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	2,539	8	357	649	671	510	292	49	2	1
Abbeville	17	-	2	5	5	4	1	-	-	-
Aiken	108	1	16	20	33	22	10	6	-	-
Allendale	1	-	-	-	-	1	-	-	-	-
Anderson	120	-	20	27	37	21	14	-	1	-
Bamberg	3	-	-	1	2	-	-	-	-	-
Barnwell	14	-	-	5	5	1	2	1	-	-
Beaufort	62	-	10	14	18	6	13	1	-	-
Berkeley	87	-	12	27	21	21	6	-	-	-
Calhoun	5	-	-	-	3	2	-	-	-	-
Charleston	168	-	10	36	36	47	35	4	-	-
Cherokee	68	-	18	16	19	12	2	-	1	-
Chester	21	-	5	3	10	3	-	-	-	-
Chesterfield	33	-	6	13	9	3	2	-	-	-
Clarendon	9	-	-	1	5	3	-	-	-	-
Colleton	17	-	7	2	5	2	1	-	-	-
Darlington	40	-	5	13	9	9	4	-	-	-
Dillon	17	-	6	4	7	-	-	-	-	-
Dorchester	60	-	11	12	18	12	5	2	-	-
Edgefield	12	-	1	1	3	6	1	-	-	-
Fairfield	16	-	1	7	3	4	-	1	-	-
Florence	74	1	14	13	15	19	12	-	-	-
Georgetown	30	-	7	5	8	5	4	1	-	-
Greenville	312	-	36	72	81	72	40	11	-	-
Greenwood	39	1	6	12	8	7	5	-	-	-
Hampton	7	-	2	2	1	2	-	-	-	-
Horry	124	1	18	31	38	20	14	2	-	-
Jasper	5	-	-	2	1	-	1	1	-	-
Kershaw	39	-	5	13	9	7	4	1	-	-
Lancaster	61	-	10	27	11	10	3	-	-	-
Laurens	50	-	3	15	16	12	4	-	-	-
Lee	4	-	-	2	1	1	-	-	-	-
Lexington	158	-	18	39	40	38	21	2	-	-
McCormick	3	-	1	-	2	-	-	-	-	-
Marion	11	-	2	3	3	3	-	-	-	-
Marlboro	23	1	5	9	5	3	-	-	-	-
Newberry	18	-	-	7	7	-	4	-	-	-
Oconee	56	-	9	21	11	7	8	-	-	-
Orangeburg	26	-	5	7	9	3	1	1	-	-
Pickens	84	-	17	23	19	14	11	-	-	-
Richland	145	2	9	17	43	43	23	8	-	-
Saluda	10	-	1	4	3	1	1	-	-	-
Spartanburg	201	1	33	64	47	31	21	3	-	1
Sumter	43	-	2	18	14	6	1	2	-	-
Union	21	-	7	5	5	1	3	-	-	-
Williamsburg	12	-	1	5	4	1	1	-	-	-
York	105	-	16	26	22	25	14	2	-	-

¹Live birth weighing less than 2,500 grams

Table 36-A (cont.)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	2,872	16	652	1,028	556	360	192	61	7	-
Abbeville	13	-	4	6	1	1	-	1	-	-
Aiken	74	1	20	20	14	13	5	1	-	-
Allendale	19	-	4	7	4	2	1	1	-	-
Anderson	64	1	11	30	9	8	4	1	-	-
Bamberg	20	-	5	9	3	3	-	-	-	-
Barnwell	23	-	6	12	1	1	3	-	-	-
Beaufort	61	-	17	21	7	10	5	1	-	-
Berkeley	84	-	17	25	15	22	4	1	-	-
Calhoun	10	-	1	2	4	2	1	-	-	-
Charleston	291	3	57	121	43	33	23	11	-	-
Cherokee	25	-	7	8	7	3	-	-	-	-
Chester	31	-	8	12	5	4	-	2	-	-
Chesterfield	52	-	17	22	6	3	2	2	-	-
Clarendon	38	-	10	14	3	5	4	1	1	-
Colleton	29	-	6	9	8	4	2	-	-	-
Darlington	77	-	17	28	19	9	4	-	-	-
Dillon	47	-	16	17	7	3	4	-	-	-
Dorchester	60	-	14	15	16	6	8	1	-	-
Edgefield	16	-	5	8	2	1	-	-	-	-
Fairfield	27	-	8	7	2	6	2	1	1	-
Florence	141	-	26	60	31	16	7	1	-	-
Georgetown	64	-	11	28	13	7	4	1	-	-
Greenville	153	4	33	40	41	24	11	-	-	-
Greenwood	57	-	9	24	8	14	2	-	-	-
Hampton	21	-	6	10	3	1	-	1	-	-
Horry	93	1	24	33	24	5	6	-	-	-
Jasper	19	-	2	11	3	2	1	-	-	-
Kershaw	28	-	9	7	9	-	-	2	1	-
Lancaster	40	-	12	14	8	5	-	1	-	-
Laurens	26	-	8	11	6	-	1	-	-	-
Lee	32	-	7	12	4	6	1	1	1	-
Lexington	59	1	4	17	21	9	7	-	-	-
McCormick	13	-	-	5	5	2	1	-	-	-
Marion	54	1	18	18	13	4	-	-	-	-
Marlboro	35	-	7	12	7	5	3	1	-	-
Newberry	28	-	6	13	5	2	1	1	-	-
Oconee	6	-	-	4	1	-	-	1	-	-
Orangeburg	161	2	37	58	31	23	3	6	1	-
Pickens	11	-	2	6	2	-	-	1	-	-
Richland	343	1	67	104	74	49	35	12	1	-
Saluda	14	-	3	6	2	1	2	-	-	-
Spartanburg	110	-	33	41	17	11	5	2	1	-
Sumter	132	-	42	39	22	12	13	4	-	-
Union	29	-	4	15	4	3	3	-	-	-
Williamsburg	59	-	13	19	9	13	4	1	-	-
York	83	1	19	28	17	7	10	1	-	-

¹Live birth weighing less than 2,500 grams

Table 37.

Very Low Weight ¹ Live Births and Percent of Very Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	1,107	2.0	445	1.3	662	3.2
Abbeville	5	1.5	2	0.9	3	2.7
Aiken	22	1.2	14	1.2	8	1.3
Allendale	1	0.6	-	0	1	0.7
Anderson	33	1.5	15	0.9	18	3.4
Bamberg	5	2.1	-	0	5	3.2
Barnwell	8	2.4	4	2.9	4	2.1
Beaufort	28	1.5	8	0.6	20	3.7
Berkeley	40	1.9	15	1.0	25	3.9
Calhoun	5	2.6	2	2.4	3	2.7
Charleston	95	2.1	33	1.3	62	3.1
Cherokee	17	2.2	12	2.0	5	2.6
Chester	9	1.8	3	1.2	6	2.3
Chesterfield	16	2.6	4	1.2	12	4.4
Clarendon	8	1.8	1	0.6	7	2.6
Colleton	6	1.0	2	0.7	4	1.4
Darlington	24	2.5	4	0.9	20	4.0
Dillon	23	4.4	3	1.3	20	7.1
Dorchester	26	2.1	14	1.6	12	3.2
Edgefield	5	1.7	-	0	5	3.9
Fairfield	14	4.1	6	5.9	8	3.3
Florence	44	2.4	12	1.3	32	3.4
Georgetown	28	3.6	5	1.2	23	6.3
Greenville	82	1.5	53	1.3	29	2.3
Greenwood	22	2.3	8	1.4	14	3.6
Hampton	5	1.7	1	0.8	4	2.3
Horry	38	1.5	18	1.0	20	2.9
Jasper	2	0.7	-	0	2	1.4
Kershaw	12	1.6	4	0.8	8	4.0
Lancaster	19	2.3	11	2.0	8	2.9
Laurens	14	1.7	8	1.4	6	2.4
Lee	8	3.0	2	3.3	6	3.0
Lexington	59	2.0	40	1.7	19	3.3
McCormick	2	2.1	-	0	2	3.2
Marion	16	3.0	3	1.5	13	4.0
Marlboro	15	3.5	7	3.8	8	3.2
Newberry	6	1.2	3	1.0	3	1.5
Oconee	7	0.9	7	1.0	-	0
Orangeburg	45	3.4	7	1.7	38	4.3
Pickens	11	0.8	9	0.7	2	1.9
Richland	97	2.2	19	1.0	78	3.0
Saluda	6	2.3	4	2.4	2	2.2
Spartanburg	48	1.4	30	1.2	18	2.1
Sumter	42	2.4	11	1.3	31	3.4
Union	12	3.2	2	0.9	10	6.2
Williamsburg	17	3.1	2	1.3	15	3.8
York	60	2.6	37	2.2	23	3.9

¹ Live birth weighing less than 1500 grams

Table 38.
Live Births and Number of Mothers Who Smoked During Pregnancy by Race of Mother
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Live Births	Smoked	Live Births	Smoked	Live Births	Smoked
South Carolina	55,964 *	6,693	35,146	5,380	20,803	1,312
Abbeville	336	48	225	38	111	10
Aiken	1,852 *	224	1,215	181	623	42
Allendale	174	16	28	5	146	11
Anderson	2,217	356	1,689	300	528	56
Bamberg	233	27	78	19	155	8
Barnwell	330	29	140	18	190	11
Beaufort	1,887	103	1,343	82	544	21
Berkeley	2,114	252	1,477	231	637	21
Calhoun	193	20	82	12	111	8
Charleston	4,586	331	2,589	232	1,997	99
Cherokee	784	180	589	156	195	24
Chester	514	90	258	71	256	19
Chesterfield	619	103	347	85	272	18
Clarendon	440	44	166	25	274	19
Colleton	589	78	304	60	285	18
Darlington	953	119	448	88	505	31
Dillon	519	92	236	54	283	38
Dorchester	1,228 *	171	857	149	370	22
Edgefield	288	18	159	10	129	8
Fairfield	342	25	102	17	240	8
Florence	1,866	200	931	153	935	47
Georgetown	770	61	405	50	365	11
Greenville	5,388	636	4,141	548	1,247	88
Greenwood	954	41	569	38	385	3
Hampton	302	28	126	24	176	4
Horry	2,569	446	1,885	365	684	81
Jasper	284	22	142	17	142	5
Kershaw	729	112	528	99	201	13
Lancaster	830	143	553	102	277	41
Laurens	823	117	569	105	254	12
Lee	264	17	61	12	203	5
Lexington	2,999	415	2,415	379	584	36
McCormick	96	8	34	7	62	1
Marion	527	53	203	31	324	22
Marlboro	434	72	185	50	249	22
Newberry	497	63	294	50	203	13
Oconee	768	143	685	136	83	7
Orangeburg	1,310	147	416	89	894	58
Pickens	1,329	231	1,221	220	108	11
Richland	4,460	258	1,897	132	2,563	126
Saluda	257	18	164	12	93	6
Spartanburg	3,344	477	2,483	416	861	61
Sumter	1,744	176	832	116	912	60
Union	376	62	215	47	161	15
Williamsburg	543	30	152	18	391	12
York	2,301	391	1,706	331	595	60

* Includes unknown race

Table 39.
Live Births and Number of Mothers Who Drank Alcohol During Pregnancy by Race of Mother
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Live Births	Alcohol	Live Births	Alcohol	Live Births	Alcohol
South Carolina	55,964 *	510	35,146	356	20,803	153
Abbeville	336	1	225	-	111	1
Aiken	1,852 *	75	1,215	64	623	10
Allendale	174	5	28	1	146	4
Anderson	2,217	13	1,689	9	528	4
Bamberg	233	-	78	-	155	-
Barnwell	330	5	140	3	190	2
Beaufort	1,887	13	1,343	9	544	4
Berkeley	2,114	19	1,477	15	637	4
Calhoun	193	-	82	-	111	-
Charleston	4,586	97	2,589	71	1,997	26
Cherokee	784	3	589	2	195	1
Chester	514	-	258	-	256	-
Chesterfield	619	2	347	2	272	-
Clarendon	440	1	166	-	274	1
Colleton	589	3	304	2	285	1
Darlington	953	7	448	3	505	4
Dillon	519	2	236	1	283	1
Dorchester	1,228 *	24	857	19	370	5
Edgefield	288	8	159	7	129	1
Fairfield	342	-	102	-	240	-
Florence	1,866	16	931	11	935	5
Georgetown	770	2	405	2	365	-
Greenville	5,388	34	4,141	24	1,247	10
Greenwood	954	2	569	2	385	-
Hampton	302	4	126	3	176	1
Horry	2,569	19	1,885	15	684	4
Jasper	284	7	142	3	142	4
Kershaw	729	9	528	7	201	2
Lancaster	830	2	553	2	277	-
Laurens	823	2	569	1	254	1
Lee	264	-	61	-	203	-
Lexington	2,999	26	2,415	23	584	3
McCormick	96	2	34	1	62	1
Marion	527	3	203	1	324	2
Marlboro	434	3	185	1	249	2
Newberry	497	3	294	2	203	1
Oconee	768	4	685	4	83	-
Orangeburg	1,310	13	416	2	894	11
Pickens	1,329	3	1,221	3	108	-
Richland	4,460	35	1,897	18	2,563	17
Saluda	257	1	164	-	93	1
Spartanburg	3,344	9	2,483	6	861	3
Sumter	1,744	13	832	4	912	9
Union	376	1	215	-	161	1
Williamsburg	543	4	152	2	391	2
York	2,301	15	1,706	11	595	4

* Includes unknown race

Table 40.
Live Births and Number of Births with Congenital Anomalies by Race of Mother
South Carolina and Each County, 2000
(Residence Data)


County of Residence	Total		White		Black and Other	
	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies
South Carolina	55,964 *	791	35,146	435	20,803	356
Abbeville	336	4	225	4	111	-
Aiken	1,852 *	24	1,215	13	623	11
Allendale	174	4	28	1	146	3
Anderson	2,217	17	1,689	13	528	4
Bamberg	233	6	78	1	155	5
Barnwell	330	6	140	3	190	3
Beaufort	1,887	7	1,343	4	544	3
Berkeley	2,114	15	1,477	11	637	4
Calhoun	193	5	82	2	111	3
Charleston	4,586	47	2,589	23	1,997	24
Cherokee	784	10	589	8	195	2
Chester	514	7	258	5	256	2
Chesterfield	619	23	347	8	272	15
Clarendon	440	8	166	1	274	7
Colleton	589	10	304	8	285	2
Darlington	953	35	448	13	505	22
Dillon	519	6	236	2	283	4
Dorchester	1,228 *	19	857	12	370	7
Edgefield	288	11	159	4	129	7
Fairfield	342	3	102	1	240	2
Florence	1,866	23	931	10	935	13
Georgetown	770	15	405	7	365	8
Greenville	5,388	51	4,141	38	1,247	13
Greenwood	954	14	569	7	385	7
Hampton	302	2	126	-	176	2
Horry	2,569	59	1,885	33	684	26
Jasper	284	1	142	1	142	-
Kershaw	729	6	528	2	201	4
Lancaster	830	12	553	11	277	1
Laurens	823	21	569	13	254	8
Lee	264	8	61	-	203	8
Lexington	2,999	21	2,415	18	584	3
McCormick	96	1	34	1	62	-
Marion	527	27	203	8	324	19
Marlboro	434	17	185	6	249	11
Newberry	497	11	294	6	203	5
Oconee	768	24	685	21	83	3
Orangeburg	1,310	42	416	9	894	33
Pickens	1,329	13	1,221	11	108	2
Richland	4,460	13	1,897	5	2,563	8
Saluda	257	4	164	4	93	-
Spartanburg	3,344	37	2,483	27	861	10
Sumter	1,744	30	832	19	912	11
Union	376	7	215	5	161	2
Williamsburg	543	11	152	-	391	11
York	2,301	54	1,706	36	595	18

* Includes unknown race

TEEN PREGNANCY

The State Animal

“The White-tailed Deer”



Officially adopted by the General Assembly in 1972

Table 41.
 Estimated Teen Pregnancy¹ for Females Age 10-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates
 South Carolina and Each County, 2000
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	286,950	10,732 *	37.4	8,565 *	29.8	4,835	56.5	107 *	12.3	2,060 *	7.2
Abbeville	1,880	71	37.8	55	29.3	33	60.0	1	17.9	15	8.0
Aiken	10,470	407	38.9	312	29.8	212	67.9	4	12.7	91	8.7
Allendale	810	47	58.0	40	49.4	33	82.5	-	0	7	8.6
Anderson	10,970	441	40.2	368	33.5	157	42.7	2	5.4	71	6.5
Bamberg	1,420	60	42.3	45	31.7	25	55.6	3	62.5	12	8.5
Barnwell	1,830	79	43.2	62	33.9	29	46.8	1	15.9	16	8.7
Beaufort	7,610	300	39.4	218	28.6	106	48.6	3	13.6	79	10.4
Berkeley	11,130	391	35.1	293	26.3	118	40.3	5	16.8	93	8.4
Calhoun	1,070	43	40.2	35	32.7	19	54.3	1	27.8	7	6.5
Charleston	22,080	826	37.4	589	26.7	432	73.3	7	11.7	230	10.4
Cherokee	3,670	182	49.6	163	44.4	75	46.0	4	24.0	15	4.1
Chester	2,550	125	49.0	109	42.7	61	56.0	2	18.0	14	5.5
Chesterfield	3,110	143	46.0	126	40.5	85	67.5	4	30.8	13	4.2
Clarendon	2,460	100	40.7	87	35.4	65	74.7	2	22.5	11	4.5
Colleton	2,950	130	44.1	104	35.3	53	51.0	1	9.5	25	8.5
Darlington	4,690	183	39.0	174	37.1	123	70.7	2	11.4	7	1.5
Dillon	2,430	127	52.3	117	48.1	90	76.9	2	16.8	8	3.3
Dorchester	7,670	232 *	30.2	156 *	20.3	90	57.7	3 *	18.9	73	9.5
Edgefield	1,710	52	30.4	45	26.3	34	75.6	-	0	7	4.1
Fairfield	1,730	80	46.2	63	36.4	51	81.0	1	15.6	16	9.2
Florence	9,530	338	35.5	309	32.4	236	76.4	4	12.8	25	2.6
Georgetown	3,990	155	38.8	127	31.8	66	52.0	1	7.8	27	6.8
Greenville	25,420	842	33.1	662	26.0	284	42.9	6	9.0	174	6.8
Greenwood	4,900	217	44.3	176	35.9	113	64.2	-	0	41	8.4
Hampton	1,680	74	44.0	68	40.5	36	52.9	1	14.5	5	3.0
Horry	11,620	495 *	42.6	390	33.6	168	43.1	2	5.1	103 *	8.9
Jasper	1,450	67	46.2	58	40.0	25	43.1	-	0	9	6.2
Kershaw	3,810	165	43.3	132	34.6	43	32.6	1	7.5	32	8.4
Lancaster	4,220	165	39.1	149	35.3	87	58.4	3	19.7	13	3.1
Laurens	4,940	195	39.5	150	30.4	88	58.7	1	6.6	44	8.9
Lee	1,490	57	38.3	49	32.9	36	73.5	-	0	8	5.4
Lexington	15,190	442 *	29.1	339	22.3	169	49.9	6	17.4	97 *	6.4
McCormick	580	19	32.8	15	25.9	10	66.7	-	0	4	6.9
Marion	2,870	132	46.0	124	43.2	95	76.6	-	0	8	2.8
Marlboro	2,110	108	51.2	100	47.4	70	70.0	1	9.9	7	3.3
Newberry	2,510	94	37.5	74	29.5	40	54.1	1	13.3	19	7.6
Oconee	4,050	143	35.3	119	29.4	37	31.1	-	0	24	5.9
Orangeburg	7,590	311	41.0	238	31.4	115	48.3	3	12.4	70	9.2
Pickens	8,450	244	28.9	196	23.2	55	28.1	2	10.1	46	5.4
Richland	24,050	777 *	32.3	532	22.1	389	73.1	10	18.5	235 *	9.8
Saluda	1,310	60	45.8	53	40.5	35	66.0	2	36.4	5	3.8
Spartanburg	17,470	655	37.5	530	30.3	245	46.2	5	9.3	120	6.9
Sumter	8,160	387	47.4	329	40.3	205	62.3	1	3.0	57	7.0
Union	1,960	73	37.2	66	33.7	31	47.0	-	0	7	3.6
Williamsburg	3,070	105	34.2	96	31.3	71	74.0	2	20.4	7	2.3
York	12,330	388 *	31.5	323	26.2	195	60.4	7	21.2	58 *	4.7

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 10-19.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 10-19

* includes unknown race

Table 41-A.
 Estimated Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	173,220	5,263	30.4	4,117	23.8	1,509	36.7	35	8.4	1,111	6.4
Abbeville	1,170	33	28.2	26	22.2	9	34.6	-	0	7	6.0
Aiken	6,910	205	29.7	159	23.0	96	60.4	2	12.4	44	6.4
Allendale	120	2	16.7	2	16.7	1	50.0	-	0	-	0.0
Anderson	8,550	284	33.2	235	27.5	74	31.5	2	8.4	47	5.5
Bamberg	360	16	44.4	12	33.3	4	33.3	-	0	4	11.1
Barnwell	860	25	29.1	18	20.9	5	27.8	-	0	7	8.1
Beaufort	4,510	177	39.2	126	27.9	37	29.4	2	15.6	49	10.9
Berkeley	7,080	257	36.3	196	27.7	58	29.6	2	10.1	59	8.3
Calhoun	410	5	12.2	4	9.8	1	25.0	-	0	1	2.4
Charleston	11,330	282	24.9	168	14.8	72	42.9	1	5.9	113	10.0
Cherokee	2,620	121	46.2	111	42.4	42	37.8	1	8.9	9	3.4
Chester	1,280	52	40.6	44	34.4	17	38.6	-	0	8	6.3
Chesterfield	1,820	63	34.6	53	29.1	24	45.3	-	0	10	5.5
Clarendon	800	21	26.3	17	21.3	8	47.1	1	55.6	3	3.8
Colleton	1,410	65	46.1	51	36.2	15	29.4	1	19.2	13	9.2
Darlington	2,320	59	25.4	56	24.1	17	30.4	-	0	3	1.3
Dillon	970	52	53.6	44	45.4	24	54.5	1	22.2	7	7.2
Dorchester	5,220	147	28.2	100	19.2	49	49.0	1	9.9	46	8.8
Edgefield	900	15	16.7	11	12.2	7	63.6	-	0	4	4.4
Fairfield	480	15	31.3	13	27.1	7	53.8	-	0	2	4.2
Florence	4,800	135	28.1	119	24.8	65	54.6	1	8.3	15	3.1
Georgetown	1,750	61	34.9	46	26.3	12	26.1	1	21.3	14	8.0
Greenville	19,080	533	27.9	420	22.0	129	30.7	2	4.7	111	5.8
Greenwood	2,930	110	37.5	88	30.0	44	50.0	-	0	22	7.5
Hampton	540	23	42.6	22	40.7	5	22.7	-	0	1	1.9
Horry	8,600	311	36.2	224	26.0	66	29.5	2	8.8	85	9.9
Jasper	500	30	60.0	29	58.0	6	20.7	-	0	1	2.0
Kershaw	2,530	109	43.1	90	35.6	17	18.9	-	0	19	7.5
Lancaster	2,740	90	32.8	79	28.8	40	50.6	2	24.7	9	3.3
Laurens	3,320	109	32.8	78	23.5	31	39.7	-	0	31	9.3
Lee	390	10	25.6	8	20.5	3	37.5	-	0	2	5.1
Lexington	12,550	308	24.5	236	18.8	98	41.5	5	20.7	67	5.3
McCormick	160	6	37.5	5	31.3	2	40.0	-	0	1	6.3
Marion	860	35	40.7	33	38.4	16	48.5	-	0	2	2.3
Marlboro	770	43	55.8	40	51.9	21	52.5	-	0	3	3.9
Newberry	1,390	40	28.8	27	19.4	10	37.0	-	0	13	9.4
Oconee	3,550	127	35.8	104	29.3	28	26.9	-	0	23	6.5
Orangeburg	2,000	69	34.5	58	29.0	9	15.5	-	0	11	5.5
Pickens	7,610	216	28.4	177	23.3	45	25.4	2	11.2	37	4.9
Richland	10,430	166	15.9	94	9.0	45	47.9	1	10.5	71	6.8
Saluda	760	26	34.2	24	31.6	10	41.7	-	0	2	2.6
Spartanburg	12,400	390	31.5	318	25.6	101	31.8	1	3.1	71	5.7
Sumter	3,450	128	37.1	105	30.4	34	32.4	1	9.4	22	6.4
Union	1,180	36	30.5	34	28.8	11	32.4	-	0	2	1.7
Williamsburg	720	21	29.2	20	27.8	8	40.0	-	0	1	1.4
York	9,080	235	25.9	193	21.3	86	44.6	3	15.3	39	4.3

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 10-19.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 10-19

Table 41-A (cont.)
 Estimated Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	113,730	5,462	48.0	4,447	39.1	3,326	74.8	71	15.7	944	8.3
Abbeville	710	38	53.5	29	40.8	24	82.8	1	33.3	8	11.3
Aiken	3,570	202	56.6	153	42.9	116	75.8	2	12.9	47	13.2
Allendale	690	45	65.2	38	55.1	32	84.2	-	0	7	10.1
Anderson	2,420	157	64.9	133	55.0	83	62.4	-	0	24	9.9
Bamberg	1,060	44	41.5	33	31.1	21	63.6	3	83.3	8	7.5
Barnwell	960	54	56.3	44	45.8	24	54.5	1	22.2	9	9.4
Beaufort	3,100	123	39.7	92	29.7	69	75.0	1	10.8	30	9.7
Berkeley	4,050	134	33.1	97	24.0	60	61.9	3	30.0	34	8.4
Calhoun	660	38	57.6	31	47.0	18	58.1	1	31.3	6	9.1
Charleston	10,750	544	50.6	421	39.2	360	85.5	6	14.1	117	10.9
Cherokee	1,050	61	58.1	52	49.5	33	63.5	3	54.5	6	5.7
Chester	1,270	73	57.5	65	51.2	44	67.7	2	29.9	6	4.7
Chesterfield	1,300	80	61.5	73	56.2	61	83.6	4	51.9	3	2.3
Clarendon	1,660	79	47.6	70	42.2	57	81.4	1	14.1	8	4.8
Colleton	1,540	65	42.2	53	34.4	38	71.7	-	0	12	7.8
Darlington	2,360	124	52.5	118	50.0	106	89.8	2	16.7	4	1.7
Dillon	1,460	75	51.4	73	50.0	66	90.4	1	13.5	1	0.7
Dorchester	2,450	83	33.9	55	22.4	41	74.5	1	17.9	27	11.0
Edgefield	800	37	46.3	34	42.5	27	79.4	-	0	3	3.8
Fairfield	1,250	65	52.0	50	40.0	44	88.0	1	19.6	14	11.2
Florence	4,730	203	42.9	190	40.2	171	90.0	3	15.5	10	2.1
Georgetown	2,240	94	42.0	81	36.2	54	66.7	-	0	13	5.8
Greenville	6,340	309	48.7	242	38.2	155	64.0	4	16.3	63	9.9
Greenwood	1,970	107	54.3	88	44.7	69	78.4	-	0	19	9.6
Hampton	1,140	51	44.7	46	40.4	31	67.4	1	21.3	4	3.5
Horry	3,020	183	60.6	166	55.0	102	61.4	-	0	17	5.6
Jasper	960	37	38.5	29	30.2	19	65.5	-	0	8	8.3
Kershaw	1,270	56	44.1	42	33.1	26	61.9	1	23.3	13	10.2
Lancaster	1,480	75	50.7	70	47.3	47	67.1	1	14.1	4	2.7
Laurens	1,610	86	53.4	72	44.7	57	79.2	1	13.7	13	8.1
Lee	1,090	47	43.1	41	37.6	33	80.5	-	0	6	5.5
Lexington	2,650	133	50.2	103	38.9	71	68.9	1	9.6	29	10.9
McCormick	420	13	31.0	10	23.8	8	80.0	-	0	3	7.1
Marion	2,000	97	48.5	91	45.5	79	86.8	-	0	6	3.0
Marlboro	1,330	65	48.9	60	45.1	49	81.7	1	16.4	4	3.0
Newberry	1,120	54	48.2	47	42.0	30	63.8	1	20.8	6	5.4
Oconee	500	16	32.0	15	30.0	9	60.0	-	0	1	2.0
Orangeburg	5,590	242	43.3	180	32.2	106	58.9	3	16.4	59	10.6
Pickens	830	28	33.7	19	22.9	10	52.6	-	0	9	10.8
Richland	13,630	609	44.7	438	32.1	344	78.5	9	20.1	162	11.9
Saluda	540	34	63.0	29	53.7	25	86.2	2	64.5	3	5.6
Spartanburg	5,070	265	52.3	212	41.8	144	67.9	4	18.5	49	9.7
Sumter	4,710	259	55.0	224	47.6	171	76.3	-	0	35	7.4
Union	780	37	47.4	32	41.0	20	62.5	-	0	5	6.4
Williamsburg	2,350	84	35.7	76	32.3	63	82.9	2	25.6	6	2.6
York	3,250	152	46.8	130	40.0	109	83.8	4	29.9	18	5.5

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 10-19.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 10-19

Table 42.
 Estimated Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates
 South Carolina and Each County, 2000
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	142,370	287	2.0	207	1.5	185	89.4	5	23.6	75	0.5
Abbeville	940	1	1.1	1	1.1	1	100.0	-	0	-	0
Aiken	5,260	10	1.9	8	1.5	8	100.0	1	111.1	1	0.2
Allendale	400	2	5.0	1	2.5	1	100.0	-	0	1	2.5
Anderson	5,650	14	2.5	6	1.1	5	83.3	-	0	8	1.4
Bamberg	620	-	0	-	0	-	0	-	0	-	0
Barnwell	960	2	2.1	2	2.1	2	100.0	-	0	-	0
Beaufort	3,860	9	2.3	8	2.1	7	87.5	-	0	1	0.3
Berkeley	5,790	2	0.3	1	0.2	-	0	-	0	1	0.2
Calhoun	560	1	1.8	1	1.8	1	100.0	-	0	-	0
Charleston	10,410	36	3.5	23	2.2	22	95.7	3	115.4	10	1.0
Cherokee	1,900	2	1.1	2	1.1	1	50.0	-	0	-	0
Chester	1,340	5	3.7	4	3.0	4	100.0	1	200.0	-	0
Chesterfield	1,670	5	3.0	5	3.0	5	100.0	-	0	-	0
Clarendon	1,280	2	1.6	2	1.6	2	100.0	-	0	-	0
Colleton	1,480	4	2.7	1	0.7	-	0	-	0	3	2.0
Darlington	2,390	3	1.3	3	1.3	3	100.0	-	0	-	0
Dillon	1,230	1	0.8	1	0.8	-	0	-	0	-	0
Dorchester	4,110	6	1.5	2	0.5	2	100.0	-	0	4	1
Edgefield	890	2	2.2	1	1.1	1	100.0	-	0	1	1.1
Fairfield	910	1	1.1	-	0	-	0	-	0	1	1.1
Florence	4,780	9	1.9	8	1.7	6	75.0	-	0	1	0.2
Georgetown	2,090	1	0.5	1	0.5	1	100.0	-	0	-	0
Greenville	12,730	23	1.8	20	1.6	16	80.0	-	0	3	0.2
Greenwood	2,350	6	2.6	6	2.6	5	83.3	-	0	-	0
Hampton	890	1	1.1	1	1.1	1	100.0	-	0	-	0
Horry	5,680	12	2.1	7	1.2	6	85.7	-	0	5	0.9
Jasper	770	2	2.6	2	2.6	2	100.0	-	0	-	0
Kershaw	1,980	2	1.0	1	0.5	1	100.0	-	0	1	0.5
Lancaster	2,190	6	2.7	4	1.8	3	75.0	-	0	2	0.9
Laurens	2,510	6	2.4	4	1.6	4	100.0	-	0	2	0.8
Lee	730	1	1.4	1	1.4	1	100.0	-	0	-	0
Lexington	7,960	12	1.5	7	0.9	6	85.7	-	0	5	0.6
McCormick	290	-	0	-	0	-	0	-	0	-	0
Marion	1,390	8	5.8	8	5.8	8	100.0	-	0	-	0
Marlboro	1,110	4	3.6	4	3.6	4	100.0	-	0	-	0
Newberry	1,180	2	1.7	2	1.7	2	100.0	-	0	-	0
Oconee	2,070	-	0	-	0	-	0	-	0	-	0
Orangeburg	3,440	19	5.5	8	2.3	7	87.5	-	0	11	3.2
Pickens	3,520	7	2.0	6	1.7	4	66.7	-	0	1	0.3
Richland	10,720	21	2.0	15	1.4	15	100.0	-	0	6	0.6
Saluda	640	1	1.6	1	1.6	1	100.0	-	0	-	0
Spartanburg	8,850	17	1.9	12	1.4	11	91.7	-	0	5	0.6
Sumter	4,150	10	2.4	10	2.4	10	100.0	-	0	-	0
Union	1,010	1	1.0	1	1.0	1	100.0	-	0	-	0
Williamsburg	1,570	2	1.3	2	1.3	1	50.0	-	0	-	0
York	6,120	6	1.0	4	0.7	4	100.0	-	0	2	0.3

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 10-14.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 10-14

* Includes unknown race

Table 42-A.
 Estimated Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	85,250	84	1.0	63	0.7	48	76.2	-	0	21	0.2
Abbeville	570	-	0	-	0	-	0	-	0	-	0
Aiken	3,490	4	1.1	3	0.9	3	100.0	-	0	1	0.3
Allendale	60	-	0	-	0	-	0	-	0	-	0
Anderson	4,400	4	0.9	3	0.7	2	66.7	-	0	1	0.2
Bamberg	180	-	0	-	0	-	0	-	0	-	0
Barnwell	450	-	0	-	0	-	0	-	0	-	0
Beaufort	2,250	2	0.9	1	0.4	-	0	-	0	1	0.4
Berkeley	3,640	2	0.5	1	0.3	-	0	-	0	1	0.3
Calhoun	220	-	0	-	0	-	0	-	0	-	0
Charleston	4,940	5	1.0	3	0.6	2	66.7	-	0	2	0.4
Cherokee	1,340	1	0.7	1	0.7	-	0	-	0	-	0
Chester	670	1	1.5	1	1.5	1	100.0	-	0	-	0
Chesterfield	970	1	1.0	1	1.0	1	100.0	-	0	-	0
Clarendon	420	-	0	-	0	-	0	-	0	-	0
Colleton	680	3	4.4	1	1.5	-	0	-	0	2	2.9
Darlington	1,180	-	0	-	0	-	0	-	0	-	0
Dillon	500	1	2.0	1	2.0	-	0	-	0	-	0
Dorchester	2,830	1	0.4	-	0	-	0	-	0	1	0.4
Edgefield	470	1	2.1	-	0	-	0	-	0	1	2.1
Fairfield	240	-	0	-	0	-	0	-	0	-	0
Florence	2,410	2	0.8	2	0.8	1	50.0	-	0	-	0
Georgetown	890	-	0	-	0	-	0	-	0	-	0
Greenville	9,420	9	1.0	9	1.0	7	77.8	-	0	-	0
Greenwood	1,400	3	2.1	3	2.1	2	66.7	-	0	-	0
Hampton	280	-	0	-	0	-	0	-	0	-	0
Horry	4,140	6	1.4	3	0.7	2	66.7	-	0	3	0.7
Jasper	270	1	3.7	1	3.7	1	100.0	-	0	-	0
Kershaw	1,340	1	0.7	1	0.7	1	100.0	-	0	-	0
Lancaster	1,430	3	2.1	3	2.1	3	100.0	-	0	-	0
Laurens	1,650	-	0	-	0	-	0	-	0	-	0
Lee	190	-	0	-	0	-	0	-	0	-	0
Lexington	6,590	5	0.8	5	0.8	4	80.0	-	0	-	0
McCormick	70	-	0	-	0	-	0	-	0	-	0
Marion	430	-	0	-	0	-	0	-	0	-	0
Marlboro	420	1	2.4	1	2.4	1	100.0	-	0	-	0
Newberry	610	-	0	-	0	-	0	-	0	-	0
Oconee	1,790	-	0	-	0	-	0	-	0	-	0
Orangeburg	1,040	3	2.9	-	0	-	0	-	0	3	2.9
Pickens	3,180	6	1.9	5	1.6	3	60.0	-	0	1	0.3
Richland	4,310	5	1.2	5	1.2	5	100.0	-	0	-	0
Saluda	380	-	0	-	0	-	0	-	0	-	0
Spartanburg	6,230	8	1.3	6	1.0	6	100.0	-	0	2	0.3
Sumter	1,770	1	0.6	1	0.6	1	100.0	-	0	-	0
Union	610	-	0	-	0	-	0	-	0	-	0
Williamsburg	370	-	0	-	0	-	0	-	0	-	0
York	4,520	4	0.9	2	0.4	2	100.0	-	0	2	0.4

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 10-14.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 10-14

Table 42-A (cont.)
 Estimated Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	57,120	203	3.6	144	2.5	137	95.1	5	33.6	54	0.9
Abbeville	370	1	2.7	1	2.7	1	100.0	-	0	-	0
Aiken	1,770	6	3.4	5	2.8	5	100.0	1	166.7	-	0
Allendale	340	2	5.9	1	2.9	1	100.0	-	0	1	2.9
Anderson	1,240	10	8.1	3	2.4	3	100.0	-	0	7	5.6
Bamberg	440	-	0	-	0	-	0	-	0	-	0
Barnwell	510	2	3.9	2	3.9	2	100.0	-	0	-	0
Beaufort	1,620	7	4.3	7	4.3	7	100.0	-	0	-	0
Berkeley	2,150	-	0	-	0	-	0	-	0	-	0
Calhoun	340	1	2.9	1	2.9	1	100.0	-	0	-	0
Charleston	5,460	31	5.7	20	3.7	20	100.0	3	130.4	8	1.5
Cherokee	560	1	1.8	1	1.8	1	100.0	-	0	-	0
Chester	670	4	6.0	3	4.5	3	100.0	1	250.0	-	0
Chesterfield	700	4	5.7	4	5.7	4	100.0	-	0	-	0
Clarendon	870	2	2.3	2	2.3	2	100.0	-	0	-	0
Colleton	800	1	1.3	-	0	-	0	-	0	1	1.3
Darlington	1,210	3	2.5	3	2.5	3	100.0	-	0	-	0
Dillon	730	-	0	-	0	-	0	-	0	-	0
Dorchester	1,280	5	3.9	2	1.6	2	100.0	-	0	3	2.3
Edgefield	410	1	2.4	1	2.4	1	100.0	-	0	-	0
Fairfield	670	1	1.5	-	0	-	0	-	0	1	1.5
Florence	2,370	7	3.0	6	2.5	5	83.3	-	0	1	0.4
Georgetown	1,200	1	0.8	1	0.8	1	100.0	-	0	-	0
Greenville	3,310	14	4.2	11	3.3	9	81.8	-	0	3	0.9
Greenwood	950	3	3.2	3	3.2	3	100.0	-	0	-	0
Hampton	610	1	1.6	1	1.6	1	100.0	-	0	-	0
Horry	1,540	6	3.9	4	2.6	4	100.0	-	0	2	1.3
Jasper	500	1	2.0	1	2.0	1	100.0	-	0	-	0
Kershaw	640	1	1.6	-	0	-	0	-	0	1	1.6
Lancaster	760	3	3.9	1	1.3	-	0	-	0	2	2.6
Laurens	870	6	6.9	4	4.6	4	100.0	-	0	2	2.3
Lee	540	1	1.9	1	1.9	1	100.0	-	0	-	0
Lexington	1,370	7	5.1	2	1.5	2	100.0	-	0	5	3.6
McCormick	220	-	0	-	0	-	0	-	0	-	0
Marion	960	8	8.3	8	8.3	8	100.0	-	0	-	0
Marlboro	690	3	4.3	3	4.3	3	100.0	-	0	-	0
Newberry	570	2	3.5	2	3.5	2	100.0	-	0	-	0
Oconee	280	-	0	-	0	-	0	-	0	-	0
Orangeburg	2,400	16	6.7	8	3.3	7	87.5	-	0	8	3.3
Pickens	340	1	2.9	1	2.9	1	100.0	-	0	-	0
Richland	6,400	16	2.5	10	1.6	10	100.0	-	0	6	0.9
Saluda	260	1	3.8	1	3.8	1	100.0	-	0	-	0
Spartanburg	2,620	9	3.4	6	2.3	5	83.3	-	0	3	1.1
Sumter	2,380	9	3.8	9	3.8	9	100.0	-	0	-	0
Union	400	1	2.5	1	2.5	1	100.0	-	0	-	0
Williamsburg	1,200	2	1.7	2	1.7	1	50.0	-	0	-	0
York	1,600	2	1.3	2	1.3	2	100.0	-	0	-	0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 10-14.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 10-14

Table 43.
 Estimated Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates
 South Carolina and Each County, 2000
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	115,220	3,973 *	34.5	3,085 *	26.8	2,009	65.1	49	15.6	839	7.3
Abbeville	750	26	34.7	20	26.7	15	75.0	1	47.6	5	6.7
Aiken	4,180	136	32.5	101	24.2	75	74.3	1	9.8	34	8.1
Allendale	330	22	66.7	16	48.5	15	93.8	0	0	6	18.2
Anderson	4,320	180	41.7	156	36.1	79	50.6	0	0	24	5.6
Bamberg	600	17	28.3	12	20.0	5	41.7	1	76.9	4	6.7
Barnwell	710	31	43.7	21	29.6	12	57.1	1	45.5	9	12.7
Beaufort	3,020	103	34.1	72	23.8	43	59.7	3	40.0	28	9.3
Berkeley	4,360	125	28.7	84	19.3	44	52.4	3	34.5	38	8.7
Calhoun	420	20	47.6	15	35.7	9	60.0	1	62.5	4	9.5
Charleston	9,080	322	35.5	211	23.2	175	82.9	2	9.4	109	12
Cherokee	1,440	86	59.7	76	52.8	42	55.3	1	13.0	9	6.3
Chester	990	52	52.5	43	43.4	28	65.1	1	22.7	8	8.1
Chesterfield	1,200	63	52.5	58	48.3	45	77.6	2	33.3	3	2.5
Clarendon	960	36	37.5	31	32.3	25	80.6	0	0	5	5.2
Colleton	1,180	46	39.0	34	28.8	20	58.8	0	0	12	10.2
Darlington	1,860	58	31.2	56	30.1	44	78.6	1	17.5	1	0.5
Dillon	970	53	54.6	48	49.5	38	79.2	2	40.0	3	3.1
Dorchester	2,960	90 *	30.4	57 *	19.3	30	52.6	1	17.2	32	10.8
Edgefield	670	21	31.3	16	23.9	11	68.8	0	0	5	7.5
Fairfield	680	31	45.6	23	33.8	20	87.0	1	41.7	7	10.3
Florence	3,810	126	33.1	113	29.7	88	77.9	4	34.2	9	2.4
Georgetown	1,560	65	41.7	53	34.0	35	66.0	1	18.5	11	7.1
Greenville	10,160	333	32.8	256	25.2	120	46.9	2	7.8	75	7.4
Greenwood	2,000	69	34.5	55	27.5	43	78.2	0	0	14	7.0
Hampton	650	27	41.5	24	36.9	17	70.8	0	0	3	4.6
Horry	4,700	170	36.2	131	27.9	69	52.7	0	0	39	8.3
Jasper	570	27	47.4	24	42.1	13	54.2	0	0	3	5.3
Kershaw	1,490	75	50.3	52	34.9	25	48.1	1	18.9	22	14.8
Lancaster	1,660	59	35.5	56	33.7	39	69.6	0	0	3	1.8
Laurens	1,960	75	38.3	54	27.6	36	66.7	1	18.2	20	10.2
Lee	600	21	35.0	19	31.7	13	68.4	0	0	2	3.3
Lexington	5,930	169	28.5	118	19.9	78	66.1	3	24.8	48	8.1
McCormick	230	9	39.1	6	26.1	5	83.3	0	0	3	13.0
Marion	1,160	53	45.7	50	43.1	39	78.0	0	0	3	2.6
Marlboro	820	38	46.3	36	43.9	31	86.1	0	0	2	2.4
Newberry	1,030	34	33.0	22	21.4	13	59.1	0	0	12	11.7
Oconee	1,600	52	32.5	44	27.5	13	29.5	0	0	8	5.0
Orangeburg	3,180	121	38.1	90	28.3	56	62.2	0	0	31	9.7
Pickens	3,660	81	22.1	68	18.6	28	41.2	1	14.5	12	3.3
Richland	10,150	268	26.4	178	17.5	147	82.6	4	22.0	86	8.5
Saluda	530	28	52.8	25	47.2	19	76.0	1	38.5	2	3.8
Spartanburg	6,940	237	34.1	188	27.1	112	59.6	4	20.8	45	6.5
Sumter	3,230	134	41.5	117	36.2	82	70.1	1	8.5	16	5.0
Union	770	28	36.4	24	31.2	11	45.8	0	0	4	5.2
Williamsburg	1,210	37	30.6	34	28.1	30	88.2	1	28.6	2	1.7
York	4,950	117	23.6	98	19.8	72	73.5	3	29.7	16	3.2

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 14-17.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 14-17.

* Includes unknown race

Table 43-A.
 Estimated Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	69,830	1,780	25.5	1,319	18.9	609	46.2	14	10.5	447	6.4
Abbeville	480	12	25.0	9	18.8	5	55.6	-	0	3	6.3
Aiken	2,750	68	24.7	50	18.2	32	64.0	-	0	18	6.5
Allendale	50	1	20.0	1	20.0	1	100.0	-	0	-	0
Anderson	3,370	106	31.5	91	27.0	38	41.8	-	0	15	4.5
Bamberg	140	5	35.7	4	28.6	1	25.0	-	0	1	7.1
Barnwell	340	7	20.6	2	5.9	-	0	-	0	5	14.7
Beaufort	1,800	52	28.9	35	19.4	13	37.1	2	54.1	15	8.3
Berkeley	2,790	78	28.0	49	17.6	23	46.9	2	39.2	27	9.7
Calhoun	160	3	18.8	2	12.5	1	50.0	-	0	1	6.3
Charleston	4,820	93	19.3	45	9.3	24	53.3	-	0	48	10.0
Cherokee	1,040	53	51.0	48	46.2	22	45.8	-	0	5	4.8
Chester	500	21	42.0	15	30.0	7	46.7	-	0	6	12.0
Chesterfield	700	21	30.0	19	27.1	11	57.9	-	0	2	2.9
Clarendon	320	5	15.6	3	9.4	1	33.3	-	0	2	6.3
Colleton	580	21	36.2	16	27.6	5	31.3	-	0	5	8.6
Darlington	920	12	13.0	11	12.0	3	27.3	-	0	1	1.1
Dillon	390	23	59.0	20	51.3	11	55.0	1	47.6	2	5.1
Dorchester	2,000	55	27.5	35	17.5	16	45.7	1	27.8	19	9.5
Edgefield	350	7	20.0	3	8.6	2	66.7	-	0	4	11.4
Fairfield	190	5	26.3	5	26.3	2	40.0	-	0	-	0
Florence	1,920	46	24.0	39	20.3	23	59.0	1	25.0	6	3.1
Georgetown	690	20	29.0	15	21.7	7	46.7	1	62.5	4	5.8
Greenville	7,680	194	25.3	149	19.4	54	36.2	-	0	45	5.9
Greenwood	1,200	36	30.0	27	22.5	17	63.0	-	0	9	7.5
Hampton	210	9	42.9	9	42.9	3	33.3	-	0	-	0
Horry	3,500	98	28.0	64	18.3	23	35.9	-	0	34	9.7
Jasper	190	9	47.4	9	47.4	3	33.3	-	0	-	0
Kershaw	990	45	45.5	32	32.3	10	31.3	-	0	13	13.1
Lancaster	1,070	32	29.9	30	28.0	19	63.3	-	0	2	1.9
Laurens	1,340	36	26.9	24	17.9	9	37.5	-	0	12	9.0
Lee	160	4	25.0	3	18.8	2	66.7	-	0	1	6.3
Lexington	4,890	105	21.5	73	14.9	44	60.3	2	26.7	30	6.1
McCormick	70	2	28.6	1	14.3	1	100.0	-	0	1	14.3
Marion	350	12	34.3	11	31.4	6	54.5	-	0	1	2.9
Marlboro	300	11	36.7	10	33.3	6	60.0	-	0	1	3.3
Newberry	590	14	23.7	7	11.9	3	42.9	-	0	7	11.9
Oconee	1,410	46	32.6	38	27.0	10	26.3	-	0	8	5.7
Orangeburg	790	25	31.6	17	21.5	3	17.6	-	0	8	10.1
Pickens	3,300	68	20.6	59	17.9	21	35.6	1	16.7	8	2.4
Richland	4,530	60	13.2	28	6.2	20	71.4	1	34.5	31	6.8
Saluda	310	11	35.5	10	32.3	5	50.0	-	0	1	3.2
Spartanburg	4,950	121	24.4	99	20.0	50	50.5	-	0	22	4.4
Sumter	1,360	40	29.4	30	22.1	11	36.7	1	32.3	9	6.6
Union	460	14	30.4	12	26.1	3	25.0	-	0	2	4.3
Williamsburg	280	7	25.0	6	21.4	5	83.3	-	0	1	3.6
York	3,640	67	18.4	54	14.8	33	61.1	1	18.2	12	3.3

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 14-17.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 14-17.

Table 43-A (cont.)
 Estimated Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 Black & Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	45,390	2,192	48.3	1,765	38.9	1,400	79.3	35	19.4	392	8.6
Abbeville	280	14	50.0	11	39.3	10	90.9	1	83.3	2	7.1
Aiken	1,430	68	47.6	51	35.7	43	84.3	1	19.2	16	11.2
Allendale	280	21	75.0	15	53.6	14	93.3	-	0	6	21.4
Anderson	950	74	77.9	65	68.4	41	63.1	-	0	9	9.5
Bamberg	460	12	26.1	8	17.4	4	50.0	1	111.1	3	6.5
Barnwell	370	24	64.9	19	51.4	12	63.2	1	50.0	4	10.8
Beaufort	1,220	51	41.8	37	30.3	30	81.1	1	26.3	13	10.7
Berkeley	1,570	47	29.9	35	22.3	21	60.0	1	27.8	11	7.0
Calhoun	260	17	65.4	13	50.0	8	61.5	1	71.4	3	11.5
Charleston	4,260	229	53.8	166	39.0	151	91.0	2	11.9	61	14.3
Cherokee	410	33	80.5	28	68.3	20	71.4	1	34.5	4	9.8
Chester	490	31	63.3	28	57.1	21	75.0	1	34.5	2	4.1
Chesterfield	500	42	84.0	39	78.0	34	87.2	2	48.8	1	2.0
Clarendon	650	31	47.7	28	43.1	24	85.7	-	0	3	4.6
Colleton	600	25	41.7	18	30.0	15	83.3	-	0	7	11.7
Darlington	930	46	49.5	45	48.4	41	91.1	1	21.7	-	0
Dillon	580	30	51.7	28	48.3	27	96.4	1	34.5	1	1.7
Dorchester	960	34	35.4	21	21.9	14	66.7	-	0	13	13.5
Edgefield	320	14	43.8	13	40.6	9	69.2	-	0	1	3.1
Fairfield	490	26	53.1	18	36.7	18	100.0	1	52.6	7	14.3
Florence	1,890	80	42.3	74	39.2	65	87.8	3	39.0	3	1.6
Georgetown	870	45	51.7	38	43.7	28	73.7	-	0	7	8.0
Greenville	2,480	139	56.0	107	43.1	66	61.7	2	18.3	30	12.1
Greenwood	800	33	41.3	28	35.0	26	92.9	-	0	5	6.3
Hampton	440	18	40.9	15	34.1	14	93.3	-	0	3	6.8
Horry	1,200	72	60.0	67	55.8	46	68.7	-	0	5	4.2
Jasper	370	18	48.6	15	40.5	10	66.7	-	0	3	8.1
Kershaw	510	30	58.8	20	39.2	15	75.0	1	47.6	9	17.6
Lancaster	580	27	46.6	26	44.8	20	76.9	-	0	1	1.7
Laurens	620	39	62.9	30	48.4	27	90.0	1	32.3	8	12.9
Lee	440	17	38.6	16	36.4	11	68.8	-	0	1	2.3
Lexington	1,040	64	61.5	45	43.3	34	75.6	1	21.7	18	17.3
McCormick	160	7	43.8	5	31.3	4	80.0	-	0	2	12.5
Marion	820	41	50.0	39	47.6	33	84.6	-	0	2	2.4
Marlboro	520	27	51.9	26	50.0	25	96.2	-	0	1	1.9
Newberry	440	20	45.5	15	34.1	10	66.7	-	0	5	11.4
Oconee	190	6	31.6	6	31.6	3	50.0	-	0	-	0
Orangeburg	2,390	96	40.2	73	30.5	53	72.6	-	0	23	9.6
Pickens	370	13	35.1	9	24.3	7	77.8	-	0	4	10.8
Richland	5,620	208	37.0	150	26.7	127	84.7	3	19.6	55	9.8
Saluda	220	17	77.3	15	68.2	14	93.3	1	62.5	1	4.5
Spartanburg	1,990	116	58.3	89	44.7	62	69.7	4	43.0	23	11.6
Sumter	1,870	94	50.3	87	46.5	71	81.6	-	0	7	3.7
Union	310	14	45.2	12	38.7	8	66.7	-	0	2	6.5
Williamsburg	930	30	32.3	28	30.1	25	89.3	1	34.5	1	1.1
York	1,310	50	38.2	44	33.6	39	88.6	2	43.5	4	3.1

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 14-17.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 14-17.

Table 44.
 Estimated Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates
 South Carolina and Each County, 2000
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	86,750	3,748 *	43.2	2,915 *	33.6	1,857	63.7	47	15.9	786	9.1
Abbeville	570	25	43.9	19	33.3	14	73.7	1	50.0	5	8.8
Aiken	3,130	129	41.2	95	30.4	69	72.6	1	10.4	33	10.5
Allendale	240	21	87.5	15	62.5	14	93.3	-	0	6	25.0
Anderson	3,190	172	53.9	152	47.6	75	49.3	-	0	20	6.3
Bamberg	480	17	35.4	12	25.0	5	41.7	1	76.9	4	8.3
Barnwell	520	29	55.8	19	36.5	10	52.6	1	50.0	9	17.3
Beaufort	2,250	96	42.7	66	29.3	38	57.6	3	43.5	27	12.0
Berkeley	3,200	123	38.4	83	25.9	44	53.0	3	34.9	37	11.6
Calhoun	310	19	61.3	14	45.2	8	57.1	1	66.7	4	12.9
Charleston	7,000	296	42.3	195	27.9	160	82.1	-	0	101	14.4
Cherokee	1,060	84	79.2	74	69.8	41	55.4	1	13.3	9	8.5
Chester	730	49	67.1	40	54.8	25	62.5	1	24.4	8	11.0
Chesterfield	870	59	67.8	54	62.1	41	75.9	2	35.7	3	3.4
Clarendon	710	34	47.9	29	40.8	23	79.3	-	0	5	7.0
Colleton	880	43	48.9	34	38.6	20	58.8	-	0	9	10.2
Darlington	1,380	56	40.6	54	39.1	42	77.8	1	18.2	1	0.7
Dillon	720	52	72.2	47	65.3	38	80.9	2	40.8	3	4.2
Dorchester	2,130	84 *	39.4	55 *	25.8	28	50.9	1	17.9	28	13.1
Edgefield	490	19	38.8	15	30.6	10	66.7	-	0	4	8.2
Fairfield	500	30	60.0	23	46.0	20	87.0	1	41.7	6	12.0
Florence	2,850	119	41.8	107	37.5	84	78.5	4	36.0	8	2.8
Georgetown	1,140	64	56.1	52	45.6	34	65.4	1	18.9	11	9.6
Greenville	7,620	312	40.9	238	31.2	105	44.1	2	8.3	72	9.4
Greenwood	1,530	64	41.8	50	32.7	39	78.0	-	0	14	9.2
Hampton	470	27	57.4	24	51.1	17	70.8	-	0	3	6.4
Horry	3,560	159	44.7	124	34.8	63	50.8	-	0	35	9.8
Jasper	410	25	61.0	22	53.7	11	50.0	-	0	3	7.3
Kershaw	1,100	73	66.4	51	46.4	24	47.1	1	19.2	21	19.1
Lancaster	1,220	55	45.1	53	43.4	37	69.8	-	0	2	1.6
Laurens	1,450	71	49.0	51	35.2	33	64.7	1	19.2	19	13.1
Lee	450	21	46.7	19	42.2	13	68.4	-	0	2	4.4
Lexington	4,340	158	36.4	111	25.6	72	64.9	3	26.3	44	10.1
McCormick	170	9	52.9	6	35.3	5	83.3	-	0	3	17.6
Marion	880	46	52.3	43	48.9	32	74.4	-	0	3	3.4
Marlboro	600	35	58.3	33	55.0	28	84.8	-	0	2	3.3
Newberry	800	32	40.0	20	25.0	11	55.0	-	0	12	15.0
Oconee	1,190	52	43.7	44	37.0	13	29.5	-	0	8	6.7
Orangeburg	2,490	109	43.8	83	33.3	50	60.2	-	0	26	10.4
Pickens	2,960	74	25.0	62	20.9	24	38.7	1	15.9	11	3.7
Richland	8,000	253	31.6	166	20.8	135	81.3	4	23.5	83	10.4
Saluda	400	27	67.5	24	60.0	18	75.0	1	40.0	2	5.0
Spartanburg	5,170	224	43.3	179	34.6	104	58.1	4	21.9	41	7.9
Sumter	2,400	125	52.1	108	45.0	73	67.6	1	9.2	16	6.7
Union	570	27	47.4	23	40.4	10	43.5	-	0	4	7.0
Williamsburg	900	36	40.0	33	36.7	29	87.9	1	29.4	2	2.2
York	3,720	112	30.1	94	25.3	68	72.3	3	30.9	15	4.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 15-17.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 15-17.

* Includes unknown race

Table 44-A.
 Estimated Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	52,780	1,705	32.3	1,264	23.9	567	44.9	14	11.0	427	8.1
Abbeville	360	12	33.3	9	25.0	5	55.6	-	0	3	8.3
Aiken	2,050	64	31.2	47	22.9	29	61.7	-	0	17	8.3
Allendale	40	1	25.0	1	25.0	1	100.0	-	0	-	0
Anderson	2,490	103	41.4	89	35.7	36	40.4	-	0	14	5.6
Bamberg	110	5	45.5	4	36.4	1	25.0	-	0	1	9.1
Barnwell	250	7	28.0	2	8.0	-	0	-	0	5	20.0
Beaufort	1,360	50	36.8	34	25.0	13	38.2	2	55.6	14	10.3
Berkeley	2,060	76	36.9	48	23.3	23	47.9	2	40.0	26	12.6
Calhoun	110	3	27.3	2	18.2	1	50.0	-	0	1	9.1
Charleston	3,830	88	23.0	42	11.0	22	52.4	-	0	46	12.0
Cherokee	770	52	67.5	47	61.0	22	46.8	-	0	5	6.5
Chester	370	21	56.8	15	40.5	7	46.7	-	0	6	16.2
Chesterfield	510	20	39.2	18	35.3	10	55.6	-	0	2	3.9
Clarendon	230	5	21.7	3	13.0	1	33.3	-	0	2	8.7
Colleton	440	19	43.2	16	36.4	5	31.3	-	0	3	6.8
Darlington	690	12	17.4	11	15.9	3	27.3	-	0	1	1.4
Dillon	290	22	75.9	19	65.5	11	57.9	1	50.0	2	6.9
Dorchester	1,430	54	37.8	35	24.5	16	45.7	1	27.8	18	12.6
Edgefield	260	6	23.1	3	11.5	2	66.7	-	0	3	11.5
Fairfield	140	5	35.7	5	35.7	2	40.0	-	0	-	0
Florence	1,440	45	31.3	38	26.4	23	60.5	1	25.6	6	4.2
Georgetown	510	20	39.2	15	29.4	7	46.7	1	62.5	4	7.8
Greenville	5,800	186	32.1	141	24.3	48	34.0	-	0	45	7.8
Greenwood	920	33	35.9	24	26.1	15	62.5	-	0	9	9.8
Hampton	150	9	60.0	9	60.0	3	33.3	-	0	-	0.0
Horry	2,670	92	34.5	61	22.8	21	34.4	-	0	31	11.6
Jasper	140	8	57.1	8	57.1	2	25.0	-	0	-	0
Kershaw	720	44	61.1	31	43.1	9	29.0	-	0	13	18.1
Lancaster	790	30	38.0	28	35.4	17	60.7	-	0	2	2.5
Laurens	1,010	36	35.6	24	23.8	9	37.5	-	0	12	11.9
Lee	120	4	33.3	3	25.0	2	66.7	-	0	1	8.3
Lexington	3,570	100	28.0	68	19.0	40	58.8	2	28.6	30	8.4
McCormick	50	2	40.0	1	20.0	1	100.0	-	0	1	20.0
Marion	260	12	46.2	11	42.3	6	54.5	-	0	1	3.8
Marlboro	210	11	52.4	10	47.6	6	60.0	-	0	1	4.8
Newberry	470	14	29.8	7	14.9	3	42.9	-	0	7	14.9
Oconee	1,050	46	43.8	38	36.2	10	26.3	-	0	8	7.6
Orangeburg	580	22	37.9	17	29.3	3	17.6	-	0	5	8.6
Pickens	2,660	62	23.3	54	20.3	18	33.3	1	18.2	7	2.6
Richland	3,670	56	15.3	24	6.5	16	66.7	1	40.0	31	8.4
Saluda	230	11	47.8	10	43.5	5	50.0	-	0	1	4.3
Spartanburg	3,700	113	30.5	93	25.1	44	47.3	-	0	20	5.4
Sumter	1,000	39	39.0	29	29.0	10	34.5	1	33.3	9	9.0
Union	340	14	41.2	12	35.3	3	25.0	-	0	2	5.9
Williamsburg	210	7	33.3	6	28.6	5	83.3	-	0	1	4.8
York	2,740	64	23.4	52	19.0	31	59.6	1	18.9	11	4.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 15-17.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 15-17.

Table 44-A (cont.)
 Estimated Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	33,970	2,042	60.1	1,650	48.6	1,290	78.2	33	19.6	359	10.6
Abbeville	200	13	65.0	10	50.0	9	90.0	1	90.9	2	10.0
Aiken	1,080	65	60.2	48	44.4	40	83.3	1	20.4	16	14.8
Allendale	210	20	95.2	14	66.7	13	92.9	-	0	6	28.6
Anderson	710	69	97.2	63	88.7	39	61.9	-	0	6	8.5
Bamberg	370	12	32.4	8	21.6	4	50.0	1	111.1	3	8.1
Barnwell	270	22	81.5	17	63.0	10	58.8	1	55.6	4	14.8
Beaufort	890	46	51.7	32	36.0	25	78.1	1	30.3	13	14.6
Berkeley	1,140	47	41.2	35	30.7	21	60.0	1	27.8	11	9.6
Calhoun	200	16	80.0	12	60.0	7	58.3	1	76.9	3	15.0
Charleston	3,170	208	65.6	153	48.3	138	90.2	-	0	55	17.4
Cherokee	290	32	110.3	27	93.1	19	70.4	1	35.7	4	13.8
Chester	360	28	77.8	25	69.4	18	72.0	1	38.5	2	5.6
Chesterfield	360	39	108.3	36	100.0	31	86.1	2	52.6	1	2.8
Clarendon	470	29	61.7	26	55.3	22	84.6	-	0	3	6.4
Colleton	440	24	54.5	18	40.9	15	83.3	-	0	6	13.6
Darlington	690	44	63.8	43	62.3	39	90.7	1	22.7	-	0
Dillon	440	30	68.2	28	63.6	27	96.4	1	34.5	1	2.3
Dorchester	700	29	41.4	19	27.1	12	63.2	-	0	10	14.3
Edgefield	230	13	56.5	12	52.2	8	66.7	-	0	1	4.3
Fairfield	350	25	71.4	18	51.4	18	100.0	1	52.6	6	17.1
Florence	1,410	74	52.5	69	48.9	61	88.4	3	41.7	2	1.4
Georgetown	630	44	69.8	37	58.7	27	73.0	-	0	7	11.1
Greenville	1,820	126	69.2	97	53.3	57	58.8	2	20.2	27	14.8
Greenwood	610	31	50.8	26	42.6	24	92.3	-	0	5	8.2
Hampton	320	18	56.3	15	46.9	14	93.3	-	0	3	9.4
Horry	890	67	75.3	63	70.8	42	66.7	-	0	4	4.5
Jasper	270	17	63.0	14	51.9	9	64.3	-	0	3	11.1
Kershaw	380	29	76.3	20	52.6	15	75.0	1	47.6	8	21.1
Lancaster	430	25	58.1	25	58.1	20	80.0	-	0	-	0
Laurens	450	35	77.8	27	60.0	24	88.9	1	35.7	7	15.6
Lee	330	17	51.5	16	48.5	11	68.8	-	0	1	3.0
Lexington	770	58	75.3	43	55.8	32	74.4	1	22.7	14	18.2
McCormick	120	7	58.3	5	41.7	4	80.0	-	0	2	16.7
Marion	620	34	54.8	32	51.6	26	81.3	-	0	2	3.2
Marlboro	390	24	61.5	23	59.0	22	95.7	-	0	1	2.6
Newberry	330	18	54.5	13	39.4	8	61.5	-	0	5	15.2
Oconee	130	6	46.2	6	46.2	3	50.0	-	0	-	0
Orangeburg	1,910	87	45.5	66	34.6	47	71.2	-	0	21	11.0
Pickens	300	12	40.0	8	26.7	6	75.0	-	0	4	13.3
Richland	4,340	197	45.4	142	32.7	119	83.8	3	20.7	52	12.0
Saluda	170	16	94.1	14	82.4	13	92.9	1	66.7	1	5.9
Spartanburg	1,470	111	75.5	86	58.5	60	69.8	4	44.4	21	14.3
Sumter	1,400	86	61.4	79	56.4	63	79.7	-	0	7	5.0
Union	230	13	56.5	11	47.8	7	63.6	-	0	2	8.7
Williamsburg	690	29	42.0	27	39.1	24	88.9	1	35.7	1	1.4
York	990	48	48.5	42	42.4	37	88.1	2	45.5	4	4.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 15-17.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 15-17.

Table 45.
 Estimated Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates
 South Carolina and Each County, 2000
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	57,830	6,697	115.8	5,443	94.1	2,793	51.3	55	10.0	1199	20.7
Abbeville	380	45	118.4	35	92.1	18	51.4	-	0	10	26.3
Aiken	2,080	268	128.8	209	100.5	135	64.6	2	9.5	57	27.4
Allendale	160	24	150.0	24	150.0	18	75.0	-	0	-	0
Anderson	2,130	255	119.7	210	98.6	77	36.7	2	9.4	43	20.2
Bamberg	320	43	134.4	33	103.1	20	60.6	2	57.1	8	25.0
Barnwell	350	48	137.1	41	117.1	17	41.5	-	0	7	20.0
Beaufort	1,500	195	130.0	144	96.0	61	42.4	-	0	51	34.0
Berkeley	2,130	266	124.9	209	98.1	74	35.4	2	9.5	55	25.8
Calhoun	210	23	109.5	20	95.2	10	50.0	-	0	3	14.3
Charleston	4,670	494	105.8	371	79.4	250	67.4	4	10.7	119	25.5
Cherokee	710	96	135.2	87	122.5	33	37.9	3	33.3	6	8.5
Chester	480	71	147.9	65	135.4	32	49.2	-	0	6	12.5
Chesterfield	580	79	136.2	67	115.5	39	58.2	2	29.0	10	17.2
Clarendon	470	64	136.2	56	119.1	40	71.4	2	34.5	6	12.8
Colleton	590	83	140.7	69	116.9	33	47.8	1	14.3	13	22.0
Darlington	920	124	134.8	117	127.2	78	66.7	1	8.5	6	6.5
Dillon	480	74	154.2	69	143.8	52	75.4	-	0	5	10.4
Dorchester	1,420	142	100.0	99	69.7	60	60.6	2	19.8	41	28.9
Edgefield	330	31	93.9	29	87.9	23	79.3	-	0	2	6.1
Fairfield	330	49	148.5	40	121.2	31	77.5	-	0	9	27.3
Florence	1,900	210	110.5	194	102.1	146	75.3	-	0	16	8.4
Georgetown	760	90	118.4	74	97.4	31	41.9	-	0	16	21.1
Greenville	5,080	507	99.8	404	79.5	163	40.3	4	9.8	99	19.5
Greenwood	1,020	147	144.1	120	117.6	69	57.5	-	0	27	26.5
Hampton	320	46	143.8	43	134.4	18	41.9	1	22.7	2	6.3
Horry	2,370	324	136.7	259	109.3	99	38.2	2	7.7	63	26.6
Jasper	270	40	148.1	34	125.9	12	35.3	-	0	6	22.2
Kershaw	730	90	123.3	80	109.6	18	22.5	-	0	10	13.7
Lancaster	810	104	128.4	92	113.6	47	51.1	3	31.6	9	11.1
Laurens	970	118	121.6	95	97.9	51	53.7	-	0	23	23.7
Lee	300	35	116.7	29	96.7	22	75.9	-	0	6	20.0
Lexington	2,890	272	94.1	221	76.5	91	41.2	3	13.4	48	16.6
McCormick	110	10	90.9	9	81.8	5	55.6	-	0	1	9.1
Marion	590	78	132.2	73	123.7	55	75.3	-	0	5	8.5
Marlboro	400	69	172.5	63	157.5	38	60.3	1	15.6	5	12.5
Newberry	530	60	113.2	52	98.1	27	51.9	1	18.9	7	13.2
Oconee	790	91	115.2	75	94.9	24	32.0	-	0	16	20.3
Orangeburg	1,660	183	110.2	147	88.6	58	39.5	3	20.0	33	19.9
Pickens	1,970	163	82.7	128	65.0	27	21.1	1	7.8	34	17.3
Richland	5,340	503	94.2	351	65.7	239	68.1	6	16.8	146	27.3
Saluda	270	32	118.5	28	103.7	16	57.1	1	34.5	3	11.1
Spartanburg	3,450	414	120.0	339	98.3	130	38.3	1	2.9	74	21.4
Sumter	1,600	252	157.5	211	131.9	122	57.8	-	0	41	25.6
Union	380	45	118.4	42	110.5	20	47.6	-	0	3	7.9
Williamsburg	600	67	111.7	61	101.7	41	67.2	1	16.1	5	8.3
York	2,480	270	108.9	225	90.7	123	54.7	4	17.5	41	16.5

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 18-19.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 18-19.

* Includes unknown race

Table 45-A
 Estimated Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	35,190	3474	98.7	2790	79.3	894	32.0	21	7.5	663	18.8
Abbeville	240	21	87.5	17	70.8	4	23.5	-	0	4	16.7
Aiken	1,370	137	100.0	109	79.6	64	58.7	2	18	26	19.0
Allendale	20	1	50.0	1	50.0	-	0	-	0	-	0
Anderson	1,660	177	106.6	143	86.1	36	25.2	2	13.8	32	19.3
Bamberg	70	11	157.1	8	114.3	3	37.5	-	0	3	42.9
Barnwell	170	18	105.9	16	94.1	5	31.3	-	0	2	11.8
Beaufort	900	125	138.9	91	101.1	24	26.4	-	0	34	37.8
Berkeley	1,370	179	130.7	147	107.3	35	23.8	-	0	32	23.4
Calhoun	80	2	25.0	2	25.0	-	0	-	0	-	0
Charleston	2,550	189	74.1	123	48.2	48	39.0	1	8.1	65	25.5
Cherokee	510	68	133.3	63	123.5	20	31.7	1	15.6	4	7.8
Chester	240	30	125.0	28	116.7	9	32.1	-	0	2	8.3
Chesterfield	340	42	123.5	34	100.0	13	38.2	-	0	8	23.5
Clarendon	160	16	100.0	14	87.5	7	50.0	1	66.7	1	6.3
Colleton	290	43	148.3	34	117.2	10	29.4	1	28.6	8	27.6
Darlington	460	47	102.2	45	97.8	14	31.1	-	0	2	4.3
Dillon	190	29	152.6	24	126.3	13	54.2	-	0	5	26.3
Dorchester	950	92	96.8	65	68.4	33	50.8	-	0	27	28.4
Edgefield	170	8	47.1	8	47.1	5	62.5	-	0	-	0
Fairfield	100	10	100.0	8	80.0	5	62.5	-	0	2	20.0
Florence	960	88	91.7	79	82.3	41	51.9	-	0	9	9.4
Georgetown	340	41	120.6	31	91.2	5	16.1	-	0	10	29.4
Greenville	3,870	338	87.3	270	69.8	74	27.4	2	7.4	66	17.1
Greenwood	610	74	121.3	61	100.0	27	44.3	-	0	13	21.3
Hampton	100	14	140.0	13	130.0	2	15.4	-	0	1	10.0
Horry	1,780	213	119.7	160	89.9	43	26.9	2	12.3	51	28.7
Jasper	90	21	233.3	20	222.2	3	15.0	-	0	1	11.1
Kershaw	480	64	133.3	58	120.8	7	12.1	-	0	6	12.5
Lancaster	520	57	109.6	48	92.3	20	41.7	2	40	7	13.5
Laurens	670	73	109.0	54	80.6	22	40.7	-	0	19	28.4
Lee	80	6	75.0	5	62.5	1	20.0	-	0	1	12.5
Lexington	2,380	203	85.3	163	68.5	54	33.1	3	18.1	37	15.5
McCormick	30	4	133.3	4	133.3	1	25.0	-	0	-	0
Marion	170	23	135.3	22	129.4	10	45.5	-	0	1	5.9
Marlboro	140	31	221.4	29	207.1	14	48.3	-	0	2	14.3
Newberry	310	26	83.9	20	64.5	7	35.0	-	0	6	19.4
Oconee	700	81	115.7	66	94.3	18	27.3	-	0	15	21.4
Orangeburg	390	44	112.8	41	105.1	6	14.6	-	0	3	7.7
Pickens	1,770	148	83.6	118	66.7	24	20.3	1	8.4	29	16.4
Richland	2,450	105	42.9	65	26.5	24	36.9	-	0	40	16.3
Saluda	150	15	100.0	14	93.3	5	35.7	-	0	1	6.7
Spartanburg	2,470	269	108.9	219	88.7	51	23.3	1	4.5	49	19.8
Sumter	670	88	131.3	75	111.9	23	30.7	-	0	13	19.4
Union	230	22	95.7	22	95.7	8	36.4	-	0	-	0
Williamsburg	140	14	100.0	14	100.0	3	21.4	-	0	-	0
York	1,820	167	91.8	139	76.4	53	38.1	2	14.2	26	14.3

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 18-19.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 18-19.

Table 45-A (cont.)
 Estimated Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	22,640	3217	142.1	2653	117.2	1899	71.6	33	12.3	531	23.5
Abbeville	130	24	184.6	18	138.5	14	77.8	-	0	6	46.2
Aiken	720	131	181.9	100	138.9	71	71.0	-	0	31	43.1
Allendale	140	23	164.3	23	164.3	18	78.3	-	0	-	0
Anderson	470	78	166.0	67	142.6	41	61.2	-	0	11	23.4
Bamberg	250	32	128.0	25	100.0	17	68.0	2	74.1	5	20.0
Barnwell	180	30	166.7	25	138.9	12	48.0	-	0	5	27.8
Beaufort	600	70	116.7	53	88.3	37	69.8	-	0	17	28.3
Berkeley	760	87	114.5	62	81.6	39	62.9	2	31.3	23	30.3
Calhoun	130	21	161.5	18	138.5	10	55.6	-	0	3	23.1
Charleston	2,110	305	144.5	248	117.5	202	81.5	3	12.0	54	25.6
Cherokee	200	28	140.0	24	120.0	13	54.2	2	76.9	2	10.0
Chester	240	41	170.8	37	154.2	23	62.2	-	0	4	16.7
Chesterfield	240	37	154.2	33	137.5	26	78.8	2	57.1	2	8.3
Clarendon	320	48	150.0	42	131.3	33	78.6	1	23.3	5	15.6
Colleton	290	40	137.9	35	120.7	23	65.7	-	0	5	17.2
Darlington	460	77	167.4	72	156.5	64	88.9	1	13.7	4	8.7
Dillon	290	45	155.2	45	155.2	39	86.7	-	0	-	0
Dorchester	470	49	104.3	34	72.3	27	79.4	1	28.6	14	29.8
Edgefield	160	23	143.8	21	131.3	18	85.7	-	0	2	12.5
Fairfield	230	39	169.6	32	139.1	26	81.3	-	0	7	30.4
Florence	940	122	129.8	115	122.3	105	91.3	-	0	7	7.4
Georgetown	420	49	116.7	43	102.4	26	60.5	-	0	6	14.3
Greenville	1,210	169	139.7	134	110.7	89	66.4	2	14.7	33	27.3
Greenwood	410	73	178.0	59	143.9	42	71.2	-	0	14	34.1
Hampton	210	32	152.4	30	142.9	16	53.3	1	32.3	1	4.8
Horry	590	110	186.4	99	167.8	56	56.6	-	0	11	18.6
Jasper	180	19	105.6	14	77.8	9	64.3	-	0	5	27.8
Kershaw	250	26	104.0	22	88.0	11	50.0	-	0	4	16.0
Lancaster	290	47	162.1	44	151.7	27	61.4	1	22.2	2	6.9
Laurens	300	45	150.0	41	136.7	29	70.7	-	0	4	13.3
Lee	220	29	131.8	24	109.1	21	87.5	-	0	5	22.7
Lexington	510	68	133.3	58	113.7	37	63.8	-	0	10	19.6
McCormick	80	6	75.0	5	62.5	4	80.0	-	0	1	12.5
Marion	420	55	131.0	51	121.4	45	88.2	-	0	4	9.5
Marlboro	260	38	146.2	34	130.8	24	70.6	1	28.6	3	11.5
Newberry	220	34	154.5	32	145.5	20	62.5	1	30.3	1	4.5
Oconee	90	10	111.1	9	100.0	6	66.7	-	0	1	11.1
Orangeburg	1,270	139	109.4	106	83.5	52	49.1	3	27.5	30	23.6
Pickens	200	15	75.0	10	50.0	3	30.0	-	0	5	25.0
Richland	2,890	396	137.0	286	99.0	215	75.2	6	20.5	104	36.0
Saluda	110	17	154.5	14	127.3	11	78.6	1	66.7	2	18.2
Spartanburg	980	145	148.0	120	122.4	79	65.8	-	0	25	25.5
Sumter	930	164	176.3	136	146.2	99	72.8	-	0	28	30.1
Union	150	23	153.3	20	133.3	12	60.0	-	0	3	20.0
Williamsburg	460	53	115.2	47	102.2	38	80.9	1	20.8	5	10.9
York	660	102	154.5	86	130.3	70	81.4	2	22.7	14	21.2

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths to females 18-19.


² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females 18-19.

The State Fish

“The Striped Bass”



Officially adopted by the General Assembly in 1972

ABORTION

Table 46.
 Abortions and Abortion Rates¹ by Race of Mother
 South Carolina, 1990-2000
 (Residence Data)

Year	Total*		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1990	15,181	259.7	8,505	239.6	6,631	288.8
1991	14,112	245.4	7,837	202.0	6,217	270.9
1992	12,843	228.9	6,980	206.0	5,831	262.6
1993	13,038	242.7	7,191	220.8	5,791	274.0
1994	12,325	237.4	6,697	209.9	5,581	279.1
1995	11,075	217.5	5,824	183.0	5,221	273.8
1996	11,193	219.0	6,086	188.4	5,042	268.4
1997	11,052	211.7	5,893	178.5	5,070	264.2
1998	9,671	179.6	5,121	150.3	4,529	229.2
1999	10,429	190.6	5,519	159.1	4,860	242.9
2000	9,946	177.7	5,129	145.9	4,777	229.6

¹ Rate per 1,000 live births

* Includes unknown race

Figure 8.
 Abortion Rates by Race of Mother
 South Carolina, 1991-2000
 (Residence Data)




Table 47.
 Abortions by Age and Age Group:South Carolina and Each County, 2000 (Residence Data)

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	9,946	75	148	224	414	536	663	3,350	2,271	1,251	976	38
Abbeville	57	-	1	1	3	2	8	23	8	3	8	-
Aiken	369	1	6	11	16	25	32	118	77	43	37	3
Allendale	31	1	2	2	2	-	-	10	10	4	-	-
Anderson	374	8	2	8	10	18	25	140	74	46	43	-
Bamberg	40	-	2	1	1	3	5	14	6	5	3	-
Barnwell	49	-	2	3	4	4	3	15	9	5	4	-
Beaufort	420	1	1	4	22	27	24	134	92	67	48	-
Berkeley	411	1	8	9	20	23	32	123	89	57	48	1
Calhoun	33	-	2	2	-	1	2	13	7	3	3	-
Charleston	1,221	10	18	31	52	43	76	422	280	142	146	1
Cherokee	72	-	3	1	5	3	3	25	16	6	9	1
Chester	59	-	-	3	5	2	4	17	20	4	4	-
Chesterfield	45	-	1	1	1	5	5	12	9	5	4	2
Clarendon	48	-	1	2	2	5	1	10	12	12	3	-
Colleton	99	3	1	3	5	9	4	23	28	9	14	-
Darlington	35	-	-	-	1	4	2	13	8	5	2	-
Dillon	37	-	1	2	-	2	3	10	11	4	3	1
Dorchester	276	4	2	7	19	19	22	74	63	35	31	-
Edgefield	31	1	2	1	1	-	2	12	6	3	3	-
Fairfield	76	1	1	2	3	3	6	25	21	5	8	1
Florence	91	1	2	1	5	6	10	20	19	12	12	3
Georgetown	106	-	2	3	6	8	8	40	24	7	7	1
Greenville	1,048	3	13	19	40	44	55	375	253	132	114	-
Greenwood	185	-	3	5	6	8	19	66	38	24	16	-
Hampton	32	-	1	1	1	1	1	14	6	2	5	-
Horry	498	5	6	7	22	31	32	155	104	81	53	2
Jasper	47	-	-	3	-	2	4	22	7	5	4	-
Kershaw	120	1	6	8	7	7	3	37	22	17	12	-
Lancaster	57	2	-	-	2	6	3	19	14	9	2	-
Laurens	147	2	2	8	9	9	14	42	30	22	9	-
Lee	25	-	-	2	-	3	3	9	5	2	1	-
Lexington	413	5	10	11	23	21	27	118	105	55	38	-
McCormick	18	-	2	-	1	-	1	7	4	3	-	-
Marion	43	-	-	-	3	5	-	22	8	4	-	1
Marlboro	46	-	-	2	-	-	5	22	4	5	3	5
Newberry	77	-	1	5	6	2	5	31	14	9	4	-
Oconee	118	-	2	1	5	7	9	39	27	13	15	-
Orangeburg	297	11	11	6	9	16	17	114	69	26	18	-
Pickens	213	1	-	2	9	10	24	104	32	15	16	-
Richland	1,281	6	16	21	46	65	81	435	336	157	110	8
Saluda	31	-	1	-	1	1	2	14	4	7	1	-
Spartanburg	617	5	9	14	18	38	36	184	158	93	60	2
Sumter	263	-	1	6	9	18	23	89	60	37	19	1
Union	54	-	2	1	1	3	-	23	12	3	9	-
Williamsburg	36	-	-	1	1	3	2	13	11	3	2	-
York	284	2	2	2	11	23	18	101	53	43	24	5
Unknown	16	-	-	1	1	1	2	2	6	2	1	-

Table 47-A.
 Abortions by Age, Age Group and Race of Mother: South Carolina and Each County, 2000 (Residence Data)
 White

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,129	21	71	120	236	309	354	1,659	1,068	672	600	19
Abbeville	34	-	1	1	1	2	2	14	5	3	5	-
Aiken	169	1	2	6	9	11	15	45	36	22	19	3
Allendale	7	-	-	-	-	-	-	3	4	-	-	-
Anderson	217	1	1	6	7	13	19	79	43	24	24	-
Bamberg	7	-	-	-	1	-	3	1	-	-	2	-
Barnwell	17	-	1	3	1	1	1	4	3	-	3	-
Beaufort	272	1	-	1	13	19	15	73	58	53	39	-
Berkeley	250	1	4	6	16	12	20	65	55	37	33	1
Calhoun	7	-	-	1	-	-	-	3	2	-	1	-
Charleston	664	2	8	15	23	26	39	241	137	75	98	-
Cherokee	39	-	1	1	3	2	2	15	8	3	4	-
Chester	22	-	-	2	4	1	1	7	5	1	1	-
Chesterfield	24	-	1	1	-	5	3	5	2	4	3	-
Clarendon	15	-	1	1	-	1	-	2	4	6	-	-
Colleton	40	2	-	-	3	6	2	9	10	2	6	-
Darlington	17	-	-	-	1	2	-	6	4	2	2	-
Dillon	20	-	1	1	-	2	3	6	5	-	1	1
Dorchester	178	1	1	3	14	16	11	46	40	25	21	-
Edgefield	11	1	1	1	1	-	-	2	4	-	1	-
Fairfield	13	-	-	-	-	1	1	5	3	1	1	1
Florence	44	-	1	1	4	2	7	9	6	4	8	2
Georgetown	47	-	1	1	2	6	4	14	11	3	5	-
Greenville	663	-	9	12	24	35	31	237	143	86	86	-
Greenwood	82	-	2	2	5	3	10	30	12	11	7	-
Hampton	10	-	-	-	-	-	1	6	-	1	2	-
Horry	392	3	5	6	20	26	25	116	83	65	41	2
Jasper	13	-	-	-	-	-	1	5	2	3	2	-
Kershaw	61	-	5	5	3	4	2	16	12	8	6	-
Lancaster	34	-	-	-	2	5	2	10	7	6	2	-
Laurens	84	-	1	4	7	6	13	25	7	15	6	-
Lee	5	-	-	1	-	-	1	2	-	1	-	-
Lexington	270	-	5	9	16	16	21	74	56	42	31	-
McCormick	4	-	1	-	-	-	-	1	2	-	-	-
Marion	9	-	-	-	1	1	-	5	1	1	-	-
Marlboro	17	-	-	1	-	-	2	5	-	4	1	4
Newberry	35	-	-	3	4	1	5	12	3	4	3	-
Oconee	97	-	2	1	5	7	8	30	22	11	11	-
Orangeburg	37	3	3	1	1	2	1	10	8	3	5	-
Pickens	170	1	-	1	6	8	21	82	23	14	14	-
Richland	366	-	7	9	15	21	19	132	92	38	32	1
Saluda	22	-	-	-	1	1	-	8	4	7	1	-
Spartanburg	338	2	4	7	9	27	22	89	83	52	43	-
Sumter	86	-	-	3	6	7	6	32	17	7	8	-
Union	31	-	-	1	1	-	-	15	9	-	5	-
Williamsburg	5	-	-	1	-	-	-	-	4	-	-	-
York	177	2	2	2	7	11	15	62	30	26	16	4
Unknown	7	-	-	-	-	-	-	1	3	2	1	-

Table 47-A (cont.)
 Abortions by Age, Age Group and Race of Mother: South Carolina and Each County, 2000 (Residence Data)
 Black and Other

County of Residence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
South Carolina	4,777	54	77	104	178	223	308	1681	1193	573	370	16
Abbeville	23	0	0	0	2	0	6	9	3	0	3	0
Aiken	200	0	4	5	7	14	17	73	41	21	18	0
Allendale	24	1	2	2	2	0	0	7	6	4	0	0
Anderson	157	7	1	2	3	5	6	61	31	22	19	0
Bamberg	33	0	2	1	0	3	2	13	6	5	1	0
Barnwell	31	0	1	0	3	3	2	11	5	5	1	0
Beaufort	147	0	1	3	9	8	9	60	34	14	9	0
Berkeley	161	0	4	3	4	11	12	58	34	20	15	0
Calhoun	26	0	2	1	0	1	2	10	5	3	2	0
Charleston	557	8	10	16	29	17	37	181	143	67	48	1
Cherokee	33	0	2	0	2	1	1	10	8	3	5	1
Chester	37	0	0	1	1	1	3	10	15	3	3	0
Chesterfield	19	0	0	0	1	0	2	7	6	1	1	1
Clarendon	32	0	0	1	2	4	1	8	7	6	3	0
Colleton	59	1	1	3	2	3	2	14	18	7	8	0
Darlington	16	0	0	0	0	2	2	6	3	3	0	0
Dillon	17	0	0	1	0	0	0	4	6	4	2	0
Dorchester	98	3	1	4	5	3	11	28	23	10	10	0
Edgefield	20	0	1	0	0	0	2	10	2	3	2	0
Fairfield	63	1	1	2	3	2	5	20	18	4	7	0
Florence	47	1	1	0	1	4	3	11	13	8	4	1
Georgetown	59	0	1	2	4	2	4	26	13	4	2	1
Greenville	382	3	4	7	16	9	24	136	110	46	27	0
Greenwood	103	0	1	3	1	5	9	36	26	13	9	0
Hampton	22	0	1	1	1	1	0	8	6	1	3	0
Horry	98	2	1	1	2	4	7	37	20	14	10	0
Jasper	34	0	0	3	0	2	3	17	5	2	2	0
Kershaw	59	1	1	3	4	3	1	21	10	9	6	0
Lancaster	23	2	0	0	0	1	1	9	7	3	0	0
Laurens	63	2	1	4	2	3	1	17	23	7	3	0
Lee	20	0	0	1	0	3	2	7	5	1	1	0
Lexington	139	5	5	2	7	4	6	44	47	12	7	0
McCormick	14	0	1	0	1	0	1	6	2	3	0	0
Marion	34	0	0	0	2	4	0	17	7	3	0	1
Marlboro	29	0	0	1	0	0	3	17	4	1	2	1
Newberry	42	0	1	2	2	1	0	19	11	5	1	0
Oconee	21	0	0	0	0	0	1	9	5	2	4	0
Orangeburg	260	8	8	5	8	14	16	104	61	23	13	0
Pickens	43	0	0	1	3	2	3	22	9	1	2	0
Richland	905	6	9	12	31	43	61	302	243	116	76	6
Saluda	9	0	1	0	0	0	2	6	0	0	0	0
Spartanburg	277	3	5	7	9	11	14	94	75	41	17	1
Sumter	176	0	1	3	3	11	17	57	42	30	11	1
Union	23	0	2	0	0	3	0	8	3	3	4	0
Williamsburg	31	0	0	0	1	3	2	13	7	3	2	0
York	103	0	0	0	4	11	3	37	23	17	7	1
Unknown	8	0	0	1	1	1	2	1	2	0	0	0

Table 48.
 Abortions by Age and Age Group: South Carolina and Each County, 2000 (Occurrence Data)

County of Occurrence	Age in Years										
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +
South Carolina	7,527	55	116	180	352	387	498	2,477	1,720	951	791
Abbeville	-	-	-	-	-	-	-	-	-	-	-
Aiken	-	-	-	-	-	-	-	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-	-
Anderson	2	-	-	-	-	-	-	-	2	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-	-
Beaufort	45	-	-	-	4	2	-	17	8	10	4
Berkeley	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-
Charleston	2,737	20	42	65	141	145	181	886	612	342	303
Cherokee	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	-	-	-	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-	-
Georgetown	-	-	-	-	-	-	-	-	-	-	-
Greenville	2,938	17	41	62	118	130	182	1,016	678	382	312
Greenwood	-	-	-	-	-	-	-	-	-	-	-
Hampton	-	-	-	-	-	-	-	-	-	-	-
Horry	-	-	-	-	-	-	-	-	-	-	-
Jasper	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-	-
Lexington	-	-	-	-	-	-	-	-	-	-	-
McCormick	-	-	-	-	-	-	-	-	-	-	-
Marion	2	-	-	-	-	-	-	1	1	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-	-
Oconee	-	-	-	-	-	-	-	-	-	-	-
Orangeburg	-	-	-	-	-	-	-	-	-	-	-
Pickens	-	-	-	-	-	-	-	-	-	-	-
Richland	1,801	18	33	53	89	110	135	557	419	215	172
Saluda	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	1	-	-	-	-	-	-	-	-	1	-
Sumter	-	-	-	-	-	-	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-
York	1	-	-	-	-	-	-	-	-	1	-

Table 48-A
 Abortions by Age, Age Group, and Race of Mother: South Carolina and Each County, 2000 (Occurrence Data)
 White


County of Occurrence	Age in Years										
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +
South Carolina	4,061	14	57	99	208	238	263	1,301	851	531	499
Abbeville	-	-	-	-	-	-	-	-	-	-	-
Aiken	-	-	-	-	-	-	-	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-	-
Anderson	2	-	-	-	-	-	-	-	2	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-	-
Beaufort	30	-	-	-	3	1	-	10	4	8	4
Berkeley	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-
Charleston	1,558	7	19	32	82	91	103	493	325	203	203
Cherokee	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	-	-	-	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-	-
Georgetown	-	-	-	-	-	-	-	-	-	-	-
Greenville	1,830	5	23	38	83	100	116	622	382	245	216
Greenwood	-	-	-	-	-	-	-	-	-	-	-
Hampton	-	-	-	-	-	-	-	-	-	-	-
Horry	-	-	-	-	-	-	-	-	-	-	-
Jasper	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-	-
Lexington	-	-	-	-	-	-	-	-	-	-	-
McCormick	-	-	-	-	-	-	-	-	-	-	-
Marion	2	-	-	-	-	-	-	1	1	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-	-
Oconee	-	-	-	-	-	-	-	-	-	-	-
Orangeburg	-	-	-	-	-	-	-	-	-	-	-
Pickens	-	-	-	-	-	-	-	-	-	-	-
Richland	637	2	15	29	40	46	44	175	137	73	76
Saluda	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	1	-	-	-	-	-	-	-	-	1	-
Sumter	-	-	-	-	-	-	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-
York	1	-	-	-	-	-	-	-	-	1	-

Table 48-A. (cont.)
 Abortions by Age, Age Group, and Race of Mother: South Carolina and Each County, 2000 (Occurrence Data)
 Black and Other

County of Occurrence	Age in Years										
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +
South Carolina	3,466	41	59	81	144	149	235	1,176	869	420	292
Abbeville	-	-	-	-	-	-	-	-	-	-	-
Aiken	-	-	-	-	-	-	-	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-	-
Anderson	-	-	-	-	-	-	-	-	-	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-	-
Beaufort	15	-	-	-	1	1	-	7	4	2	-
Berkeley	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-
Charleston	1,179	13	23	33	59	54	78	393	287	139	100
Cherokee	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	-	-	-	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-	-
Georgetown	-	-	-	-	-	-	-	-	-	-	-
Greenville	1,108	12	18	24	35	30	66	394	296	137	96
Greenwood	-	-	-	-	-	-	-	-	-	-	-
Hampton	-	-	-	-	-	-	-	-	-	-	-
Horry	-	-	-	-	-	-	-	-	-	-	-
Jasper	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-	-
Lexington	-	-	-	-	-	-	-	-	-	-	-
McCormick	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-	-
Oconee	-	-	-	-	-	-	-	-	-	-	-
Orangeburg	-	-	-	-	-	-	-	-	-	-	-
Pickens	-	-	-	-	-	-	-	-	-	-	-
Richland	1,164	16	18	24	49	64	91	382	282	142	96
Saluda	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	-	-	-	-	-	-	-	-	-	-	-
Sumter	-	-	-	-	-	-	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-
York	-	-	-	-	-	-	-	-	-	-	-


PERINATAAL

The State Shell
"The Oliva Sayana"



Officially adopted by the General Assembly in 1984

Figure 9.
 Three-Year Infant Mortality Rates* by County
 South Carolina, 1998-2000
 (Residence Data)



Infant Mortality Rates

- 5.3 - 8.7
- 8.7- 12.3
- 12.3 - 16.7
- 16.7 - 20.7

*Rates calculated per 1,000 live births

Map Source: GIS Lab, Division of Biostatistics,
 PHSIS, SC DHEC

Data Source: Division of Biostatistics, PHSIS,
 SC DHEC

Table 49.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina, 1976-2000
 (Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1976	930	19.5	400	14.0	530	27.7
1977	876	17.6	387	13.1	489	24.2
1978	919	18.5	386	13.3	533	26.0
1979	857	17.0	367	12.3	490	23.6
1980	809	15.6	330	10.8	479	22.4
1981	836	16.2	379	12.4	457	21.6
1982	832	16.1	367	12.0	465	22.2
1983	760	15.0	343	11.3	417	20.6
1984	743	14.7	339	11.1	404	20.2
1985	735	14.2	301	9.5	434	21.4
1986	685	13.2	318	10.2	367	17.9
1987	673	12.8	309	9.7	364	17.5
1988	673	12.2	316	9.5	357	16.2
1989	731	12.8	310	9.1	421	18.2
1990	679	11.6	291	8.2	388	16.9
1991	644	11.2	279	8.1	365	15.9
1992	588	10.5	243	7.2	345	15.5
1993	544	10.1	218	6.7	326	15.4
1994	486	9.4	211	6.6	275	13.8
1995	480	9.4	212	6.7	268	14.1
1996	424	8.3	179	5.5	245	13.0
1997	494	9.5	207	6.3	287	15.4
1998	511	9.5	204	6.0	307	15.5
1999	564	10.3	236	6.8	328	16.4
2000	488	8.7	192	5.5	296	14.2

¹ Rate per 1,000 Live Births

Figure 10.
 Infant Mortality Rates by Race
 South Carolina, 1976-2000
 (Residence Data)




Table 50.
 Leading Causes of Infant Death by Age at Death
 South Carolina, 2000
 (Residence Data)

Cause of Death	Total	Under 1 Day	1 - 6 Days	7 - 27 Days	28 - 364 Days
Total Infant Deaths	488	207	75	58	148
Disorders Relating to Short Gestion and Low Birthweight (P07)	95	82	8	4	1
Congenital Anomalies (Q00-Q99)	89	35	19	12	23
Sudden Infant Death Syndrome (R95)	37	-	-	-	37
Newborn Aff. By Maternal Comp. Of Preg. (P01)	25	24	-	1	-
Accidents (V01-X59,Y85-Y86)	22	1	1	1	19
Respiratory Distress Syndrome (P22)	20	8	8	4	-
Bacterial Sepsis of Newborn (P36)	20	1	6	11	2
Newborn Aff. By Comp. of Placenta, etc. (P02)	18	15	2	1	-
Intrauterine Hypoxia and Birth Asphyxia (P20-P21)	15	5	5	4	1
Neonatal Hemorrhage (P52)	10	-	9	1	-
All Other Causes	137	36	17	19	65

Figure 11.
 Percent of Infant Deaths by Age at Death
 South Carolina, 2000
 (Residence Data)




Table 51.
 Infant Mortality and Infant Mortality Rates¹
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	488	8.7	1,563	9.5	1,398	9.1
Abbeville	3	8.9	9	8.7	8	7.9
Aiken	17	9.2	45	8.2	44	7.9
Allendale	3	17.2	6	11.5	7	13.8
Anderson	21	9.5	77	11.7	50	8.0
Bamberg	3	12.9	8	12.1	5	7.6
Barnwell	7	21.2	16	15.8	4	4.1
Beaufort	7	3.7	28	5.3	37	7.7
Berkeley	15	7.1	53	8.4	50	8.4
Calhoun	2	10.4	6	11.4	5	10.2
Charleston	30	6.5	127	9.4	153	12.4
Cherokee	4	5.1	16	7.3	25	12.0
Chester	5	9.7	17	11.8	13	9.5
Chesterfield	7	11.3	23	13.2	14	8.2
Clarendon	6	13.6	21	16.7	8	7.0
Colleton	1	1.7	13	7.8	12	7.6
Darlington	11	11.5	37	13.2	32	11.9
Dillon	7	13.5	12	8.2	15	10.5
Dorchester	13	10.6	35	10.0	37	10.6
Edgefield	5	17.4	18	20.7	7	8.9
Fairfield	2	5.8	14	14.2	4	4.2
Florence	23	12.3	66	11.7	47	9.0
Georgetown	12	15.6	24	10.3	24	11.4
Greenville	29	5.4	104	6.5	103	7.1
Greenwood	10	10.5	35	12.3	39	14.6
Hampton	5	16.6	10	11.0	8	9.0
Horry	23	9.0	58	8.0	60	9.8
Jasper	2	7.0	5	6.0	8	9.4
Kershaw	3	4.1	12	5.7	14	7.4
Lancaster	12	14.5	26	10.7	22	9.8
Laurens	6	7.3	25	9.8	24	9.9
Lee	4	15.2	14	17.9	13	18.3
Lexington	26	8.7	72	8.0	50	5.9
McCormick	1	10.4	5	19.5	3	10.9
Marion	5	9.5	22	14.6	20	13.8
Marlboro	7	16.1	16	12.3	12	9.7
Newberry	2	4.0	13	8.7	8	6.1
Oconee	7	9.1	19	8.1	14	6.2
Orangeburg	21	16.0	55	14.0	51	14.2
Pickens	7	5.3	27	6.7	31	8.2
Richland	39	8.7	134	10.2	91	7.4
Saluda	2	7.8	11	14.3	9	13.0
Spartanburg	22	6.6	69	7.0	68	6.9
Sumter	15	8.6	52	10.2	70	14.3
Union	6	16	12	10.5	15	13.5
Williamsburg	8	14.7	24	15.0	19	12.6
York	22	9.6	71	10.8	45	7.5

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 51-A.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	192	5.5	632	6.1	598	6.2
Abbeville	-	0	3	4.4	2	3.1
Aiken	10	8.2	21	5.7	27	7.0
Allendale	2	71.4	2	22.7	1	10.0
Anderson	11	6.5	51	10.0	30	6.2
Bamberg	-	0	-	0	-	0
Barnwell	2	14.3	6	12.9	2	4.1
Beaufort	2	1.5	13	3.5	19	5.9
Berkeley	6	4.1	25	5.6	22	5.3
Calhoun	-	0	1	4.6	1	4.6
Charleston	9	3.5	35	4.6	49	7.0
Cherokee	4	6.8	10	6.1	13	8.5
Chester	1	3.9	6	8.0	1	1.4
Chesterfield	2	5.8	6	5.9	2	2.0
Clarendon	-	0	4	8.4	1	2.1
Colleton	-	0	4	4.5	2	2.5
Darlington	2	4.5	10	7.7	6	4.7
Dillon	-	0	3	4.7	2	3.6
Dorchester	6	7.0	16	6.5	16	6.4
Edgefield	2	12.6	3	6.5	2	5.0
Fairfield	1	9.8	3	9.6	-	0
Florence	4	4.3	16	5.5	13	4.7
Georgetown	2	4.9	5	4.1	12	12.0
Greenville	22	5.3	68	5.6	66	5.9
Greenwood	1	1.8	18	10.1	13	8.0
Hampton	-	0	2	5.9	3	9.0
Horry	9	4.8	25	4.6	32	7.0
Jasper	2	14.1	3	7.8	3	8.2
Kershaw	2	3.8	5	3.4	8	6.2
Lancaster	6	10.8	13	7.9	10	6.5
Laurens	4	7.0	9	5.1	19	11.6
Lee	1	16.4	4	22.5	3	16.8
Lexington	19	7.9	53	7.3	32	4.6
McCormick	-	0	-	0	1	10.9
Marion	-	0	-	0	5	9.9
Marlboro	3	16.2	5	9.4	2	3.9
Newberry	2	6.8	5	5.6	6	8.3
Oconee	6	8.8	14	6.8	13	6.6
Orangeburg	3	7.2	9	6.9	9	7.6
Pickens	7	5.7	24	6.4	31	9.1
Richland	10	5.3	26	4.6	21	3.8
Saluda	-	0	5	9.9	3	7.0
Spartanburg	12	4.8	39	5.3	48	6.7
Sumter	3	3.6	15	6.1	15	6.2
Union	1	4.7	4	5.7	7	10.6
Williamsburg	-	0	2	4.8	-	0
York	13	7.6	41	8.4	25	5.5

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 51-A (cont.)
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)
 Black and Other

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	296	14.2	931	15.4	800	14.0
Abbeville	3	27	6	16.9	6	17.0
Aiken	7	11.2	24	13.5	17	10.0
Allendale	1	6.8	4	9.3	6	14.7
Anderson	10	18.9	26	17.7	20	14.1
Bamberg	3	19.4	8	18.0	5	11.4
Barnwell	5	26.3	10	18.3	2	4.1
Beaufort	5	9.2	15	9.5	18	11.4
Berkeley	9	14.1	28	14.8	28	15.7
Calhoun	2	18.0	5	16.1	4	14.5
Charleston	21	10.5	92	15.8	104	19.5
Cherokee	-	0	6	10.9	12	21.6
Chester	4	15.6	11	15.9	12	18.4
Chesterfield	5	18.4	17	23.1	12	16.4
Clarendon	6	21.9	17	21.7	7	10.4
Colleton	1	3.5	9	11.7	10	12.7
Darlington	9	17.8	27	17.9	26	18.5
Dillon	7	24.7	9	10.9	13	14.8
Dorchester	7	18.9	19	18.6	21	20.9
Edgefield	3	23.3	15	36.9	5	12.8
Fairfield	1	4.2	11	16.4	4	6.4
Florence	19	20.3	50	18.5	34	13.8
Georgetown	10	27.4	19	17.2	12	10.9
Greenville	7	5.6	36	9.8	37	10.6
Greenwood	9	23.4	17	16.0	26	25.0
Hampton	5	28.4	8	14.1	5	9.0
Horry	14	20.5	33	17.7	28	18.2
Jasper	-	0	2	4.5	5	10.3
Kershaw	1	5.0	7	11.1	6	9.8
Lancaster	6	21.7	13	16.4	12	17.1
Laurens	2	7.9	16	20.6	5	6.5
Lee	3	14.8	10	16.5	10	18.8
Lexington	7	12.0	19	11.0	18	11.3
McCormick	1	16.1	5	28.6	2	11.0
Marion	5	15.4	22	22.8	15	15.9
Marlboro	4	16.1	11	14.3	10	13.9
Newberry	-	0	8	13.2	2	3.4
Oconee	1	12.0	5	17.5	1	3.4
Orangeburg	18	20.1	46	17.4	42	17.4
Pickens	-	0	3	9.1	-	0
Richland	29	11.3	108	14.5	70	10.3
Saluda	2	21.5	6	22.9	6	22.4
Spartanburg	10	11.6	30	11.7	20	7.6
Sumter	12	13.2	37	13.9	55	22.5
Union	5	31.1	8	18.0	8	17.9
Williamsburg	8	20.5	22	18.7	19	17.0
York	9	15.1	30	17.9	20	13.6

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 52.
 Neonatal Mortality and Neonatal Mortality Rates¹
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	340	6.1	1,092	6.6	966	6.3
Abbeville	3	8.9	7	6.7	6	6.0
Aiken	11	5.9	25	4.6	23	4.1
Allendale	2	11.5	4	7.7	6	11.8
Anderson	15	6.8	53	8.1	36	5.8
Bamberg	3	12.9	3	4.5	4	6.1
Barnwell	4	12.1	7	6.9	2	2.1
Beaufort	4	2.1	16	3.0	30	6.2
Berkeley	12	5.7	41	6.5	33	5.6
Calhoun	2	10.4	5	9.5	5	10.2
Charleston	24	5.2	94	7.0	117	9.5
Cherokee	2	2.6	9	4.1	17	8.2
Chester	3	5.8	10	6.9	7	5.1
Chesterfield	7	11.3	19	10.9	8	4.7
Clarendon	4	9.1	16	12.7	7	6.1
Colleton	1	1.7	10	6.0	6	3.8
Darlington	9	9.4	27	9.6	20	7.4
Dillon	6	11.6	9	6.1	8	5.6
Dorchester	9	7.3	23	6.6	27	7.7
Edgefield	3	10.4	14	16.1	7	8.9
Fairfield	1	2.9	12	12.2	1	1.1
Florence	16	8.6	48	8.5	25	4.8
Georgetown	9	11.7	15	6.5	18	8.6
Greenville	16	3.0	70	4.4	65	4.5
Greenwood	10	10.5	31	10.9	33	12.4
Hampton	3	9.9	6	6.6	5	5.6
Horry	16	6.2	37	5.1	42	6.9
Jasper	-	0	1	1.2	5	5.9
Kershaw	3	4.1	9	4.3	11	5.8
Lancaster	8	9.6	19	7.8	18	8.0
Laurens	4	4.9	19	7.4	15	6.2
Lee	4	15.2	12	15.3	10	14.0
Lexington	19	6.3	54	6.0	34	4.0
McCormick	1	10.4	4	15.6	2	7.3
Marion	4	7.6	17	11.3	13	9.0
Marlboro	3	6.9	10	7.7	8	6.5
Newberry	2	4.0	8	5.3	6	4.6
Oconee	4	5.2	15	6.4	10	4.4
Orangeburg	16	12.2	41	10.4	34	9.5
Pickens	1	0.8	14	3.5	20	5.3
Richland	25	5.6	91	6.9	66	5.4
Saluda	-	0	8	10.4	7	10.1
Spartanburg	11	3.3	40	4.0	37	3.8
Sumter	11	6.3	33	6.4	56	11.5
Union	6	16	10	8.8	11	9.9
Williamsburg	7	12.9	19	11.9	13	8.6
York	16	7.0	56	8.5	32	5.3

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 52-A.
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)
 White

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	135	3.8	421	4.1	399	4.1
Abbeville	-	0	2	2.9	1	1.5
Aiken	8	6.6	12	3.3	16	4.1
Allendale	2	71.4	2	22.7	1	10.0
Anderson	7	4.1	36	7.1	23	4.8
Bamberg	-	0	-	0	-	0
Barnwell	1	7.1	2	4.3	1	2.1
Beaufort	1	0.7	8	2.2	14	4.3
Berkeley	5	3.4	19	4.3	11	2.6
Calhoun	-	0	-	0	1	4.6
Charleston	8	3.1	22	2.9	32	4.6
Cherokee	2	3.4	6	3.7	9	5.9
Chester	1	3.9	5	6.7	-	0
Chesterfield	2	5.8	4	4.0	2	2.0
Clarendon	-	0	2	4.2	1	2.1
Colleton	-	0	2	2.3	1	1.3
Darlington	2	4.5	8	6.2	4	3.1
Dillon	-	0	1	1.6	1	1.8
Dorchester	6	7.0	10	4.0	13	5.2
Edgefield	-	0	-	0	2	5.0
Fairfield	1	9.8	3	9.6	-	0
Florence	3	3.2	11	3.8	7	2.5
Georgetown	2	4.9	3	2.5	6	6.0
Greenville	11	2.7	42	3.4	36	3.2
Greenwood	1	1.8	14	7.8	9	5.5
Hampton	-	0	-	0	2	6.0
Horry	7	3.7	17	3.2	24	5.3
Jasper	-	0	1	2.6	2	5.4
Kershaw	2	3.8	2	1.4	8	6.2
Lancaster	6	10.8	13	7.9	7	4.5
Laurens	3	5.3	5	2.8	13	7.9
Lee	1	16.4	4	22.5	3	16.8
Lexington	15	6.2	39	5.4	21	3.0
McCormick	-	0	-	0	1	10.9
Marion	-	0	-	0	3	6.0
Marlboro	1	5.4	2	3.7	2	3.9
Newberry	2	6.8	4	4.5	4	5.6
Oconee	4	5.8	12	5.8	10	5.1
Orangeburg	2	4.8	5	3.8	7	5.9
Pickens	1	0.8	13	3.5	20	5.9
Richland	8	4.2	18	3.2	17	3.1
Saluda	-	0	5	9.9	3	7.0
Spartanburg	8	3.2	24	3.3	28	3.9
Sumter	2	2.4	9	3.7	11	4.5
Union	1	4.7	3	4.3	4	6.1
Williamsburg	-	0	2	4.8	-	0
York	9	5.3	29	5.9	18	4.0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 52-A (cont.)
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)
 Black and Other

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	205	9.9	671	11.1	567	9.9
Abbeville	3	27.0	5	14.0	5	14.2
Aiken	3	4.8	13	7.3	7	4.1
Allendale	-	0	2	4.6	5	12.2
Anderson	8	15.2	17	11.6	13	9.2
Bamberg	3	19.4	3	6.8	4	9.1
Barnwell	3	15.8	5	9.2	1	2.0
Beaufort	3	5.5	8	5.0	16	10.1
Berkeley	7	11.0	22	11.7	22	12.3
Calhoun	2	18.0	5	16.1	4	14.5
Charleston	16	8.0	72	12.4	85	15.9
Cherokee	-	0	3	5.5	8	14.4
Chester	2	7.8	5	7.2	7	10.7
Chesterfield	5	18.4	15	20.4	6	8.2
Clarendon	4	14.6	14	17.9	6	8.9
Colleton	1	3.5	8	10.4	5	6.4
Darlington	7	13.9	19	12.6	16	11.4
Dillon	6	21.2	8	9.7	7	8.0
Dorchester	3	8.1	13	12.7	14	13.9
Edgefield	3	23.3	14	34.4	5	12.8
Fairfield	-	0	9	13.4	1	1.6
Florence	13	13.9	37	13.7	18	7.3
Georgetown	7	19.2	12	10.8	12	10.9
Greenville	5	4.0	28	7.6	29	8.3
Greenwood	9	23.4	17	16.0	24	23.1
Hampton	3	17.0	6	10.5	3	5.4
Horry	9	13.2	20	10.7	18	11.7
Jasper	-	0	-	0	3	6.2
Kershaw	1	5.0	7	11.1	3	4.9
Lancaster	2	7.2	6	7.6	11	15.7
Laurens	1	3.9	14	18.0	2	2.6
Lee	3	14.8	8	13.2	7	13.1
Lexington	4	6.8	15	8.7	13	8.2
McCormick	1	16.1	4	22.9	1	5.5
Marion	4	12.3	17	17.6	10	10.6
Marlboro	2	8.0	8	10.4	6	8.3
Newberry	-	0	4	6.6	2	3.4
Oconee	-	0	3	10.5	-	0
Orangeburg	14	15.7	36	13.6	27	11.2
Pickens	-	0	1	3.0	-	0
Richland	17	6.6	73	9.8	49	7.2
Saluda	-	0	3	11.5	4	14.9
Spartanburg	3	3.5	16	6.3	9	3.4
Sumter	9	9.9	24	9.0	45	18.4
Union	5	31.1	7	15.8	7	15.6
Williamsburg	7	17.9	17	14.4	13	11.6
York	7	11.8	27	16.1	14	9.5

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 53.
 Postneonatal Mortality and Postneonatal Mortality Rates¹
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	148	2.6	471	2.9	432	2.8
Abbeville	-	0	2	1.9	2	2.0
Aiken	6	3.2	20	3.6	21	3.8
Allendale	1	5.7	2	3.8	1	2.0
Anderson	6	2.7	24	3.7	14	2.2
Bamberg	-	0	5	7.5	1	1.5
Barnwell	3	9.1	9	8.9	2	2.1
Beaufort	3	1.6	12	2.3	7	1.5
Berkeley	3	1.4	12	1.9	17	2.9
Calhoun	-	0	1	1.9	-	0
Charleston	6	1.3	33	2.4	36	2.9
Cherokee	2	2.6	7	3.2	8	3.8
Chester	2	3.9	7	4.9	6	4.4
Chesterfield	-	0	4	2.3	6	3.5
Clarendon	2	4.5	5	4.0	1	0.9
Colleton	-	0	3	1.8	6	3.8
Darlington	2	2.1	10	3.6	12	4.5
Dillon	1	1.9	3	2.0	7	4.9
Dorchester	4	3.3	12	3.4	10	2.9
Edgefield	2	6.9	4	4.6	-	0
Fairfield	1	2.9	2	2.0	3	3.2
Florence	7	3.8	18	3.2	22	4.2
Georgetown	3	3.9	9	3.9	6	2.9
Greenville	13	2.4	34	2.1	38	2.6
Greenwood	-	0	4	1.4	6	2.3
Hampton	2	6.6	4	4.4	3	3.4
Horry	7	2.7	21	2.9	18	3.0
Jasper	2	7.0	4	4.8	3	3.5
Kershaw	-	0	3	1.4	3	1.6
Lancaster	4	4.8	7	2.9	4	1.8
Laurens	2	2.4	6	2.3	9	3.7
Lee	-	0	2	2.6	3	4.2
Lexington	7	2.3	18	2.0	16	1.9
McCormick	-	0	1	3.9	1	3.6
Marion	1	1.9	5	3.3	7	4.8
Marlboro	4	9.2	6	4.6	4	3.2
Newberry	-	0	5	3.3	2	1.5
Oconee	3	3.9	4	1.7	4	1.8
Orangeburg	5	3.8	14	3.6	17	4.7
Pickens	6	4.5	13	3.2	11	2.9
Richland	14	3.1	43	3.3	25	2.0
Saluda	2	7.8	3	3.9	2	2.9
Spartanburg	11	3.3	29	2.9	31	3.2
Sumter	4	2.3	19	3.7	14	2.9
Union	-	0	2	1.8	4	3.6
Williamsburg	1	1.8	5	3.1	6	4.0
York	6	2.6	15	2.3	13	2.2

¹ Rate per 1,000 live birth

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 53-A.
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)
 White

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	57	1.6	211	2.0	199	2.0
Abbeville	-	0	1	1.5	1	1.5
Aiken	2	1.6	9	2.4	11	2.8
Allendale	-	0	-	0	-	0
Anderson	4	2.4	15	2.9	7	1.5
Bamberg	-	0	-	0	-	0
Barnwell	1	7.1	4	8.6	1	2.1
Beaufort	1	0.7	5	1.3	5	1.5
Berkeley	1	0.7	6	1.4	11	2.6
Calhoun	-	0	1	4.6	-	0
Charleston	1	0.4	13	1.7	17	2.4
Cherokee	2	3.4	4	2.4	4	2.6
Chester	-	0	1	1.3	1	1.4
Chesterfield	-	0	2	2.0	-	0
Clarendon	-	0	2	4.2	-	0
Colleton	-	0	2	2.3	1	1.3
Darlington	-	0	2	1.5	2	1.6
Dillon	-	0	2	3.1	1	1.8
Dorchester	-	0	6	2.4	3	1.2
Edgefield	2	12.6	3	6.5	-	0
Fairfield	-	0	-	0	-	0
Florence	1	1.1	5	1.7	6	2.2
Georgetown	-	0	2	1.6	6	6.0
Greenville	11	2.7	26	2.1	30	2.7
Greenwood	-	0	4	2.2	4	2.5
Hampton	-	0	2	5.9	1	3.0
Horry	2	1.1	8	1.5	8	1.8
Jasper	2	14.1	2	5.2	1	2.7
Kershaw	-	0	3	2.0	-	0
Lancaster	-	0	-	0	3	1.9
Laurens	1	1.8	4	2.2	6	3.7
Lee	-	0	-	0	-	0
Lexington	4	1.7	14	1.9	11	1.6
McCormick	-	0	-	0	-	0
Marion	-	0	-	0	2	4.0
Marlboro	2	10.8	3	5.6	-	0
Newberry	-	0	1	1.1	2	2.8
Oconee	2	2.9	2	1.0	3	1.5
Orangeburg	1	2.4	4	3.1	2	1.7
Pickens	6	4.9	11	3.0	11	3.2
Richland	2	1.1	8	1.4	4	0.7
Saluda	-	0	-	0	-	0
Spartanburg	4	1.6	15	2.0	20	2.8
Sumter	1	1.2	6	2.5	4	1.6
Union	-	0	1	1.4	3	4.5
Williamsburg	-	0	-	0	-	0
York	4	2.3	12	2.5	7	1.5

¹ Rate per 1,000 live birth

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 53-A (cont.)
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2000, 1998-2000, 1995-1997
 (Residence Data)
 Black and Other

County of Residence	2000		1998-2000		1995-1997	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	91	4.4	260	4.3	233	4.1
Abbeville	-	0	1	2.8	1	2.8
Aiken	4	6.4	11	6.2	10	5.9
Allendale	1	6.8	2	4.6	1	2.4
Anderson	2	3.8	9	6.1	7	5.0
Bamberg	-	0	5	11.3	1	2.3
Barnwell	2	10.5	5	9.2	1	2.0
Beaufort	2	3.7	7	4.4	2	1.3
Berkeley	2	3.1	6	3.2	6	3.4
Calhoun	-	0	-	0	-	0
Charleston	5	2.5	20	3.4	19	3.6
Cherokee	-	0	3	5.5	4	7.2
Chester	2	7.8	6	8.6	5	7.7
Chesterfield	-	0	2	2.7	6	8.2
Clarendon	2	7.3	3	3.8	1	1.5
Colleton	-	0	1	1.3	5	6.4
Darlington	2	4.0	8	5.3	10	7.1
Dillon	1	3.5	1	1.2	6	6.8
Dorchester	4	10.8	6	5.9	7	7.0
Edgefield	-	0	1	2.5	-	0
Fairfield	1	4.2	2	3.0	3	4.8
Florence	6	6.4	13	4.8	16	6.5
Georgetown	3	8.2	7	6.3	-	0
Greenville	2	1.6	8	2.2	8	2.3
Greenwood	-	0	-	0	2	1.9
Hampton	2	11.4	2	3.5	2	3.6
Horry	5	7.3	13	7.0	10	6.5
Jasper	-	0	2	4.5	2	4.1
Kershaw	-	0	-	0	3	4.9
Lancaster	4	14.4	7	8.8	1	1.4
Laurens	1	3.9	2	2.6	3	3.9
Lee	-	0	2	3.3	3	5.6
Lexington	3	5.1	4	2.3	5	3.1
McCormick	-	0	1	5.7	1	5.5
Marion	1	3.1	5	5.2	5	5.3
Marlboro	2	8.0	3	3.9	4	5.5
Newberry	-	0	4	6.6	-	0
Oconee	1	12.0	2	7.0	1	3.4
Orangeburg	4	4.5	10	3.8	15	6.2
Pickens	-	0	2	6.1	-	0
Richland	12	4.7	35	4.7	21	3.1
Saluda	2	21.5	3	11.5	2	7.5
Spartanburg	7	8.1	14	5.5	11	4.2
Sumter	3	3.3	13	4.9	10	4.1
Union	-	0	1	2.3	1	2.2
Williamsburg	1	2.6	5	4.2	6	5.4
York	2	3.4	3	1.8	6	4.1

¹ Rate per 1,000 live birth

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 54.
Fetal Mortality and Fetal Mortality Rates¹ by Race
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	573	10.1	246	7.0	324	15.3
Abbeville	3	8.8	1	4.4	2	17.7
Aiken	21	11.2	10	8.2	11	17.4
Allendale	1	5.7	-	0	1	6.8
Anderson	15	6.7	11	6.5	4	7.5
Bamberg	6	25.1	-	0	6	37.3
Barnwell	5	14.9	1	7.1	4	20.6
Beaufort	24	12.6	12	8.9	12	21.6
Berkeley	17	8.0	8	5.4	9	13.9
Calhoun	2	10.3	-	0	2	17.7
Charleston	39	8.4	11	4.2	27	13.3
Cherokee	11	13.8	5	8.4	6	29.9
Chester	9	17.2	2	7.7	7	26.6
Chesterfield	10	15.9	2	5.7	8	28.6
Clarendon	10	22.2	2	11.9	8	28.4
Colleton	5	8.4	3	9.8	2	7.0
Darlington	7	7.3	2	4.4	5	9.8
Dillon	9	17.0	3	12.6	6	20.8
Dorchester	12	9.7	6	7.0	5	13.3
Edgefield	2	6.9	2	12.4	-	0
Fairfield	3	8.7	-	0	3	12.3
Florence	16	8.5	4	4.3	12	12.7
Georgetown	7	9.0	4	9.8	3	8.2
Greenville	48	8.8	26	6.2	22	17.3
Greenwood	8	8.3	5	8.7	3	7.7
Hampton	8	25.8	1	7.9	7	38.3
Horry	15	5.8	10	5.3	5	7.3
Jasper	2	7.0	-	0	2	13.9
Kershaw	9	12.2	4	7.5	5	24.3
Lancaster	15	17.8	7	12.5	8	28.1
Laurens	10	12.0	6	10.4	4	15.5
Lee	3	11.2	1	16.1	2	9.8
Lexington	33	10.9	23	9.4	10	16.8
McCormick	-	0	-	0	-	0
Marion	7	13.1	1	4.9	6	18.2
Marlboro	5	11.4	-	0	4	15.8
Newberry	4	8.0	-	0	4	19.3
Oconee	4	5.2	3	4.4	1	11.9
Orangburg	18	13.6	4	9.5	14	15.4
Pickens	8	6.0	8	6.5	-	0
Richland	51	11.3	10	5.2	41	15.7
Saluda	4	15.3	1	6.1	3	31.3
Spartanburg	32	9.5	19	7.6	13	14.9
Sumter	17	9.7	6	7.2	11	11.9
Union	2	5.3	1	4.6	1	6.2
Williamsburg	9	16.3	1	6.5	8	20.1
York	27	11.6	20	11.6	7	11.6
Unknown	-	0	-	0	-	0

¹ Rate calculated per 1,000 Deliveries

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table 55.
Fetal Deaths by Age of Mother
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total Fetal Deaths	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	573	5	102	175	125	99	52	13	1	1
Abbeville	3	-	1	-	1	-	1	-	-	-
Aiken	21	1	3	7	5	-	3	2	-	-
Allendale	1	-	-	-	1	-	-	-	-	-
Anderson	15	-	2	5	4	3	1	-	-	-
Bamberg	6	-	3	-	1	2	-	-	-	-
Barnwell	5	-	1	2	1	1	-	-	-	-
Beaufort	24	-	3	7	7	5	2	-	-	-
Berkeley	17	-	5	7	2	1	2	-	-	-
Calhoun	2	-	1	1	-	-	-	-	-	-
Charleston	39	3	4	12	7	8	3	2	-	-
Cherokee	11	-	4	4	1	2	-	-	-	-
Chester	9	1	1	1	3	2	1	-	-	-
Chesterfield	10	-	4	2	2	2	-	-	-	-
Clarendon	10	-	2	2	1	2	1	2	-	-
Colleton	5	-	1	2	-	-	2	-	-	-
Darlington	7	-	2	3	1	-	1	-	-	-
Dillon	9	-	2	4	1	2	-	-	-	-
Dorchester	12	-	3	4	4	1	-	-	-	-
Edgefield	2	-	-	-	1	-	1	-	-	-
Fairfield	3	-	1	-	2	-	-	-	-	-
Florence	16	-	4	4	6	-	2	-	-	-
Georgetown	7	-	1	3	3	-	-	-	-	-
Greenville	48	-	6	11	13	12	4	2	-	-
Greenwood	8	-	-	4	4	-	-	-	-	-
Hampton	8	-	1	3	2	-	2	-	-	-
Horry	15	-	2	5	4	3	1	-	-	-
Jasper	2	-	-	1	-	-	1	-	-	-
Kershaw	9	-	1	2	2	3	1	-	-	-
Lancaster	15	-	3	6	1	3	2	-	-	-
Laurens	10	-	1	4	2	2	1	-	-	-
Lee	3	-	-	2	-	1	-	-	-	-
Lexington	33	-	6	12	1	8	4	1	-	1
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	7	-	-	2	-	1	1	2	1	-
Marlboro	5	-	1	2	-	-	-	2	-	-
Newberry	4	-	1	2	-	1	-	-	-	-
Oconee	4	-	-	2	2	-	-	-	-	-
Orangeburg	18	-	3	5	6	2	2	-	-	-
Pickens	8	-	2	1	3	1	1	-	-	-
Richland	51	-	10	13	15	10	3	-	-	-
Saluda	4	-	2	1	-	1	-	-	-	-
Spartanburg	32	-	5	5	9	8	5	-	-	-
Sumter	17	-	1	7	3	3	3	-	-	-
Union	2	-	-	2	-	-	-	-	-	-
Williamsburg	9	-	2	5	2	-	-	-	-	-
York	27	-	7	8	2	9	1	-	-	-

Table 55-A
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2000
(Residence Data)

White

County of Residence	Total Fetal Deaths	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	246	-	35	68	62	49	28	3	-	1
Abbeville	1	-	-	-	-	-	1	-	-	-
Aiken	10	-	2	3	2	-	3	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	11	-	2	3	4	1	1	-	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-
Barnwell	1	-	-	-	1	-	-	-	-	-
Beaufort	12	-	2	1	5	3	1	-	-	-
Berkeley	8	-	2	4	-	1	1	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	11	-	1	1	4	4	1	-	-	-
Cherokee	5	-	1	2	-	2	-	-	-	-
Chester	2	-	-	-	1	1	-	-	-	-
Chesterfield	2	-	-	1	1	-	-	-	-	-
Clarendon	2	-	1	-	-	1	-	-	-	-
Colleton	3	-	1	1	-	-	1	-	-	-
Darlington	2	-	-	1	-	-	1	-	-	-
Dillon	3	-	1	1	1	-	-	-	-	-
Dorchester	6	-	1	2	3	-	-	-	-	-
Edgefield	2	-	-	-	1	-	1	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-
Florence	4	-	1	-	3	-	-	-	-	-
Georgetown	4	-	1	1	2	-	-	-	-	-
Greenville	26	-	2	5	5	9	3	2	-	-
Greenwood	5	-	-	3	2	-	-	-	-	-
Hampton	1	-	-	-	1	-	-	-	-	-
Horry	10	-	2	2	4	1	1	-	-	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	4	-	-	2	2	-	-	-	-	-
Lancaster	7	-	2	1	1	1	2	-	-	-
Laurens	6	-	-	4	1	1	-	-	-	-
Lee	1	-	-	1	-	-	-	-	-	-
Lexington	23	-	5	6	-	7	3	1	-	1
MCCormick	-	-	-	-	-	-	-	-	-	-
Marion	1	-	-	-	-	-	1	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-
Oconee	3	-	-	2	1	-	-	-	-	-
Orangeburg	4	-	-	1	3	-	-	-	-	-
Pickens	8	-	2	1	3	1	1	-	-	-
Richland	10	-	1	3	3	2	1	-	-	-
Saluda	1	-	-	1	-	-	-	-	-	-
Spartanburg	19	-	1	4	5	5	4	-	-	-
Sumter	6	-	1	2	2	1	-	-	-	-
Union	1	-	-	1	-	-	-	-	-	-
Williamsburg	1	-	-	1	-	-	-	-	-	-
York	20	-	3	7	1	8	1	-	-	-

Table 55-A (cont.)
 Fetal Deaths by Age and Race of Mother
 South Carolina and Each County, 2000
 (Residence Data)
 Black and Other

County of Residence	Total Fetal Deaths	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	324	5	66	106	63	50	24	9	1	-
Abbeville	2	-	1	-	1	-	-	-	-	-
Aiken	11	1	1	4	3	-	-	2	-	-
Allendale	1	-	-	-	1	-	-	-	-	-
Anderson	4	-	-	2	-	2	-	-	-	-
Bamberg	6	-	3	-	1	2	-	-	-	-
Barnwell	4	-	1	2	-	1	-	-	-	-
Beaufort	12	-	1	6	2	2	1	-	-	-
Berkeley	9	-	3	3	2	-	1	-	-	-
Calhoun	2	-	1	1	-	-	-	-	-	-
Charleston	27	3	3	11	3	4	2	1	-	-
Cherokee	6	-	3	2	1	-	-	-	-	-
Chester	7	1	1	1	2	1	1	-	-	-
Chesterfield	8	-	4	1	1	2	-	-	-	-
Clarendon	8	-	1	2	1	1	1	2	-	-
Colleton	2	-	-	1	-	-	1	-	-	-
Darlington	5	-	2	2	1	-	-	-	-	-
Dillon	6	-	1	3	-	2	-	-	-	-
Dorchester	5	-	1	2	1	1	-	-	-	-
Edgefield	3	-	1	-	2	-	-	-	-	-
Fairfield	12	-	3	4	3	-	2	-	-	-
Florence	3	-	-	2	1	-	-	-	-	-
Georgetown	22	-	4	6	8	3	1	-	-	-
Greenville	3	-	-	1	2	-	-	-	-	-
Greenwood	7	-	1	3	1	-	2	-	-	-
Hampton	5	-	-	3	-	2	-	-	-	-
Horry	2	-	-	1	-	-	1	-	-	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	5	-	1	-	-	3	1	-	-	-
Lancaster	8	-	1	5	-	2	-	-	-	-
Laurens	4	-	1	-	1	1	1	-	-	-
Lee	2	-	-	1	-	1	-	-	-	-
Lexington	10	-	1	6	1	1	1	-	-	-
MCCormick	6	-	-	2	-	1	-	2	1	-
Marion	4	-	1	1	-	-	-	2	-	-
Marlboro	4	-	1	2	-	1	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-
Oconee	1	-	-	-	1	-	-	-	-	-
Orangeburg	14	-	3	4	3	2	2	-	-	-
Pickens	-	-	-	-	-	-	-	-	-	-
Richland	41	-	9	10	12	8	2	-	-	-
Saluda	3	-	2	-	-	1	-	-	-	-
Spartanburg	13	-	4	1	4	3	1	-	-	-
Sumter	11	-	-	5	1	2	3	-	-	-
Union	1	-	-	1	-	-	-	-	-	-
Williamsburg	8	-	2	4	2	-	-	-	-	-
York	7	-	4	1	1	1	-	-	-	-

Table 56.
Perinatal Mortality and Perinatal Mortality Rates¹ by Race of Mother
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	913	16.1	381	10.8	529	25.0
Abbeville	6	17.7	1	4.4	5	44.2
Aiken	32	17.1	18	14.7	14	22.1
Allendale	3	17.1	2	71.4	1	6.8
Anderson	30	13.4	18	10.6	12	22.6
Bamberg	9	37.7	-	0	9	55.9
Barnwell	9	26.9	2	14.2	7	36.1
Beaufort	28	14.7	13	9.6	15	27.0
Berkeley	29	13.6	13	8.8	16	24.8
Calhoun	4	20.5	-	0	4	35.4
Charleston	63	13.6	19	7.3	43	21.2
Cherokee	13	16.4	7	11.8	6	29.9
Chester	12	22.9	3	11.5	9	34.2
Chesterfield	17	27.0	4	11.5	13	46.4
Clarendon	14	31.1	2	11.9	12	42.6
Colleton	6	10.1	3	9.8	3	10.5
Darlington	16	16.7	4	8.9	12	23.5
Dillon	15	28.4	3	12.6	12	41.5
Dorchester	21	16.9	12	13.9	8	21.3
Edgefield	5	17.2	2	12.4	3	23.3
Fairfield	4	11.6	1	9.8	3	12.3
Florence	32	17.0	7	7.5	25	26.4
Georgetown	16	20.6	6	14.7	10	27.2
Greenville	64	11.8	37	8.9	27	21.3
Greenwood	18	18.7	6	10.5	12	30.9
Hampton	11	35.5	1	7.9	10	54.6
Horry	31	12.0	17	9.0	14	20.3
Jasper	2	7.0	-	0	2	13.9
Kershaw	12	16.3	6	11.3	6	29.1
Lancaster	23	27.2	13	23.2	10	35.1
Laurens	14	16.8	9	15.7	5	19.4
Lee	7	26.2	2	32.3	5	24.4
Lexington	52	17.2	38	15.6	14	23.6
McCormick	1	10.4	-	0	1	16.1
Marion	11	20.6	1	4.9	10	30.3
Marlboro	8	18.2	1	5.4	6	23.7
Newberry	6	12.0	2	6.8	4	19.3
Oconee	8	10.4	7	10.2	1	11.9
Orangburg	34	25.6	6	14.3	28	30.8
Pickens	9	6.7	9	7.3	-	0
Richland	76	16.8	18	9.4	58	22.3
Saluda	4	15.3	1	6.1	3	31.3
Spartanburg	43	12.7	27	10.8	16	18.3
Sumter	28	15.9	8	9.5	20	21.7
Union	8	21.2	2	9.3	6	37.0
Williamsburg	16	29.0	1	6.5	15	37.6
York	43	18.5	29	16.8	14	23.3
Unknown	-	0	-	0	-	0

¹Rate per 1,000 Deliveries

Table 57.
 Causes of Maternal Death¹ by Age of Mother
 South Carolina, 2000
 (Residence Data)

Cause of Maternal Death	Total	Age							
		<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Complications of Pregnancy, Childbirth, and the Puerperium (O00-O99)	9	-	2	2	3	1	1	-	-
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	-	-	-	1	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	1	-	-	-	-	-	1	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-
5. Other Pregnancy with Abortive Outcome (O01-O02,O06-O07)	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (O10-O92)	7	-	2	2	2	1	-	-	-
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	1	-	-	1	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67, O72)	-	-	-	-	-	-	-	-	-
3. Complications Predominately Related to Puerperium (O85-O92)	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	2	-	1	-	-	1	-	-	-
Other Complications Predominately Related to Puerperium (O85-O87,O89-O92)	-	-	-	-	-	-	-	-	-
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	4	-	1	1	2	-	-	-	-
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-
IV. Other Deaths Related to Pregnancy, Child Birth and the Puerperium (O96-O97)	-	-	-	-	-	-	-	-	-
V. Indirect Obstetric Deaths (O98-O99)	1	-	-	-	1	-	-	-	-

¹Classified and Coded According to ICD-10

Table 57-A.
 Causes of Maternal Deaths¹ by Age and Race of Mother
 South Carolina, 2000
 (Residence Data)

Cause of Maternal Death	White									Black and Other								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45 + Years
Complications of Pregnancy, Childbirth, and the Puerperium (O00-O99)	4	-	2	1	-	-	1	-	-	5	-	-	1	3	1	-	-	-
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (O10-O92).	3	-	2	1	-	-	-	-	-	4	-	-	1	2	1	-	-	-
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67, O72)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Complications Predominantly Related to Puerperium (O85-O92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87, O89-O92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	2	-	1	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. Other Deaths Related to Pregnancy, Childbirth and the Puerperium (O96-O97)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. Indirect Obstetric Deaths (O98-O99)	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-

¹Classified & Coded According to ICD-10


The State Flower
"The Yellow Jasmine"




Officially adopted by the General Assembly in 1924

D
E
E
A
T
H

Figure 12.
Death Rates* by County
South Carolina, 2000
(Residence Data)



Death Rates



*Rates calculated per 1,000 population

Map Source: GIS Lab, Division of Biostatistics,
PHSIS, SC DHEC

Data Source: Division of Biostatistics, PHSIS,
SC DHEC

Table 58.
 Total Deaths and Death Rates¹ by Race
 South Carolina, 1976-2000
 (Residence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1976	23,639	8.3	15,652	8.0	7,987	9.0
1977	24,254	8.4	16,088	8.2	8,166	9.0
1978	24,055	8.2	15,993	7.9	8,062	8.9
1979	24,343	8.3	16,207	8.0	8,136	8.9
1980	25,138	8.1	16,781	7.8	8,357	8.6
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	25,066	7.7	16,823	7.5	8,243	8.1
1983	26,130	7.9	17,717	7.8	8,413	8.1
1984	26,363	8.0	17,815	7.9	8,548	8.2
1985	27,077	8.0	18,390	8.0	8,687	8.2
1986	28,122	8.2	19,098	8.2	9,024	8.3
1987	28,470	8.3	19,437	8.3	9,033	8.3
1988	29,397*	8.4	19,951	8.3	9,443	8.4
1989	29,576	8.4	20,032	8.3	9,544	8.5
1990	29,621*	8.5	20,192	8.4	9,427	8.8
1991	29,851*	8.4	20,364	8.3	9,482	8.6
1992	30,565*	8.5	20,945	8.4	9,617	8.6
1993	31,943*	8.8	21,939	8.7	10,002	8.9
1994	32,223*	8.8	22,295	8.8	9,927	8.8
1995	33,500*	9.1	23,342	9.2	10,152	9.0
1996	34,035*	9.2	23,585	9.2	10,448	9.2
1997	33,659*	9.0	23,362	9.0	10,276	8.8
1998	34,781*	9.1	24,428	9.2	10,333	8.7
1999	35,972*	9.3	25,432	9.5	10,523	8.8
2000	36,816	9.2	26,013	9.5	10,785	8.5

¹ Rates per 1,000 Population

* Includes unknown race

Figure 13.
 Death Rates by Race
 South Carolina, 1976-2000
 (Residence Data)




Table 59.
Mortality from Ten Leading Causes of Death by Race
South Carolina, 2000
(Residence Data)

Cause of Death (ICD-10 Code)	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	36,816 *	100.0	26,013	100.0	10,785	100.0
Ten Leading Causes, All Ages	28,515	77.6	20,506	78.8	8,009	74.2
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	9,856	26.8	7,241	27.8	2,615	24.2
Malignant Neoplasms (C00-C97)	8,211	22.3	5,888	22.6	2,323	21.5
Cerebrovascular Disease (I60-I69)	2,924	7.9	1,999	7.7	925	8.6
Accidents (V01-X59, Y85-Y86)	1,980	5.4	1,342	5.2	638	5.9
Chronic Lower Respiratory Disease (J40-J47)	1,724	4.7	1,477	5.7	247	2.3
Diabetes Mellitus (E10-E14)	1,202	3.3	659	2.5	543	5.0
Alzheimer's Disease (G30)	876	2.4	741	2.8	135	1.3
Pneumonia and Influenza (J10-J18)	696	1.9	524	2.0	172	1.6
Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)	539	1.5	329	1.3	210	1.9
Septicemia (A40-A41)	507	1.4	306	1.2	201	1.9
All Other Causes	8,301 *	22.5	5,507	21.2	2,776	25.7

* Includes unknown race

Figure 14.
Percent Distribution of the Ten Leading Causes of Death by Sex
South Carolina, 2000
(Residence Data)




Table 59-A.
Mortality from Ten Leading Causes of Death
by Race and Sex
South Carolina, 2000
(Residence Data)

MALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	18,633 *	100.0	13,145	100.0	5,479	100.0
Ten Leading Causes, All Ages	14,677	78.8	10,653	81.0	4,024	73.3
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	4,979	26.7	3,749	28.5	1,230	22.4
Malignant Neoplasms (C00-C97)	4,516	24.2	3,227	24.5	1,289	23.5
Accidents (V01-X59, Y85-Y86)	1,317	7.1	858	6.5	459	8.4
Cerebrovascular Disease (I60-I69)	1,168	6.3	788	6.0	380	6.9
Chronic Lower Respiratory Disease (J40-J47)	953	5.1	787	6.0	166	3.0
Diabetes Mellitus (E10-E14)	525	2.8	330	2.5	195	3.6
Suicide (X60-X84, X87.0)	342	1.8	291	2.2	51	0.9
Chronic Liver Disease and Cirrhosis (K70, K73-K74)	313	1.7	234	1.8	79	1.4
Pneumonia and Influenza (J10-J18)	292	1.6	219	1.7	73	1.3
Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)	272	1.5	170	1.3	102	1.9
All Other Causes	3,956 *	21.2	2,492	19.0	1,455	26.6
FEMALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	18,183 *	100.0	12,868	100.0	5,306	100.0
Ten Leading Causes, All Ages	14,036	77.1	10,037	78.1	3,999	75.5
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	4,877	26.8	3,492	27.1	1,385	26.1
Malignant Neoplasms (C00-C97)	3,695	20.3	2,661	20.7	1,034	19.5
Cerebrovascular Disease (I60-I69)	1,756	9.7	1,211	9.4	545	10.3
Chronic Lower Respiratory Disease (J40-J47)	771	4.2	690	5.4	81	1.5
Diabetes Mellitus (E10-E14)	677	3.7	329	2.6	348	6.6
Accidents (V01-X59, Y85-Y86)	663	3.6	484	3.8	179	3.4
Alzheimer's Disease (G30)	634	3.5	535	4.2	99	1.9
Pneumonia and Influenza (J10-J18)	404	2.2	305	2.4	99	1.9
Septicemia (A40-A41)	292	1.6	171	1.3	121	2.3
Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)	267	1.5	159	1.2	108	2.0
All Other Causes	4,147 *	22.8	2,831	22.0	1,307	24.6

* Includes unknown race

Table 60.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race
South Carolina, 2000
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	488	100.0	192	100.0	296	100.0
Disorders Relating to Short Gest, Etc. (P07)	95	19.5	23	12.0	72	24.3
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	89	18.2	42	21.9	47	15.9
Sudden Infant Death Syndrome (R95)	37	7.6	16	8.3	21	7.1
Newborn Affected by Maternal Complications of Pregnancy (P01)	25	5.1	9	4.7	16	5.4
Accidents (V01-X59, Y85-Y86)	22	4.5	11	5.7	11	3.7
All Other Causes	220	45.1	91	47.4	129	43.6
1 - 4 Years						
All Causes	73	100.0	35	100.0	38	100.0
Accidents (V01-X59, Y85-Y86)	25	34.2	11	31.4	14	36.8
Malignant Neoplasms (C00-C97)	9	12.3	5	14.3	4	10.5
Homicide (X85-Y09, Y87.1)	9	12.3	4	11.4	5	13.2
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	7	9.6	2	5.7	5	13.2
All Other Causes	23	31.5	13	37.1	10	26.3
5 - 14 Years						
All Causes	123	100.0	70	100.0	53	100.0
Accidents (V01-X59, Y85-Y86)	58	47.2	29	41.4	29	54.7
Malignant Neoplasms (C00-C97)	16	13.0	13	18.6	3	5.7
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	6	4.9	3	4.3	3	5.7
Suicide (X60-X84, Y87.0)	5	4.1	5	7.1	-	0
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	4	3.3	2	2.9	2	3.8
All Other Causes	34	27.6	18	25.7	16	30.2
15-24 Years						
All Causes	601	100.0	356	100.0	245	100.0
Accidents (V01-X59, Y85-Y86)	306	50.9	223	62.6	83	33.9
Homicide (X85-Y09, Y87.1)	96	16.0	29	8.1	67	27.3
Suicide (X60-X84, Y87.0)	48	8.0	37	10.4	11	4.5
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	33	5.5	10	2.8	23	9.4
Malignant Neoplasms (C00-C97)	31	5.2	17	4.8	14	5.7
All Other Causes	87	14.5	40	11.2	47	19.2
25 - 44 Years						
All Causes	2,419	100.0	1,344	100.0	1,074	100.0
Accidents (V01-X59, Y85-Y86)	576	23.8	358	26.6	218	20.3
Malignant Neoplasms (C00-C97)	335	13.8	187	13.9	148	13.8
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	331	13.7	181	13.5	150	14.0
Suicide (X60-X84, Y87.0)	161	6.7	136	10.1	25	2.3
HIV (B20-B24)	154	6.4	34	2.5	120	11.2
All Other Causes	862	35.6	448	33.3	413	38.5
45 - 64 Years						
All Causes	7,538	100.0	4,764	100.0	2,767	100.0
Malignant Neoplasms (C00-C97)	2,316	30.7	1,551	32.6	765	27.6
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,908	25.3	1,251	26.3	657	23.7
Accidents (V01-X59, Y85-Y86)	452	6.0	288	6.0	164	5.9
Cerebrovascular Disease (I60-I69)	353	4.7	167	3.5	186	6.7
Diabetes Mellitus (E10-E14)	310	4.1	146	3.1	164	5.9
All Other Causes	2,199	29.2	1,361	28.6	831	30.0
65 - 74 Years						
All Causes	7,354	100.0	5,318	100.0	2,031	100.0
Malignant Neoplasms (C00-C97)	2,336	31.8	1,757	33.0	579	28.5
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,977	26.9	1,437	27.0	540	26.6
Chronic Lower Respiratory Disease (J40-J47)	490	6.7	432	8.1	58	2.9
Cerebrovascular Disease (I60-I69)	464	6.3	299	5.6	165	8.1
Diabetes Mellitus (E10-E14)	305	4.1	168	3.2	137	6.7
All Other Causes	1,782	24.2	1,225	23.0	552	27.2
75 Years & Over						
All Causes	18,210	100.0	13,932	100.0	4,273	100.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	5,591	30.7	4,357	31.3	1,234	28.9
Malignant Neoplasms (C00-C97)	3,168	17.4	2,358	16.9	810	19.0
Cerebrovascular Disease (I60-I69)	2,022	11.1	1,495	10.7	527	12.3
Chronic Lower Respiratory Disease (J40-J47)	949	5.2	822	5.9	127	3.0
Alzheimer's Disease (G30)	796	4.4	673	4.8	123	2.9
All Other Causes	5,684	31.2	4,227	30.3	1,452	34.0

Table 60-A .
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Sex
South Carolina, 2000
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Males						
Under 1 Year						
All Causes	272	100.0	104	100.0	168	100.0
Disorders Relating to Short Gest, Etc. (P07)	54	19.9	13	12.5	41	24.4
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	46	16.9	19	18.3	27	16.1
Sudden Infant Death Syndrome (R95)	23	8.5	10	9.6	13	7.7
Newborn Aff by Maternal Comp of Preg (P01)	15	5.5	6	5.8	9	5.4
Accidents (V01-X59, Y85-Y86)	13	4.8	4	3.8	9	5.4
All Other Causes	121	44.5	52	50.0	69	41.1
1 - 4 Years						
All Causes	39	100.0	21	100.0	18	100.0
Accidents (V01-X59, Y85-Y86)	14	35.9	8	38.1	6	33.3
Homicide (X85-Y09, Y87.1)	5	12.8	2	9.5	3	16.7
Malignant Neoplasms (C00-C97)	4	10.3	3	14.3	1	5.6
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	3	7.7	-	0.0	3	16.7
Benign Neoplasms (D10-D36)	2	5.1	1	4.8	1	5.6
All Other Causes	11	28.2	7	33.3	4	22.2
5 - 14 Years						
All Causes	73	100.0	37	100.0	36	100.0
Accidents (V01-X59, Y85-Y86)	39	53.4	17	45.9	22	61.1
Malignant Neoplasms (C00-C97)	8	11.0	5	13.5	-	0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	5	6.8	3	8.1	2	5.6
Suicide (X60-X84, Y87.0)	5	6.8	5	13.5	-	0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	2	2.7	1	2.7	1	2.8
All Other Causes	14	19.2	6	16.2	8	22.2
15-24 Years						
All Causes	438	100.0	257	100.0	181	100.0
Accidents (V01-X59, Y85-Y86)	227	51.8	166	64.6	61	33.7
Homicide (X85-Y09, Y87.1)	80	18.3	19	7.4	61	33.7
Suicide (X60-X84, Y87.0)	46	10.5	36	14.0	10	5.5
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	22	5.0	8	3.1	14	7.7
Malignant Neoplasms (C00-C97)	14	3.2	6	2.3	8	4.4
All Other Causes	49	11.2	22	8.6	27	14.9
25 - 44 Years						
All Causes	1,580	100.0	908	100.0	671	100.0
Accidents (V01-X59, Y85-Y86)	438	27.7	273	30.1	165	24.6
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	222	14.1	125	13.8	97	14.5
Malignant Neoplasms (C00-C97)	158	10.0	94	10.4	64	9.5
Suicide (X60-X84, Y87.0)	122	7.7	100	11.0	22	3.3
HIV (B20-B24)	106	6.7	29	3.2	77	11.5
All Other Causes	534	33.8	287	31.6	246	36.7
45 - 64 Years						
All Causes	4,680	100.0	3,019	100.0	1,657	100.0
Malignant Neoplasms (C00-C97)	1,321	28.2	865	28.7	456	27.5
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,313	28.1	920	30.5	393	23.7
Accidents (V01-X59, Y85-Y86)	331	7.1	202	6.7	129	7.8
Cerebrovascular Disease (I60-I69)	204	4.4	98	3.2	106	6.4
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	186	4.0	139	4.6	47	2.8
All Other Causes	1,325	28.3	795	26.3	526	31.7
65 - 74 Years						
All Causes	4,214	100.0	3,129	100.0	1,083	100.0
Malignant Neoplasms (C00-C97)	1,367	32.4	1,029	32.9	338	31.2
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,207	28.6	937	29.9	270	24.9
Chronic Lower Respiratory Disease (J40-J47)	271	6.4	233	7.4	38	3.5
Cerebrovascular Disease (I60-I69)	262	6.2	178	5.7	84	7.8
Diabetes Mellitus (E10-E14)	140	3.3	89	2.8	51	4.7
All Other Causes	967	22.9	663	21.2	302	27.9
75 Years & Over						
All Causes	7,332	100.0	5,669	100.0	1,661	100.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	2,208	30.1	1,755	31.0	453	27.3
Malignant Neoplasms (C00-C97)	1,644	22.4	1,225	21.6	419	25.2
Cerebrovascular Disease (I60-I69)	657	9.0	491	8.7	166	10.0
Chronic Lower Respiratory Disease (J40-J47)	520	7.1	430	7.6	90	5.4
Alzheimer's	204	2.8	172	3.0	32	1.9
All Other Causes	2,099	28.6	1,596	28.2	501	30.2

Table 60-A (cont.)
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Sex
South Carolina, 2000
(Residence Data)
Females

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	216	100.0	88	100.0	128	100.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	43	19.9	23	26.1	20	15.6
Disorders Relating to Short Gest., Etc. (P07)	41	19.0	10	11.4	31	24.2
Sudden Infant Death Syndrome (R95)	14	6.5	6	6.8	8	6.3
Bacterial Sepsis (P36.9)	12	5.6	8	9.1	4	3.1
Newborn Affected by Maternal Complications of Pregnancy (P00-P06)	10	4.6	3	3.4	7	5.5
All Other Causes	96	44.4	38	43.2	58	45.3
1 - 4 Years						
All Causes	34	100.0	14	100.0	20	100.0
Accidents (V01-X59, Y85-Y86)	11	32.4	3	21.4	8	40.0
Malignant Neoplasms (C00-C97)	5	14.7	2	14.3	3	15.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	4	11.8	2	14.3	2	10.0
Homicide (X85-Y09, Y87.1)	4	11.8	2	14.3	2	10.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1	2.9	-	0	1	5.0
Pnuemonia and Influenza (J10-J11,J12-J18)	1	2.9	1	7.1	-	0
All Other Causes	8	23.5	4	28.6	4	20.0
5 - 14 Years						
All Causes	50	100.0	33	100.0	17	100.0
Accidents (V01-X59, Y85-Y86)	19	38.0	12	36.4	-	0
Malignant Neoplasms (C00-C97)	8	16.0	8	24.2	-	0
Septicemia (A40-A41)	2	4.0	2	6.1	-	0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	2	4.0	1	3.0	1	5.9
Homicide (X85-Y09, Y87.1)	2	4.0	1	3.0	1	5.9
All Other Causes	17	34.0	9	27.3	8	47.1
15-24 Years						
All Causes	163	100.0	99	100.0	64	100.0
Accidents (V01-X59, Y85-Y86)	79	48.5	57	57.6	22	34.4
Malignant Neoplasms (C00-C97)	17	10.4	11	11.1	6	9.4
Homicide (X85-Y09, Y87.1)	16	9.8	10	10.1	6	9.4
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	11	6.7	2	2.0	9	14.1
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	5	3.1	3	3.0	2	3.1
All Other Causes	35	21.5	16	16.2	19	29.7
25 - 44 Years						
All Causes	839	100.0	436	100.0	403	100.0
Malignant Neoplasms (C00-C97)	177	21.1	93	21.3	84	20.8
Accidents (V01-X59, Y85-Y86)	138	16.4	85	19.5	53	13.2
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	109	13.0	56	12.8	53	13.2
HIV (B20-B24)	48	5.7	5	1.1	43	10.7
Suicide (X60-X84, Y87.0)	39	4.6	36	8.3	3	0.7
All Other Causes	328	39.1	161	36.9	167	41.4
45 - 64 Years						
All Causes	2,858	100.0	1,745	100.0	1,110	100.0
Malignant Neoplasms (C00-C97)	995	34.8	686	39.3	309	27.8
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	595	20.8	331	19.0	264	23.8
Cerebrovascular Disease (I60-I69)	149	5.2	69	4.0	80	7.2
Diabetes Mellitus (E10-E14)	148	5.2	63	3.6	85	7.7
Accidents (V01-X59, Y85-Y86)	121	4.2	86	4.9	35	3.2
All Other Causes	850	29.7	510	29.2	337	30.4
65 - 74 Years						
All Causes	3,140	100.0	2,189	100.0	948	100.0
Malignant Neoplasms (C00-C97)	969	30.9	728	33.3	241	25.4
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	770	24.5	500	22.8	270	28.5
Chronic Lower Respiratory Disease (J40-J47)	219	7.0	199	9.1	20	2.1
Cerebrovascular Disease (I60-I69)	202	6.4	121	5.5	81	8.5
Diabetes Mellitus (E10-E14)	165	5.3	79	3.6	86	9.1
All Other Causes	815	26.0	562	25.7	250	26.4
75 Years & Over						
All Causes	10,878	100.0	8,263	100.0	2,612	100.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	3,383	31.1	2,602	31.5	781	29.9
Malignant Neoplasms (C00-C97)	1,524	14.0	1,133	13.7	391	15.0
Cerebrovascular Disease (I60-I69)	1,365	12.5	1,004	12.2	361	13.8
Alzheimer's (G30)	592	5.4	501	6.1	91	3.5
Chronic Lower Respiratory Disease (J40-J47)	429	3.9	392	4.7	37	1.4
All Other Causes	3,585	33.0	2,631	31.8	951	36.4

Table 61.
 Percent Distribution of Deaths by Race and Age
 South Carolina, 1980, 1990 and 2000
 (Residence Data)

Age at Death	Total			White			Black & Other		
	1980	1990	2000	1980	1990	2000	1980	1990	2000
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	3.2	2.3	0.5	2.0	1.4	0.7	5.7	4.1	2.7
01-04	0.6	0.4	0.1	0.5	0.3	0.1	0.9	0.5	0.4
05-09	0.0	0.2	0.1	0.3	0.2	0.1	0.4	0.3	0.3
10-14	0.3	0.3	0.1	0.3	0.2	0.1	0.4	0.4	0.2
15-19	1.2	0.9	0.5	1.3	0.9	0.7	1.1	0.9	0.8
20-24	1.8	1.1	0.5	1.5	1.0	0.7	2.3	1.4	1.5
25-34	3.3	3.3	1.1	2.8	2.5	1.6	4.4	5.2	3.2
35-44	4.2	5.0	2.5	3.2	3.7	3.6	6.2	7.6	6.7
45-54	8.8	7.1	4.8	7.9	6.3	6.9	10.6	8.8	12.2
55-64	18.4	13.8	8.1	17.6	13.3	11.5	20.0	14.8	13.4
65-74	25.7	25.2	14.4	26.0	25.5	20.4	25.3	24.5	18.8
75 and Over	32.1	40.4	37.8	36.7	44.6	53.6	22.7	31.4	39.6
Unknown	0	0	0	0	0	0	0	0	0

Table 62.
 Deaths from Major Cardiovascular Diseases
 South Carolina, 2000
 (Residence Data)

	Number	Percent
Major Cardiovascular Disease (I00-I78)	13,679	37.2
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	9,856	26.8
Essential Hypertension & Hypertensive Renal Disease (I10-I11)	378	1.0
Cerebrovascular Disease (I60-I69)	2,924	7.9
Atherosclerosis (I70)	113	0.3
Other Diseases of Circulatory System (I71-I78)	408	1.1

Table 63.
 Distribution of Malignant Neoplasms by Site and Sex
 South Carolina, 2000
 (Residence Data)

	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Malignant Neoplasms (C00-C97)	8,211	100.0	4516	100.0	3,695	100.0
Lip, Oral Cavity and Pharynx (C00-C14)	155	1.9	112	2.5	43	1.2
Digestive Organs (C15-C26)	1,893	23.1	1057	23.4	836	22.6
Respiratory and Intrathoracic Organs (C30-C39)	2,480	30.2	1581	35.0	899	24.3
Breast (C50)	637	7.8	7	0.2	630	17.1
Female Genital Organs (C51-C58)	326	4.0	-	0	326	8.8
Vulva and Vagina (C51-C52)	(13)	(4.0)	(-)	(0)	(13)	0.4
Cervix Uteri (C53)	(65)	(19.9)	(-)	(0)	(65)	1.8
Corpus Uteri and Uterus, part unspecified (C54-C55)	(72)	(22.1)	(-)	(0)	(72)	1.9
Ovary (C56)	(172)	(52.8)	(-)	(0)	(172)	4.7
Other Female Genital Organs (C57, C58)	(4)	(1.2)	(-)	(0)	(4)	0.1
Male Genital Organs (C60-C63)	521	6.3	521	11.5	-	0
Prostate (C61)	(510)	(97.9)	(510)	(11.3)	(-)	(0)
Testis (C62)	(6)	(1.2)	(6)	(0.1)	(-)	(0)
Penis and Other Male Genital Organs (C60, C63)	(5)	(1.0)	(5)	(0.1)	(-)	(0)
Urinary Tract (C64-C68)	330	4.0	222	4.9	108	2.9
Leukemia (C91-C95)	279	3.4	146	3.2	133	3.6
Lymphatic & Hematopoietic Tissues (C96)	-	0	-	0	-	0

Table 64.
Types of Accidental Deaths by Sex
South Carolina, 2000
(Residence Data)

	Total (V01-X59, Y85-Y86)	Transportation (V01-V99,Y85)	Poisoning (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W65- W74)	Firearms (W32-W34)	Residual
Total	1,980	1,059	204	178	98	63	17	361
Male	1,317	747	144	83	61	52	15	215
Female	663	312	60	95	37	11	2	146

Table 65.
Methods of Suicidal Deaths by Sex
South Carolina, 2000
(Residence Data)

	All Suicides (X60-X84, Y87.-)	Poisoning (X60-X68)	Hanging Strangulation & Suffocation (X70)	Drowning (X71)	Firearms (X72-X74)	Cutting and Piercing (X78)	Jumping from High Places (X80)	All Other
Total	445	70	45	7	298	4	3	18
Male	342	38	42	4	244	4	3	7
Female	103	32	3	3	54	-	-	11

Table 66.
Methods of Homicidal Deaths by Sex
South Carolina, 2000
(Residence Data)

	All Homicides (X85-Y09, Y87.1)	Fight, Brawl & Rape (Y04)	Poisoning (Y11-Y17)	Hanging & Strangulation (Y20)	Submersion (Y21)	Firearms (X93-X95)	Cutting & Piercing (X99)	All Other
Total	326	4	-	10	2	166	20	124
Male	249	1	-	5	1	142	16	84
Female	77	3	-	5	1	24	4	40

Table 67.
Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
(Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
ALL CAUSES	TOTAL	36,816	488	73	70	53	256	345	766	1,653	3,107	4,431	7,354	18,210	10
	WM	13,145	104	21	17	20	120	137	303	605	1,150	1,869	3,129	5,669	1
	WF	12,868	88	14	20	13	50	49	113	323	635	1,110	2,189	8,263	1
	BOM	5,479	168	18	24	12	60	121	224	447	820	837	1,083	1,661	4
	BOF	5,306	128	20	9	8	26	38	125	278	498	612	948	2,612	4
SALMONELLA INFECTIONS (A01-A02)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03, A06)	TOTAL	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
CERTAIN OTHER INFECTIONS (A04,A07-A09)	TOTAL	4	-	-	-	-	-	-	-	-	-	-	1	3	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	BOF	2	-	-	-	-	-	-	-	-	-	-	-	2	-
TUBERCULOSIS (A16-A19)	TOTAL	16	-	-	-	-	-	-	-	3	3	1	5	3	1
	WM	2	-	-	-	-	-	-	-	-	1	-	1	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	10	-	-	-	-	-	-	-	2	2	1	3	1	1
	BOF	3	-	-	-	-	-	-	-	1	-	-	1	1	-
1. RESPIRATORY TUBERCULOSIS (A16)	TOTAL	13	-	-	-	-	-	-	-	3	2	1	4	2	1
	WM	2	-	-	-	-	-	-	-	-	1	-	1	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	8	-	-	-	-	-	-	-	2	1	1	3	-	1
	BOF	2	-	-	-	-	-	-	-	1	-	-	-	1	-
2. OTHER TUBERCULOSIS (A17-A19)	TOTAL	3	-	-	-	-	-	-	-	-	1	-	1	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	2	-	-	-	-	-	-	-	-	1	-	-	1	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
WHOOPING COUGH (A37)	TOTAL	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	TOTAL	3	-	-	-	-	-	1	1	-	1	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	BOM	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
SEPTICEMIA (A40-A41)	TOTAL	507	6	-	1	1	-	3	5	20	33	52	108	278	-
	WM	135	2	-	-	-	-	1	-	7	8	15	36	66	-
	WF	171	1	-	1	1	-	-	-	3	6	15	25	119	-
	BOM	80	2	-	-	-	-	1	2	2	13	9	21	30	-
	BOF	121	1	-	-	-	-	1	3	8	6	13	26	63	-
SYPHILIS (A50-A53)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES (B05)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	TOTAL	62	-	-	-	-	-	-	-	15	21	9	8	9	-
	WM	33	-	-	-	-	-	-	-	10	11	3	6	3	-
	WF	8	-	-	-	-	-	-	-	1	1	2	1	3	-
	BOM	12	-	-	-	-	-	-	-	1	7	3	-	1	-
	BOF	9	-	-	-	-	-	-	-	3	2	1	1	2	-
HIV INFECTION (B20-B24)	TOTAL	260	-	-	-	-	-	2	47	107	73	14	13	4	-
	WM	48	-	-	-	-	-	-	5	24	15	3	-	1	-
	WF	10	-	-	-	-	-	-	3	2	2	-	2	1	-
	BOM	131	-	-	-	-	-	1	21	56	38	8	6	1	-
	BOF	71	-	-	-	-	-	1	18	25	18	3	5	1	-
MALARIA (B50-B54)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED INFECTIONS & PARASITIC DISEASE *	TOTAL	128	5	-	1	-	1	-	5	13	15	18	27	43	-
	WM	43	-	-	-	-	1	-	1	3	7	5	11	15	-
	WF	40	-	-	-	-	-	-	1	2	3	6	8	20	-
	BOM	26	2	-	1	-	-	-	-	5	5	5	4	4	-
	BOF	19	3	-	-	-	-	-	3	3	-	2	4	4	-
MALIGNANT NEOPLASMS (C00-C97)	TOTAL	8,211	-	9	12	4	10	21	66	269	858	1,458	2,336	3,168	-
	WM	3,227	-	3	4	1	2	4	25	69	262	603	1,029	1,225	-
	WF	2,661	-	2	6	2	2	9	15	78	250	436	728	1,133	-
	BOM	1,289	-	1	2	1	6	2	9	55	202	254	338	419	-
	BOF	1,034	-	3	-	-	-	6	17	67	144	165	241	391	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
1.OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	TOTAL	155	-	-	-	-	-	-	-	7	43	40	30	35	-
	WM	56	-	-	-	-	-	-	-	2	12	16	17	9	-
	WF	26	-	-	-	-	-	-	-	-	6	1	3	16	-
	BOM	56	-	-	-	-	-	-	-	5	19	18	8	6	-
	BOF	17	-	-	-	-	-	-	-	-	6	5	2	4	-
2.OF ESOPHAGUS (C15)	TOTAL	223	-	-	-	-	-	-	-	3	34	58	68	60	-
	WM	102	-	-	-	-	-	-	-	1	14	26	36	25	-
	WF	31	-	-	-	-	-	-	-	-	1	6	7	17	-
	BOM	68	-	-	-	-	-	-	-	2	14	22	18	12	-
	BOF	22	-	-	-	-	-	-	-	-	5	4	7	6	-
3.OF STOMACH (C16)	TOTAL	213	-	-	-	-	-	-	3	4	24	39	53	90	-
	WM	63	-	-	-	-	-	-	1	1	6	13	23	19	-
	WF	37	-	-	-	-	-	-	-	1	1	5	5	25	-
	BOM	71	-	-	-	-	-	-	-	2	14	14	20	21	-
	BOF	42	-	-	-	-	-	-	2	-	3	7	5	25	-
4.OF COLON, RECTUM & ANUS (C18-C21)	TOTAL	847	-	-	-	-	-	2	6	24	72	148	217	378	-
	WM	311	-	-	-	-	-	1	2	7	21	64	91	125	-
	WF	305	-	-	-	-	-	1	2	6	29	36	71	160	-
	BOM	113	-	-	-	-	-	-	1	6	15	27	32	32	-
	BOF	118	-	-	-	-	-	-	1	5	7	21	23	61	-
5. OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	TOTAL	177	-	-	-	-	-	-	3	6	32	28	48	60	-
	WM	82	-	-	-	-	-	-	1	1	14	14	26	26	-
	WF	45	-	-	-	-	-	-	-	1	2	5	16	21	-
	BOM	37	-	-	-	-	-	-	2	2	14	8	3	8	-
	BOF	13	-	-	-	-	-	-	-	2	2	1	3	5	-
6.OF PANCREAS (C25)	TOTAL	433	-	-	-	-	-	-	-	11	48	70	117	187	-
	WM	153	-	-	-	-	-	-	-	3	21	21	52	56	-
	WF	148	-	-	-	-	-	-	-	2	6	27	38	75	-
	BOM	57	-	-	-	-	-	-	-	2	14	10	8	23	-
	BOF	75	-	-	-	-	-	-	-	4	7	12	19	33	-
7.OF LARYNX (C32)	TOTAL	65	-	-	-	-	-	-	-	-	11	14	19	21	-
	WM	27	-	-	-	-	-	-	-	-	3	5	7	12	-
	WF	10	-	-	-	-	-	-	-	-	-	1	5	4	-
	BOM	24	-	-	-	-	-	-	-	-	8	7	5	4	-
	BOF	4	-	-	-	-	-	-	-	-	-	1	2	1	-
8.OF TRACHEA, BRONCHUS & LUNG (C33-C34)	TOTAL	2,415	-	-	-	-	1	-	5	45	218	537	839	770	-
	WM	1,160	-	-	-	-	-	-	2	18	83	252	428	377	-
	WF	722	-	-	-	-	-	-	2	8	50	162	256	244	-
	BOM	370	-	-	-	-	1	-	1	12	66	90	108	92	-
	BOF	163	-	-	-	-	-	-	-	7	19	33	47	57	-
9.OF SKIN (C43)	TOTAL	96	-	-	-	-	-	1	5	9	18	14	24	25	-
	WM	64	-	-	-	-	-	1	4	4	12	12	15	16	-
	WF	24	-	-	-	-	-	-	1	3	6	1	7	6	-
	BOM	4	-	-	-	-	-	-	-	2	-	1	-	1	-
	BOF	4	-	-	-	-	-	-	-	-	-	-	2	2	-
10.OF BREAST (C50)	TOTAL	637	-	-	-	-	-	-	8	59	121	97	139	213	-
	WM	7	-	-	-	-	-	-	-	-	-	3	2	2	-
	WF	422	-	-	-	-	-	-	4	27	68	64	95	164	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	208	-	-	-	-	-	-	4	32	53	30	42	47	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
11.OF CERVIX UTERI (C53)	TOTAL	65	-	-	-	-	-	-	3	9	11	13	13	16	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	20	-	-	-	-	-	-	-	3	6	4	2	5	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12.OF CORPUS UTERI & UTERUS PART UNSPECIFIED (C54-C55)	BOF	45	-	-	-	-	-	-	3	6	5	9	11	11	-
	TOTAL	72	-	-	-	-	-	-	-	3	9	11	20	29	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	42	-	-	-	-	-	-	-	3	8	5	7	19	-
13.OF OVARY (C56)	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	30	-	-	-	-	-	-	-	-	1	6	13	10	-
	TOTAL	172	-	-	-	-	-	-	1	5	21	27	39	79	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14.OF PROSTATE (C61)	WF	135	-	-	-	-	-	-	1	3	17	21	32	61	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	37	-	-	-	-	-	-	-	2	4	6	7	18	-
	TOTAL	510	-	-	-	-	-	-	-	2	3	37	141	327	-
15.OF KIDNEY & RENAL PELVIS (C64-C65)	WM	285	-	-	-	-	-	-	-	1	2	25	72	185	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	225	-	-	-	-	-	-	-	1	1	12	69	142	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16.OF BLADDER (C67)	TOTAL	181	-	-	1	1	-	-	1	5	17	43	48	65	-
	WM	99	-	-	1	-	-	-	1	3	11	25	25	33	-
	WF	44	-	-	-	1	-	-	-	-	3	8	13	19	-
	BOM	23	-	-	-	-	-	-	-	1	2	8	5	7	-
17.OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYSTEM (C70-C72)	BOF	15	-	-	-	-	-	-	-	1	1	2	5	6	-
	TOTAL	149	-	-	-	-	-	-	-	-	4	19	47	79	-
	WM	89	-	-	-	-	-	-	-	-	2	13	29	45	-
	WF	35	-	-	-	-	-	-	-	-	-	3	12	20	-
18.OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUES (C81-C96)	BOM	11	-	-	-	-	-	-	-	-	-	3	2	6	-
	BOF	14	-	-	-	-	-	-	-	-	2	-	4	8	-
	TOTAL	197	-	3	4	1	1	3	4	16	27	37	49	52	-
	WM	89	-	1	3	1	-	1	2	7	12	22	20	20	-
A.HODGKIN'S DISEASE (C81)	WF	71	-	2	1	-	-	-	-	5	9	11	25	18	-
	BOM	14	-	-	-	-	1	-	-	3	3	1	4	2	-
	BOF	23	-	-	-	-	-	2	2	1	3	3	-	12	-
	TOTAL	785	-	5	6	1	4	9	13	22	59	97	217	352	-
B.NON-HODGKIN'S LYMPHOMA (C82-C85)	WM	306	-	2	-	-	-	-	5	10	17	36	91	145	-
	WF	278	-	-	4	1	1	5	2	2	18	38	75	132	-
	BOM	98	-	-	2	-	3	1	2	8	12	11	25	34	-
	BOF	103	-	3	-	-	-	3	4	2	12	12	26	41	-
A.HODGKIN'S DISEASE (C81)	TOTAL	15	-	-	-	-	1	1	-	1	3	2	5	2	-
	WM	6	-	-	-	-	-	-	-	1	1	-	4	-	-
	WF	7	-	-	-	-	-	1	1	-	2	-	1	2	-
	BOM	2	-	-	-	-	-	-	-	-	-	2	-	-	-
B.NON-HODGKIN'S LYMPHOMA (C82-C85)	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	286	-	-	1	-	-	1	7	10	21	27	69	150	-
	WM	132	-	-	-	-	-	-	3	5	9	14	33	68	-
	WF	113	-	-	1	-	-	-	1	1	6	10	26	68	-
B.NON-HODGKIN'S LYMPHOMA (C82-C85)	BOM	21	-	-	-	-	-	-	-	3	4	2	6	6	-
	BOF	20	-	-	-	-	-	1	3	1	2	1	4	8	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
C.LEUKEMIA (C91-C95)	TOTAL	279	-	5	5	1	3	7	6	9	18	33	73	119	-
	WM	106	-	2	-	-	-	-	2	3	6	11	33	49	-
	WF	96	-	-	3	1	-	4	1	1	4	16	25	41	-
	BOM	40	-	-	2	-	3	1	2	4	4	4	6	14	-
	BOF	37	-	3	-	-	-	2	1	1	4	2	9	15	-
D.MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE (C88,C90)	TOTAL	205	-	-	-	-	-	-	-	2	17	35	70	81	-
	WM	62	-	-	-	-	-	-	-	1	1	11	21	28	-
	WF	62	-	-	-	-	-	-	-	-	6	12	23	21	-
	BOM	35	-	-	-	-	-	-	-	1	4	3	13	14	-
	BOF	46	-	-	-	-	-	-	-	-	6	9	13	18	-
E.REMAINDER (C96)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19.REMAINDER *	TOTAL	819	-	1	1	1	4	6	14	39	86	129	208	330	-
	WM	334	-	-	-	-	2	1	7	11	32	56	95	130	-
	WF	266	-	-	1	-	1	3	3	14	20	38	59	127	-
	BOM	118	-	1	-	1	1	1	3	9	20	22	31	29	-
	BOF	101	-	-	-	-	-	1	1	5	14	13	23	44	-
IN SITU, BENIGN & UNCERTAIN OR UNKNOWN NEOPLASMS (D00-D48)	TOTAL	159	-	2	1	1	1	1	2	5	8	19	41	78	-
	WM	51	-	1	-	1	-	-	-	2	4	5	15	23	-
	WF	62	-	-	1	-	-	-	-	-	1	9	17	34	-
	BOM	25	-	1	-	-	1	-	1	1	1	5	6	9	-
	BOF	21	-	-	-	-	-	1	1	2	2	-	3	12	-
ANEMIA (D50-D64)	TOTAL	74	-	-	-	2	-	-	8	5	4	7	12	36	-
	WM	13	-	-	-	-	-	-	-	1	1	1	5	5	-
	WF	23	-	-	-	-	-	-	-	-	-	-	2	21	-
	BOM	18	-	-	-	1	-	-	3	3	2	1	4	4	-
	BOF	19	-	-	-	1	-	-	5	1	1	4	1	6	-
DIABETES MELLITUS (E10-E14)	TOTAL	1,202	1	-	-	-	-	3	14	33	121	189	305	536	-
	WM	330	-	-	-	-	-	-	4	11	27	56	89	143	-
	WF	329	-	-	-	-	-	1	3	9	20	43	79	174	-
	BOM	195	1	-	-	-	-	1	1	8	37	42	51	54	-
	BOF	348	-	-	-	-	-	1	6	5	37	48	86	165	-
NUTRITIONAL DEFICIENCIES (E40-E64)	TOTAL	83	-	-	-	-	-	-	-	3	3	5	6	66	-
	WM	16	-	-	-	-	-	-	-	-	1	1	1	13	-
	WF	35	-	-	-	-	-	-	-	1	1	1	2	30	-
	BOM	12	-	-	-	-	-	-	-	1	-	1	3	7	-
	BOF	20	-	-	-	-	-	-	-	1	1	2	-	16	-
1.MALNUTRITION (E40-E46)	TOTAL	63	-	-	-	-	-	-	-	2	3	4	5	49	-
	WM	15	-	-	-	-	-	-	-	-	1	1	1	12	-
	WF	21	-	-	-	-	-	-	-	1	1	-	1	18	-
	BOM	8	-	-	-	-	-	-	-	-	-	1	3	4	-
	BOF	19	-	-	-	-	-	-	-	1	1	2	-	15	-
2.OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	TOTAL	20	-	-	-	-	-	-	-	1	-	1	1	17	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	14	-	-	-	-	-	-	-	-	-	1	1	12	-
	BOM	4	-	-	-	-	-	-	-	1	-	-	-	3	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
MENINGITIS (G00-G03)	TOTAL	11	1	1	-	-	-	-	1	2	1	2	2	1	-
	WM	6	1	1	-	-	-	-	1	-	-	1	1	1	-
	WF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOM	3	-	-	-	-	-	-	-	2	1	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
PARKINSON'S DISEASE (G20-G21)	TOTAL	207	-	-	-	-	-	-	-	-	-	4	28	175	-
	WM	99	-	-	-	-	-	-	-	-	-	2	11	86	-
	WF	89	-	-	-	-	-	-	-	-	-	2	13	74	-
	BOM	10	-	-	-	-	-	-	-	-	-	-	2	8	-
	BOF	9	-	-	-	-	-	-	-	-	-	-	2	7	-
ALZHEIMER'S DISEASE (G30)	TOTAL	876	-	-	-	-	-	-	-	-	2	6	71	796	1
	WM	206	-	-	-	-	-	-	-	-	-	2	32	172	-
	WF	535	-	-	-	-	-	-	-	-	-	4	30	501	-
	BOM	36	-	-	-	-	-	-	-	-	1	-	3	32	-
	BOF	99	-	-	-	-	-	-	-	-	-	-	6	91	1
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	TOTAL	13,679	9	3	4	3	14	25	80	354	914	1,512	2,617	8,142	2
	WM	4,839	1	-	1	2	5	5	29	124	384	693	1,196	2,399	-
	WF	4,981	1	-	1	-	1	3	10	64	138	289	663	3,811	-
	BOM	1,739	1	2	1	1	5	10	24	100	247	290	380	677	1
	BOF	2,120	6	1	1	-	3	7	17	66	145	240	378	1,255	1
1.DISEASES OF THE HEART (I00-I09,I11, I13,I20-I51)	TOTAL	9,856	7	2	3	3	14	19	60	271	712	1,196	1,977	5,591	1
	WM	3,749	1	-	1	2	5	3	22	103	329	591	937	1,755	-
	WF	3,492	1	-	-	1	1	9	47	105	226	500	2,602	-	-
	BOM	1,230	-	1	1	1	5	9	17	80	181	212	270	453	-
	BOF	1,385	5	1	1	-	3	6	12	41	97	167	270	781	1
A.ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE(I00-I09)	TOTAL	49	-	-	-	-	-	-	1	5	6	4	17	16	-
	WM	9	-	-	-	-	-	-	-	1	1	-	1	6	-
	WF	30	-	-	-	-	-	-	1	3	3	3	13	7	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	10	-	-	-	-	-	-	-	1	2	1	3	3	-
B.HYPERTENSIVE HEART DISEASE (I11)	TOTAL	334	-	-	-	-	1	1	2	10	39	34	62	185	-
	WM	60	-	-	-	-	-	-	-	2	9	7	18	24	-
	WF	117	-	-	-	-	-	-	1	1	3	5	15	92	-
	BOM	67	-	-	-	-	-	1	1	3	14	16	16	16	-
	BOF	90	-	-	-	-	1	-	4	4	13	6	13	53	-
C.HYPERTENSIVE HEART & RENAL DISEASE (I13)	TOTAL	50	-	-	-	-	1	-	1	1	3	6	7	31	-
	WM	9	-	-	-	-	-	-	-	-	1	1	4	3	-
	WF	12	-	-	-	-	-	-	-	-	-	1	-	11	-
	BOM	10	-	-	-	-	1	-	1	1	2	-	-	5	-
	BOF	19	-	-	-	-	-	-	-	-	-	4	3	12	-
D.ISCHEMIC HEART DISEASE (I20-I25)	TOTAL	6,752	-	-	-	-	-	4	17	160	470	892	1,415	3,794	-
	WM	2,840	-	-	-	-	-	-	7	72	252	478	719	1,312	-
	WF	2,308	-	-	-	-	-	-	3	25	64	164	345	1,707	-
	BOM	767	-	-	-	-	-	2	6	44	108	133	178	296	-
	BOF	837	-	-	-	-	-	2	1	19	46	117	173	479	-
1.ACUTE MYOCARDIAL INFARCTION (I21-I22)	TOTAL	3,368	-	-	-	-	-	2	8	88	274	502	749	1,745	-
	WM	1,436	-	-	-	-	-	-	4	37	150	261	383	601	-
	WF	1,052	-	-	-	-	-	-	3	13	35	92	165	744	-
	BOM	433	-	-	-	-	-	1	1	29	60	80	108	154	-
	BOF	447	-	-	-	-	-	1	-	9	29	69	93	246	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
2. OTHER ACUTE HEART DISEASE (I24)	TOTAL	123	-	-	-	-	-	-	-	8	16	26	30	43	-
	WM	47	-	-	-	-	-	-	-	7	4	7	14	15	-
	WF	28	-	-	-	-	-	-	-	-	2	2	8	16	-
	BOM	29	-	-	-	-	-	-	-	1	7	11	6	4	-
	BOF	19	-	-	-	-	-	-	-	-	3	6	2	8	-
3. OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	TOTAL	3,261	-	-	-	-	-	2	9	64	180	364	636	2,006	-
	WM	1,357	-	-	-	-	-	-	3	28	98	210	322	696	-
	WF	1,228	-	-	-	-	-	-	-	12	27	70	172	947	-
	BOM	305	-	-	-	-	-	1	5	14	41	42	64	138	-
	BOF	371	-	-	-	-	-	1	1	10	14	42	78	225	-
A. ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	TOTAL	590	-	-	-	-	-	-	2	23	43	51	71	400	-
	WM	187	-	-	-	-	-	-	1	12	23	27	27	97	-
	WF	252	-	-	-	-	-	-	-	3	9	10	20	210	-
	BOM	64	-	-	-	-	-	-	1	4	11	7	11	30	-
	BOF	87	-	-	-	-	-	-	-	4	-	7	13	63	-
B. ALL OTHER FORMS CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	TOTAL	2,671	-	-	-	-	-	2	7	41	137	313	565	1,606	-
	WM	1,170	-	-	-	-	-	-	2	16	75	183	295	599	-
	WF	976	-	-	-	-	-	-	-	9	18	60	152	737	-
	BOM	241	-	-	-	-	-	1	4	10	30	35	53	108	-
	BOF	284	-	-	-	-	-	-	1	1	6	35	65	162	-
E. OTHER HEART DISEASE (I26-I51)	TOTAL	2,671	7	2	3	3	12	14	39	95	194	260	476	1,565	1
	WM	831	1	-	1	2	5	3	15	28	66	105	195	410	-
	WF	1,025	1	-	-	-	1	1	4	18	35	53	127	785	-
	BOM	386	-	1	1	1	4	6	9	32	57	63	76	136	-
	BOF	429	5	1	1	-	2	4	11	17	36	39	78	234	1
1. ACUTE & SUBACUTE ENDOCARDITIS (I33)	TOTAL	22	-	-	-	-	-	-	1	1	8	4	3	5	-
	WM	8	-	-	-	-	-	-	-	-	5	-	1	2	-
	WF	5	-	-	-	-	-	-	1	1	1	-	-	2	-
	BOM	5	-	-	-	-	-	-	-	-	2	2	1	-	-
	BOF	4	-	-	-	-	-	-	-	-	-	2	1	1	-
2. DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	TOTAL	11	-	-	-	-	2	-	1	2	1	1	2	2	-
	WM	7	-	-	-	-	1	-	-	1	1	1	2	1	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	3	-	-	-	-	1	-	1	1	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. HEART FAILURE (I50)	TOTAL	778	-	-	-	-	1	-	3	5	26	42	120	581	-
	WM	229	-	-	-	-	-	-	1	3	9	20	55	141	-
	WF	349	-	-	-	-	-	-	-	-	8	8	27	306	-
	BOM	82	-	-	-	-	1	-	2	1	5	7	16	50	-
	BOF	118	-	-	-	-	-	-	-	1	4	7	22	84	-
4. ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	TOTAL	1,860	7	2	3	3	9	14	34	87	159	213	351	977	1
	WM	587	1	-	1	2	4	3	14	24	51	84	137	266	-
	WF	670	1	-	-	-	1	1	3	17	26	45	100	476	-
	BOM	296	-	1	1	1	2	6	6	30	50	54	59	86	-
	BOF	107	5	1	1	-	2	4	11	16	32	30	55	149	1
2. ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	TOTAL	378	-	-	-	-	-	-	1	12	32	39	71	223	-
	WM	81	-	-	-	-	-	-	1	3	6	10	24	37	-
	WF	107	-	-	-	-	-	-	-	1	4	4	14	84	-
	BOM	75	-	-	-	-	-	-	-	2	14	11	14	34	-
	BOF	115	-	-	-	-	-	-	-	6	8	14	19	68	-

Table 67 (cont.)
Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
(Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
3.CEREBROVASCULAR DISEASE (I60-I69)	TOTAL	2,924	2	1	1	-	-	5	14	62	143	210	464	2,022	-
	WM	788	-	-	-	-	-	2	4	15	41	57	178	491	-
	WF	1,211	-	-	1	-	-	1	1	14	23	46	121	1,004	-
	BOM	380	1	1	-	-	-	-	1	5	16	61	84	166	-
	BOF	545	1	-	-	-	-	-	1	4	17	34	81	361	-
4.ATHEROSCLEROSIS (I70)	TOTAL	113	-	-	-	-	-	-	-	2	3	4	23	81	-
	WM	36	-	-	-	-	-	-	-	1	-	3	7	25	-
	WF	47	-	-	-	-	-	-	-	-	2	-	9	36	-
	BOM	15	-	-	-	-	-	-	-	1	-	1	6	7	-
	BOF	15	-	-	-	-	-	-	-	-	1	-	1	13	-
5.OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	TOTAL	408	-	-	-	-	-	1	5	7	24	63	82	225	1
	WM	185	-	-	-	-	-	-	2	2	8	32	50	91	-
	WF	124	-	-	-	-	-	1	-	2	4	13	19	85	-
	BOM	39	-	-	-	-	-	-	2	1	7	5	6	17	1
	BOF	60	-	-	-	-	-	-	1	2	5	13	7	32	-
A. AORTIC ANEURYSM & DISSECTION (I71)	TOTAL	233	-	-	-	-	-	1	5	4	16	29	55	123	-
	WM	134	-	-	-	-	-	-	2	2	5	19	40	66	-
	WF	60	-	-	-	-	-	1	-	1	2	4	10	42	-
	BOM	23	-	-	-	-	-	-	2	1	6	3	3	8	-
	BOF	16	-	-	-	-	-	-	1	-	3	3	2	7	-
B. OTHER DISEASES OF CAPILLARIES, ARTERIES, ARTERIOL (I72-I78)	TOTAL	175	-	-	-	-	-	-	-	3	8	34	27	102	1
	WM	51	-	-	-	-	-	-	-	-	3	13	10	25	-
	WF	64	-	-	-	-	-	-	-	1	2	9	9	43	-
	BOM	16	-	-	-	-	-	-	-	-	1	2	3	9	1
	BOF	44	-	-	-	-	-	-	-	2	2	10	5	25	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	TOTAL	94	-	-	-	-	-	1	5	2	7	9	17	53	-
	WM	26	-	-	-	-	-	-	-	-	3	1	9	13	-
	WF	39	-	-	-	-	-	-	2	-	1	6	3	27	-
	BOM	18	-	-	-	-	-	1	1	1	2	1	5	7	-
	BOF	11	-	-	-	-	-	-	2	1	1	1	-	6	-
INFLUENZA & PNEUMONIA (J10-J18)	TOTAL	696	1	2	2	-	-	1	4	17	39	31	85	513	1
	WM	219	-	-	-	-	-	-	1	9	14	13	38	144	-
	WF	305	-	1	-	-	-	-	2	3	9	9	22	259	-
	BOM	73	1	1	1	-	-	1	1	3	12	5	11	37	-
	BOF	99	-	-	1	-	-	-	-	2	4	4	14	73	1
1. INFLUENZA (J10-J11)	TOTAL	34	-	-	-	-	-	-	-	-	-	-	4	30	-
	WM	9	-	-	-	-	-	-	-	-	-	-	2	7	-
	WF	22	-	-	-	-	-	-	-	-	-	-	2	20	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	2	-	-	-	-	-	-	-	-	-	-	-	2	-
2. PNEUMONIA (J12-J18)	TOTAL	662	1	2	2	-	-	1	4	17	39	31	81	483	1
	WM	210	-	-	-	-	-	-	1	9	14	13	36	137	-
	WF	283	-	1	-	-	-	-	2	3	9	9	20	239	-
	BOM	72	1	1	1	-	-	1	1	3	12	5	11	36	-
	BOF	97	-	-	1	-	-	-	-	2	4	4	14	71	1
OTHER ACUTE LOWER RESPIRATORY INFECTION (J20-J22)	TOTAL	11	-	-	-	-	-	-	-	-	-	1	2	8	-
	WM	3	-	-	-	-	-	-	-	-	-	-	1	2	-
	WF	5	-	-	-	-	-	-	-	-	-	1	-	4	-
	BOM	3	-	-	-	-	-	-	-	-	-	-	1	2	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
1. ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	TOTAL	6	-	-	-	-	-	-	-	-	-	-	1	5	-
	WM	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	WF	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	BOM	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	TOTAL	5	-	-	-	-	-	-	-	-	-	1	1	3	-
	WM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	WF	3	-	-	-	-	-	-	-	-	-	1	-	2	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	TOTAL	1,724	2	1	-	-	2	1	6	17	54	202	490	949	-
	WM	787	-	1	-	-	-	-	1	5	16	101	233	430	-
	WF	690	1	-	-	-	1	1	1	7	21	67	199	392	-
	BOM	166	-	-	-	-	1	-	4	3	7	23	38	90	-
	BOF	81	1	-	-	-	-	-	-	2	10	11	20	37	-
1. BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	TOTAL	26	1	-	-	-	-	-	-	3	2	2	4	14	-
	WM	9	-	-	-	-	-	-	-	1	1	1	2	4	-
	WF	12	1	-	-	-	-	-	-	-	-	1	2	8	-
	BOM	2	-	-	-	-	-	-	-	2	-	-	-	-	-
	BOF	3	-	-	-	-	-	-	-	-	1	-	-	2	-
2. EMPHYSEMA (J43)	TOTAL	248	-	-	-	-	-	-	-	2	7	28	65	146	-
	WM	119	-	-	-	-	-	-	-	1	2	13	34	69	-
	WF	89	-	-	-	-	-	-	-	1	3	11	26	48	-
	BOM	27	-	-	-	-	-	-	-	-	1	1	2	23	-
	BOF	13	-	-	-	-	-	-	-	-	1	3	3	6	-
3. ASTHMA (J45-J46)	TOTAL	71	-	1	-	-	2	1	5	6	11	11	14	20	-
	WM	8	-	1	-	-	-	-	-	1	1	1	1	3	-
	WF	33	-	-	-	-	1	1	1	3	3	6	8	10	-
	BOM	16	-	-	-	-	1	-	4	1	2	3	2	3	-
	BOF	14	-	-	-	-	-	-	-	1	5	1	3	4	-
4. OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	TOTAL	1,379	1	-	-	-	-	-	1	6	34	161	407	769	-
	WM	651	-	-	-	-	-	-	1	2	12	86	196	354	-
	WF	556	-	-	-	-	-	-	-	3	15	49	163	326	-
	BOM	121	-	-	-	-	-	-	-	-	4	19	34	64	-
	BOF	51	1	-	-	-	-	-	-	1	3	7	14	25	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	TOTAL	15	-	-	-	-	-	-	-	1	-	3	5	6	-
	WM	11	-	-	-	-	-	-	-	-	-	3	4	4	-
	WF	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	BOM	2	-	-	-	-	-	-	-	1	-	-	-	1	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	TOTAL	221	-	-	-	-	1	-	1	1	5	13	28	172	-
	WM	68	-	-	-	-	-	-	-	1	3	3	9	52	-
	WF	98	-	-	-	-	-	-	1	-	1	8	9	79	-
	BOM	28	-	-	-	-	1	-	-	-	1	2	6	18	-
	BOF	27	-	-	-	-	-	-	-	-	-	-	4	23	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	TOTAL	443	8	-	1	-	6	-	5	14	30	51	105	221	2
	WM	158	1	-	1	-	2	-	2	2	5	21	39	85	-
	WF	177	1	-	-	-	2	-	2	3	12	12	39	106	-
	BOM	53	1	-	-	-	1	-	1	6	6	11	14	12	1
	BOF	55	5	-	-	-	1	-	-	3	7	7	13	18	1

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
PEPTIC ULCER (K25-K28)	TOTAL	67	-	-	-	-	-	-	-	-	5	8	11	43	-
	WM	15	-	-	-	-	-	-	-	-	2	-	3	10	-
	WF	31	-	-	-	-	-	-	-	-	2	3	5	21	-
	BOM	9	-	-	-	-	-	-	-	-	-	4	1	4	-
	BOF	12	-	-	-	-	-	-	-	-	1	1	2	8	-
DISEASE OF APPENDIX (K35-K38)	TOTAL	12	-	-	-	1	-	1	-	-	2	2	1	5	-
	WM	7	-	-	-	-	-	1	-	-	-	2	1	3	-
	WF	2	-	-	-	-	-	-	-	-	1	-	-	1	-
	BOM	2	-	-	-	-	-	-	-	-	1	-	-	1	-
	BOF	1	-	-	-	1	-	-	-	-	-	-	-	-	-
HERNIA (K40-K46)	TOTAL	17	-	-	-	-	-	-	-	1	1	2	2	11	-
	WM	8	-	-	-	-	-	-	-	-	1	1	1	5	-
	WF	7	-	-	-	-	-	-	-	1	-	1	1	4	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	TOTAL	459	-	-	-	-	-	-	6	57	122	130	79	65	-
	WM	234	-	-	-	-	-	-	3	27	64	75	37	28	-
	WF	108	-	-	-	-	-	-	1	12	21	23	22	29	-
	BOM	79	-	-	-	-	-	-	1	11	30	17	13	7	-
	BOF	38	-	-	-	-	-	-	1	7	7	15	7	1	-
1. ALCOHOLIC LIVER DISEASE (K70)	TOTAL	294	-	-	-	-	-	-	3	49	91	93	40	18	-
	WM	163	-	-	-	-	-	-	2	22	50	56	22	11	-
	WF	48	-	-	-	-	-	-	-	11	14	13	8	2	-
	BOM	57	-	-	-	-	-	-	1	11	23	10	8	4	-
	BOF	26	-	-	-	-	-	-	-	5	4	14	2	1	-
2. OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	TOTAL	165	-	-	-	-	-	-	3	8	31	37	39	47	-
	WM	71	-	-	-	-	-	-	1	5	14	19	15	17	-
	WF	60	-	-	-	-	-	-	1	1	7	10	14	27	-
	BOM	22	-	-	-	-	-	-	-	-	7	7	5	3	-
	BOF	12	-	-	-	-	-	-	1	2	3	1	5	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	TOTAL	55	-	-	-	-	-	-	1	2	3	1	10	38	-
	WM	11	-	-	-	-	-	-	-	2	1	-	2	6	-
	WF	28	-	-	-	-	-	-	-	-	-	-	7	21	-
	BOM	3	-	-	-	-	-	-	-	-	1	-	-	2	-
	BOF	13	-	-	-	-	-	-	1	-	1	1	1	9	-
NEPHRITIS & OTHER DISORDERS (N00-N07, N17-N19, N25-N27)	TOTAL	539	1	-	-	-	-	1	6	12	32	57	130	300	-
	WM	170	-	-	-	-	-	1	2	2	12	18	32	103	-
	WF	159	1	-	-	-	-	-	-	3	7	11	34	103	-
	BOM	102	-	-	-	-	-	-	4	4	9	14	36	35	-
	BOF	108	-	-	-	-	-	-	-	3	4	14	28	59	-
1. ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N01,N04)	TOTAL	5	-	-	-	-	-	-	-	-	-	2	2	1	-
	WM	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOM	3	-	-	-	-	-	-	-	-	-	-	2	1	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. CHRONIC GLOMERULO-NEPHRITIS, ETC (N02-N03, N05-N07,N26)	TOTAL	11	-	-	-	-	-	-	-	-	1	1	-	9	-
	WM	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	WF	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	BOM	4	-	-	-	-	-	-	-	-	-	1	-	2	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 67 (cont.)
Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
(Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
3. RENAL FAILURE (N17-N19)	TOTAL	522	1	-	-	-	-	1	6	12	31	54	128	289	-
	WM	166	-	-	-	-	-	1	2	2	12	17	32	100	-
	WF	155	1	-	-	-	-	-	-	3	7	10	34	100	-
	BOM	95	-	-	-	-	-	-	4	4	8	13	34	32	-
	BOF	106	-	-	-	-	-	-	-	3	4	14	28	57	-
4. OTHER DISORDERS OF KIDNEY (N25,N27)	TOTAL	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	TOTAL	23	-	-	-	-	-	-	-	-	-	3	2	18	-
	WM	4	-	-	-	-	-	-	-	-	-	1	1	2	-
	WF	11	-	-	-	-	-	-	-	-	-	1	1	9	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	8	-	-	-	-	-	-	-	-	-	1	-	7	-
HYPERPLASIA OF PROSTATE (N40)	TOTAL	6	-	-	-	-	-	-	-	-	-	-	-	6	-
	WM	5	-	-	-	-	-	-	-	-	-	-	-	5	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	TOTAL	3	-	-	-	-	-	1	-	1	-	1	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	-	-	-	1	-	-	-	1	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	1	-	-	-	-	-
PREGNANCY, CHILDBIRTH & PUERPERIUM (O00-O99)	TOTAL	9	-	-	-	-	2	2	4	1	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	4	-	-	-	-	2	1	-	1	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	5	-	-	-	-	-	1	4	-	-	-	-	-	-
1.PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	TOTAL	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.OTHER COMPLICATIONS (O10-O99)	TOTAL	8	-	-	-	-	2	2	4	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	3	-	-	-	-	2	1	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	5	-	-	-	-	-	1	4	-	-	-	-	-	-
CERTAIN CONDITIONS IN PERINATAL PERIOD (P00-P96)	TOTAL	267	266	-	-	1	-	-	-	-	-	-	-	-	-
	WM	54	54	-	-	-	-	-	-	-	-	-	-	-	-
	WF	40	40	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	98	98	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	75	74	-	-	1	-	-	-	-	-	-	-	-	-
CONGENITAL ABNORMALITIES (Q00-Q09)	TOTAL	179	89	7	4	-	5	3	10	11	10	9	11	19	1
	WM	44	19	-	1	-	-	-	5	6	2	3	4	4	-
	WF	56	23	2	1	-	2	1	3	4	5	3	2	9	1
	BOM	44	27	3	1	-	1	2	2	-	2	-	3	3	-
	BOF	35	20	2	1	-	2	-	-	1	1	3	2	3	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
SYMPTOMS ETC. NOT CLASSIFIED (R00-R99)	TOTAL	481	54	1	2	-	2	3	20	37	42	39	69	211	1
	WM	130	16	-	-	-	2	2	11	13	8	14	21	43	-
	WF	158	8	1	-	-	-	-	4	7	8	6	18	106	-
	BOM	84	18	-	1	-	-	1	2	12	15	9	13	12	1
	BOF	92	12	-	1	-	-	-	2	5	7	8	12	45	-
ALL OTHER DISEASES (RESIDUAL)*	TOTAL	3,179	16	13	7	8	16	15	61	157	270	321	511	1,784	-
	WM	870	3	5	2	2	6	4	21	54	81	111	168	413	-
	WF	1,352	5	3	1	5	2	2	9	27	52	84	185	977	-
	BOM	437	5	1	3	-	2	6	18	41	71	72	81	137	-
	BOF	520	3	4	1	1	6	3	13	35	66	54	77	257	-
ACCIDENTS (V01-X59, Y85-Y86)	TOTAL	1,980	22	25	34	24	144	162	262	314	282	170	160	381	-
	WM	858	4	8	8	9	81	85	128	145	131	71	60	128	-
	WF	484	7	3	8	4	33	24	33	52	45	41	57	177	-
	BOM	459	9	6	14	8	18	43	77	88	81	48	32	35	-
	BOF	179	2	8	4	3	12	10	24	29	25	10	11	41	-
1. TRANSPORT ACCIDENTS (V01-V99, Y85)	TOTAL	1,059	7	10	23	21	114	140	185	182	134	79	83	81	-
	WM	484	2	2	7	7	61	74	83	72	64	36	38	38	-
	WF	209	1	-	5	3	30	22	21	36	18	16	27	30	-
	BOM	263	4	3	7	8	12	35	58	58	37	21	13	7	-
	BOF	103	-	5	4	3	11	9	23	16	15	6	5	6	-
A. MOTOR VEHICLE ACCIDENTS*	TOTAL	945	5	9	23	20	102	125	166	158	119	66	79	73	-
	WM	429	2	2	7	7	53	65	76	60	54	31	36	36	-
	WF	187	-	-	5	3	27	22	16	33	17	13	27	24	-
	BOM	237	3	3	7	8	12	30	53	53	33	17	11	7	-
	BOF	92	-	4	4	2	10	8	21	12	15	5	5	6	-
B. OTHER LAND & TRANSPORT ACCIDENTS*	TOTAL	107	2	1	-	1	12	15	16	23	13	12	4	8	-
	WM	52	-	-	-	-	8	9	6	11	9	5	2	2	-
	WF	21	1	-	-	-	3	-	4	3	1	3	-	6	-
	BOM	23	1	-	-	-	-	5	4	5	3	3	2	-	-
	BOF	11	-	1	-	1	1	1	2	4	-	1	-	-	-
C. WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99, Y85)	TOTAL	7	-	-	-	-	-	-	3	1	2	1	-	-	-
	WM	3	-	-	-	-	-	-	1	1	1	-	-	-	-
	WF	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	BOM	3	-	-	-	-	-	-	1	-	1	1	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. NONTRANSPORT ACCIDENTS (W00-X59, Y86)	TOTAL	921	15	15	11	3	30	22	77	132	148	91	77	300	-
	WM	374	2	6	1	2	20	11	45	73	67	35	22	90	-
	WF	275	6	3	3	1	3	2	12	16	27	25	30	147	-
	BOM	196	5	3	7	-	6	8	19	30	44	27	19	28	-
	BOF	76	2	3	-	-	1	1	1	13	10	4	6	35	-
A. FALLS (W00-W19)	TOTAL	178	-	1	-	1	-	-	3	7	20	14	18	114	-
	WM	63	-	-	-	1	-	-	1	4	10	8	4	35	-
	WF	90	-	1	-	-	-	-	1	1	6	2	9	70	-
	BOM	20	-	-	-	-	-	-	1	1	4	4	5	5	-
	BOF	5	-	-	-	-	-	-	-	1	-	-	-	4	-
B. ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	TOTAL	17	-	-	-	2	3	1	4	5	1	1	-	-	-
	WM	13	-	-	-	1	3	-	2	5	1	1	-	-	-
	WF	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	BOM	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
C. ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	TOTAL	63	2	5	3	-	11	5	11	10	8	3	3	2	-
	WM	32	-	3	-	-	5	2	9	5	6	1	1	-	-
	WF	9	1	1	-	-	1	1	-	-	1	1	1	2	-
	BOM	20	-	-	3	-	5	2	2	5	1	1	1	-	-
	BOF	2	1	1	-	-	-	-	-	-	-	-	-	-	-
D. ACCIDENTAL EXPLOSION OF SMOKE FIRE & FLAME (X00-X09)	TOTAL	98	-	5	5	-	1	-	8	13	14	17	10	25	-
	WM	22	-	2	-	-	1	-	-	6	2	3	3	5	-
	WF	14	-	1	3	-	-	-	2	-	-	2	3	3	-
	BOM	39	-	1	2	-	-	-	6	5	5	9	3	8	-
	BOF	23	-	1	-	-	-	-	-	2	7	3	1	9	-
E. ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	TOTAL	204	1	1	1	-	8	8	33	71	51	18	5	7	-
	WM	114	-	-	1	-	6	5	22	42	25	8	1	4	-
	WF	48	1	-	-	-	1	-	7	12	13	8	3	3	-
	BOM	30	-	1	-	-	1	2	4	10	10	2	-	-	-
	BOF	12	-	-	-	-	-	-	1	7	3	-	1	-	-
F. OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS *	TOTAL	346	12	3	2	-	6	8	18	25	47	36	41	148	-
	WM	124	2	1	-	-	4	4	11	10	21	13	13	45	-
	WF	109	4	-	-	-	1	-	2	3	6	12	14	67	-
	BOM	79	5	1	2	-	-	-	4	9	20	10	10	14	-
	BOF	34	1	1	-	-	1	-	1	3	-	1	4	22	-
INTENTIONAL SELFHARM (SUICIDE) (X60-X84,Y87.0)	TOTAL	445	-	-	-	5	18	30	68	93	99	49	36	47	-
	WM	291	-	-	-	5	14	22	44	56	68	26	23	33	-
	WF	96	-	-	-	-	1	-	12	24	22	20	10	7	-
	BOM	51	-	-	-	-	3	7	10	12	7	3	3	6	-
	BOF	7	-	-	-	-	-	1	2	1	2	-	-	1	-
1. BY DISCHARGE OF FIREARM (X72-X74)	TOTAL	298	-	-	-	3	10	23	37	64	61	36	28	36	-
	WM	213	-	-	-	3	8	18	26	39	46	22	21	30	-
	WF	51	-	-	-	-	-	-	7	15	11	11	5	2	-
	BOM	31	-	-	-	-	2	4	4	9	3	3	2	4	-
	BOF	3	-	-	-	-	-	1	-	1	1	-	-	-	-
2. OTHER UNSPECIFIED MEANS (X60-X71, X75-X84,Y87.0)	TOTAL	147	-	-	-	2	8	7	31	29	38	13	8	11	-
	WM	78	-	-	-	2	6	4	18	17	22	4	2	3	-
	WF	45	-	-	-	-	1	-	5	9	11	9	5	5	-
	BOM	20	-	-	-	-	1	3	6	3	4	-	1	2	-
	BOF	4	-	-	-	-	-	-	2	-	1	-	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	TOTAL	326	6	9	-	3	34	62	68	72	40	20	8	3	1
	WM	93	3	2	-	-	7	12	14	24	17	10	3	-	1
	WF	49	-	2	-	1	4	6	9	16	4	3	2	2	-
	BOM	156	2	3	-	1	21	40	39	26	16	6	2	-	-
	BOF	28	1	2	-	1	2	4	6	6	3	1	1	1	-
1. BY DISCHARGE OF FIREARM (X93-X95)	TOTAL	166	-	1	-	1	20	36	41	37	16	8	6	-	-
	WM	45	-	-	-	-	3	6	9	13	8	4	2	-	-
	WF	19	-	-	-	-	-	1	5	7	1	3	2	-	-
	BOM	97	-	1	-	1	17	28	26	15	7	1	1	-	-
	BOF	5	-	-	-	-	-	1	1	2	-	-	1	-	-
2. BY OTHER UNSPECIFIED MEANS (X85-X92, X96-Y09,Y87.1)	TOTAL	160	6	8	-	2	14	26	27	35	24	12	2	3	1
	WM	48	3	2	-	-	4	6	5	11	9	6	1	-	1
	WF	30	-	2	-	1	4	5	4	9	3	-	-	2	-
	BOM	59	2	2	-	-	4	12	13	11	9	5	1	-	-
	BOF	23	1	2	-	1	2	3	5	4	3	1	-	1	-

Table 67 (cont.)
 Deaths by Cause¹, Age, Race and Sex, South Carolina, 2000
 (Residence Data)

CAUSE OF DEATH	SEX / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
LEGAL INTERVENTION (Y35,Y89.0)	TOTAL	9	-	-	-	-	-	2	4	3	-	-	-	-	-
	WM	5	-	-	-	-	-	-	3	2	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	4	-	-	-	-	-	2	1	1	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT(Y10-Y34,Y87.2,Y89.9)	TOTAL	32	-	-	-	-	-	4	6	11	2	5	2	2	-
	WM	16	-	-	-	-	-	-	3	6	1	2	2	2	-
	WF	7	-	-	-	-	-	-	2	3	1	1	-	-	-
	BOM	8	-	-	-	-	-	3	1	2	-	2	-	-	-
	BOF	1	-	-	-	-	-	1	-	-	-	-	-	-	-
1. DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	TOTAL	7	-	-	-	-	-	1	2	1	-	2	1	-	-
	WM	4	-	-	-	-	-	-	1	1	-	1	1	-	-
	WF	2	-	-	-	-	-	-	1	-	-	1	-	-	-
	BOM	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT *	TOTAL	25	-	-	-	-	-	3	4	10	2	3	1	2	-
	WM	12	-	-	-	-	-	-	2	5	1	1	1	2	-
	WF	5	-	-	-	-	-	-	1	3	1	-	-	-	-
	BOM	7	-	-	-	-	-	2	1	2	-	2	-	-	-
	BOF	1	-	-	-	-	-	1	-	-	-	-	-	-	-
OPERATION OF WAR (Y36,Y89.1)	TOTAL	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	TOTAL	39	-	-	1	-	-	-	-	-	4	8	9	17	-
	WM	10	-	-	-	-	-	-	-	-	-	3	5	2	-
	WF	10	-	-	1	-	-	-	-	-	-	1	2	6	-
	BOM	8	-	-	-	-	-	-	-	-	2	1	2	3	-
	BOF	11	-	-	-	-	-	-	-	-	2	3	-	6	-

¹Classified and Coded According to ICD-10

* See Appendix for ICD-10 Code

Table 68.
Deaths and Death Rates¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	36,816 *	9.2	26,013	9.5	10,785	8.5
Abbeville	229	8.8	159	8.8	70	8.6
Abbeville	77	---	47	---	30	---
Honea Path (Part)	2	---	-	---	2	---
Balance of County	150	---	112	---	38	---
Aiken	1,305 *	9.2	993	9.6	311	8.0
New Ellenton	17	---	12	---	5	---
Belvedere	2	---	1	---	1	---
Clearwater	9	---	9	---	-	---
Gloverville	6	---	6	---	-	---
Aiken	413	---	308	---	105	---
N Augusta	202	---	164	---	38	---
Balance of County	656	---	493	---	162	---
Allendale	109	9.7	42	13.5	67	8.3
Allendale	39	---	9	---	30	---
Balance of County	70	---	33	---	37	---
Anderson	1,693 *	10.2	1,419	10.4	274	9.5
Homeland Park	-	---	-	---	-	---
Piedmont (Part)	61	---	59	---	2	---
Northlake	-	---	-	---	-	---
Belton	44	---	34	---	10	---
Honea Path (Part)	41	---	35	---	6	---
Williamston	42	---	37	---	5	---
Clemson (Part)	-	---	-	---	-	---
Pendleton	24	---	12	---	12	---
Centerville	-	---	-	---	-	---
Anderson	457	---	324	---	133	---
Balance of County	1,024	---	918	---	106	---
Bamberg	209 *	12.5	97	15.9	110	10.4
Bamberg	79	---	45	---	33	---
Denmark	38	---	10	---	27	---
Balance of County	92	---	42	---	50	---
Barnwell	222	9.5	113	8.6	109	10.6
Barnwell	50	---	30	---	20	---
Williston	38	---	23	---	15	---
Blackville	28	---	6	---	22	---
Balance of County	105	---	54	---	51	---
Beaufort	914 *	7.6	695	7.8	218	6.8
Beaufort	177	---	115	---	61	---
Port Royal	24	---	19	---	5	---
Burton	6	---	4	---	2	---
Laurel Bay	2	---	1	---	1	---
Parris Island	1	---	-	---	1	---
Shell Point	-	---	-	---	-	---
Hilton Head	367	---	336	---	31	---
Balance of County	337	---	220	---	117	---
Berkeley	877 *	6.1	596	6	280	6.5
Ladson (Part)	8	---	5	---	3	---
N Charleston (Part)	-	---	-	---	-	---
Moncks Corner	79	---	45	---	34	---
Summerville (Part)	22	---	17	---	5	---
Hanahan	104	---	92	---	12	---
Goose Creek	143	---	116	---	27	---
Balance of County	521	---	321	---	199	---

Table 68 (cont.)
Deaths and Death Rates¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Calhoun	157	10.3	90	11.7	67	8.9
Balance of County	157	---	90	---	67	---
Charleston	2,894 *	9.3	1,843	9.4	1,047	9.2
Mt Pleasant	477	---	394	---	83	---
Isle of Palms	20	---	20	---	-	---
Summerville (Part)	5	---	2	---	3	---
Ladson (Part)	6	---	2	---	4	---
Charleston	969	---	583	---	384	---
N Charleston (Part)	620	---	348	---	272	---
Balance of County	795	---	493	---	300	---
Cherokee	528	10.1	433	10.5	95	8.4
East Gaffney	1	---	1	---	-	---
Gaffney	201	---	138	---	63	---
Balance of County	326	---	294	---	32	---
Chester	338	9.9	219	10.6	119	8.8
Chester	80	---	40	---	40	---
Great Falls	18	---	15	---	3	---
Balance of County	240	---	164	---	76	---
Chesterfield	422	9.9	292	10.4	130	8.8
Cheraw	102	---	65	---	37	---
Pageland	17	---	13	---	4	---
Balance of County	303	---	214	---	89	---
Clarendon	329	10.1	128	8.7	201	11.4
Manning	66	---	20	---	46	---
Balance of County	262	---	108	---	154	---
Colleton	386	10.1	215	10.0	171	10.2
Walterboro	93	---	49	---	44	---
Balance of County	293	---	166	---	127	---
Darlington	738	11.0	460	11.9	278	9.7
Darlington	122	---	61	---	61	---
Hartsville	131	---	78	---	53	---
North Hartsville	-	---	-	---	-	---
Balance of County	485	---	321	---	164	---
Dillon	315	10.3	172	10.9	143	9.5
Dillon	105	---	65	---	40	---
Balance of County	209	---	106	---	103	---
Dorchester	713	7.4	488	7.0	225	8.5
N Charleston (Part)	7	---	7	---	-	---
Summerville (Part)	292	---	221	---	71	---
Balance of County	414	---	260	---	154	---
Edgefield	197	8.0	127	9.0	69	6.6
Edgefield	46	---	30	---	16	---
Johnston	21	---	13	---	8	---
N Augusta	2	---	2	---	-	---
Balance of County	128	---	82	---	45	---
Fairfield	322	13.7	154	16.4	168	11.9
Winnsboro	54	---	20	---	34	---
Balance of County	268	---	134	---	134	---
Florence	1,325	10.5	816	10.9	509	9.9
Lake City	79	---	23	---	56	---
Florence	445	---	244	---	201	---
Balance of County	801	---	549	---	252	---

Table 68 (cont.)
Deaths and Death Rates¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Georgetown	532	9.5	332	9.8	200	9.1
Andrews	26	---	10	---	16	---
Georgetown	152	---	81	---	71	---
Murrells Inlet	2	---	1	---	1	---
Balance of County	352	---	240	---	112	---
Greenville	3,346	8.8	2,735	9.1	611	7.9
Mauldin	75	---	68	---	7	---
Berea	-	---	-	---	-	---
Gantt	-	---	-	---	-	---
Parker	-	---	-	---	-	---
Taylors	21	---	10	---	11	---
Wade Hampton	-	---	-	---	-	---
Simpsonville	110	---	93	---	17	---
Welcome	-	---	-	---	-	---
Travelers Rest	12	---	12	---	-	---
Piedmont (Part)	14	---	13	---	1	---
Fountain Inn (Part)	48	---	38	---	10	---
Judson	-	---	-	---	-	---
Dunean	-	---	-	---	-	---
San Souci	-	---	-	---	-	---
Greenville	739	---	444	---	295	---
Greer (Part)	169	---	148	---	21	---
Balance of County	2,158	---	1,909	---	249	---
Greenwood	700	10.6	512	11.6	188	8.5
Greenwood	357	---	239	---	118	---
Balance of County	342	---	272	---	70	---
Hampton	227 *	10.6	110	11.9	116	9.6
Hampton	27	---	15	---	12	---
Balance of County	200	---	95	---	104	---
Horry	1,924 *	9.8	1,648	10.1	275	8.1
Red Hill	-	---	-	---	-	---
Conway	229	---	161	---	68	---
Forestbrook	1	---	1	---	-	---
Surfside Beach	45	---	44	---	1	---
N Myrtle Beach	75	---	72	---	3	---
Garden City	11	---	11	---	-	---
Little River	7	---	5	---	2	---
Socastee	4	---	4	---	-	---
Myrtle Beach	281	---	252	---	29	---
Balance of County	1,270	---	1,097	---	172	---
Jasper	142	6.9	56	6.1	86	7.4
Balance of County	142	---	56	---	86	---
Kershaw	518	9.8	352	9.2	166	11.5
Camden	120	---	77	---	43	---
Lugoff	5	---	2	---	3	---
Balance of County	393	---	273	---	120	---
Lancaster	619	10.1	479	10.8	140	8.2
Lancaster	88	---	48	---	40	---
Springdale	1	---	1	---	-	---
Balance of County	530	---	430	---	100	---
Laurens	711	10.2	524	10.3	187	9.9
Clinton	140	---	113	---	27	---
Laurens	218	---	161	---	57	---
Fountain Inn (Part)	8	---	5	---	3	---
Balance of County	345	---	245	---	100	---

Table 68 (cont.)
Deaths and Death Rates¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Lee	188	9.3	77	10.8	111	8.5
Bishopville	73	---	35	---	38	---
Balance of County	115	---	42	---	73	---
Lexington	1,692	7.8	1,491	8.1	201	6.5
Irmo (Part)	8	---	6	---	2	---
Cayce	101	---	82	---	19	---
Batesburg	48	---	25	---	23	---
Lexington	55	---	41	---	14	---
Oak Grove	2	---	2	---	-	---
Springdale	2	---	2	---	-	---
Red Bank	-	---	-	---	-	---
W Columbia	251	---	224	---	27	---
Seven Oaks	-	---	-	---	-	---
Balance of County	1,225	---	1,109	---	116	---
McCormick	97	9.7	51	11.3	46	8.4
Balance of County	97	---	51	---	46	---
Marion	416	11.7	190	12.7	226	11.0
Marion	78	---	32	---	46	---
Mullins	86	---	38	---	48	---
Balance of County	252	---	120	---	132	---
Marlboro	354 *	12.3	193	14.9	159	10.0
Bennettsville	139	---	48	---	89	---
McColl	28	---	23	---	5	---
Balance of County	187	---	122	---	65	---
Newberry	355	9.8	249	10.5	106	8.5
Newberry	155	---	114	---	41	---
Balance of County	200	---	135	---	65	---
Oconee	635	9.6	582	9.7	53	8.7
Seneca	70	---	42	---	28	---
Walhalla	25	---	23	---	2	---
Westminster	20	---	16	---	4	---
Balance of County	520	---	501	---	19	---
Orangeburg	932 *	10.2	426	12.4	505	8.8
Brookdale	-	---	-	---	-	---
Edisto	-	---	-	---	-	---
Wilkinson Heights	1	---	1	---	-	---
Orangeburg	190	---	98	---	91	---
Balance of County	741	---	327	---	414	---
Pickens	895	8.1	825	8.1	70	7.6
Ariah	1	---	1	---	-	---
Liberty	35	---	32	---	3	---
Pickens	76	---	67	---	9	---
Easley	216	---	188	---	28	---
Clemson (Part)	65	---	53	---	12	---
Balance of County	502	---	484	---	18	---
Richland	2,600 *	8.1	1,499	9.1	1,099	7.1
Dentsville	1	---	1	---	-	---
Irmo (Part)	15	---	12	---	3	---
Forest Acres	2	---	1	---	1	---
Valencia Heights	1	---	-	---	1	---
Woodfield	-	---	-	---	-	---
Columbia/Ft Jackson	1,261	---	613	---	646	---
St Andrews	1	---	1	---	-	---
Balance of County	1,319	---	871	---	448	---

Table 68 (cont.)
Deaths and Death Rates¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Saluda	201	10.5	145	11.1	56	9.2
Batesburg (Part)	7	---	2	---	5	---
Saluda	22	---	13	---	9	---
Balance of County	172	---	130	---	42	---
Spartanburg	2,599	10.2	2,096	10.7	503	8.6
Boiling Springs	9	---	7	---	2	---
Woodruff	65	---	48	---	17	---
Southern Shops	-	---	-	---	-	---
Valley Falls	-	---	-	---	-	---
Wellford	18	---	13	---	5	---
Saxon	1	---	1	---	-	---
Spartanburg	617	---	388	---	229	---
Greer (Part)	58	---	39	---	19	---
Balance of County	1,831	---	1,600	---	231	---
Sumter	945 *	9.0	504	9.4	440	8.6
Cherryvale	1	---	1	---	-	---
South Sumter	-	---	-	---	-	---
Sumter	460	---	244	---	216	---
Balance of County	484	---	259	---	224	---
Union	356	11.9	268	13.1	88	9.3
Union	131	---	96	---	35	---
Balance of County	225	---	172	---	53	---
Williamsburg	360	9.7	130	10.6	230	9.2
Andrews (Part)	2	---	2	---	-	---
Kingstree	60	---	23	---	37	---
Balance of County	297	---	105	---	192	---
York	1,236	7.5	980	7.6	256	7.3
Clover	35	---	26	---	9	---
Fort Mill	47	---	41	---	6	---
York	81	---	53	---	28	---
Lake Wylie	7	---	6	---	1	---
Tega Cay	7	---	7	---	-	---
Rock Hill	516	---	370	---	146	---
Balance of County	542	---	477	---	65	---
Unknown	14	---	8	---	6	---

¹ Rate per 1,000 Modified Census Population (See Technical Notes)

* Includes unknown race

Table 69.
Deaths and Death Rates ¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	36,170	9.0	25,615	9.3	10,555	8.4
Abbeville	160	6.1	113	6.3	47	5.8
Abbeville	90	---	61	---	29	---
Honea Path (Part)	1	---	-	---	1	---
Balance of County	69	---	52	---	17	---
Aiken	1,007	7.1	747	7.2	260	6.7
New Ellenton	25	---	23	---	2	---
Belvedere	-	---	-	---	-	---
Clearwater	6	---	6	---	-	---
Gloverville	3	---	3	---	-	---
Aiken	609	---	417	---	192	---
N Augusta	98	---	80	---	18	---
Balance of County	266	---	218	---	48	---
Allendale	65	5.8	29	9.3	36	4.4
Allendale	5	---	2	---	3	---
Balance of County	60	---	27	---	33	---
Anderson	1,627	9.8	1,350	9.9	277	9.6
Homeland Park	-	---	-	---	-	---
Piedmont (Part)	55	---	53	---	2	---
Northlake	-	---	-	---	-	---
Belton	8	---	6	---	2	---
Honea Path (Part)	11	---	9	---	2	---
Williamston	11	---	10	---	1	---
Clemson (Part)	-	---	-	---	-	---
Pendleton	7	---	3	---	4	---
Centerville	-	---	-	---	-	---
Anderson	934	---	740	---	194	---
Balance of County	601	---	529	---	72	---
Bamberg	160	9.6	72	11.8	88	8.3
Bamberg	110	---	55	---	55	---
Denmark	17	---	4	---	13	---
Balance of County	33	---	13	---	20	---
Barnwell	139	5.9	76	5.8	63	6.1
Barnwell	62	---	37	---	25	---
Williston	22	---	14	---	8	---
Blackville	5	---	1	---	4	---
Balance of County	50	---	24	---	26	---
Beaufort	880	7.3	666	7.5	214	6.7
Beaufort	333	---	202	---	131	---
Port Royal	5	---	4	---	1	---
Burton	2	---	2	---	-	---
Laurel Bay	-	---	-	---	-	---
Parris Island	-	---	-	---	-	---
Shell Point	-	---	-	---	-	---
Hilton Head	378	---	339	---	39	---
Balance of County	162	---	119	---	43	---
Berkeley	418	2.9	290	2.9	128	3
Ladson (Part)	-	---	-	---	-	---
N Charleston (Part)	-	---	-	---	-	---
Moncks Corner	84	---	41	---	43	---
Summerville (Part)	8	---	6	---	2	---
Hanahan	59	---	50	---	9	---
Goose Creek	34	---	30	---	4	---
Balance of County	233	---	163	---	70	---

Table 69. (cont.)
Deaths and Death Rates ¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Calhoun	76	5.0	47	6.1	29	3.9
Balance of County	76	---	47	---	29	---
Charleston	4,079	13.2	2,613	13.3	1,466	12.9
Mt Pleasant	416	---	324	---	92	---
Isle of Palms	5	---	5	---	-	---
Summerville (Part)	1	---	-	---	1	---
Ladson (Part)	2	---	1	---	1	---
Charleston	2,214	---	1,320	---	894	---
N Charleston (Part)	346	---	187	---	159	---
Balance of County	1,095	---	776	---	319	---
Cherokee	400	7.6	329	8.0	71	6.3
East Gaffney	-	---	-	---	-	---
Gaffney	92	---	71	---	21	---
Balance of County	308	---	258	---	50	---
Chester	222	6.5	144	7.0	78	5.8
Chester	20	---	7	---	13	---
Great Falls	1	---	1	---	-	---
Balance of County	201	---	136	---	65	---
Chesterfield	270	6.3	190	6.8	80	5.4
Cheraw	120	---	75	---	45	---
Pageland	9	---	6	---	3	---
Balance of County	141	---	109	---	32	---
Clarendon	225	6.9	92	6.2	133	7.5
Manning	110	---	34	---	76	---
Balance of County	114	---	58	---	56	---
Colleton	365	9.5	191	8.9	174	10.4
Walterboro	257	---	120	---	137	---
Balance of County	108	---	71	---	37	---
Darlington	584	8.7	371	9.6	213	7.4
Darlington	120	---	63	---	57	---
Hartsville	257	---	165	---	92	---
North Hartsville	-	---	-	---	-	---
Balance of County	207	---	143	---	64	---
Dillon	242	7.9	135	8.6	107	7.1
Dillon	173	---	98	---	75	---
Balance of County	69	---	37	---	32	---
Dorchester	502	5.2	362	5.2	140	5.3
N Charleston (Part)	6	---	6	---	-	---
Summerville (Part)	305	---	220	---	85	---
Balance of County	191	---	136	---	55	---
Edgefield	118	4.8	77	5.5	41	3.9
Edgefield	74	---	47	---	27	---
Johnston	2	---	-	---	2	---
N Augusta	1	---	1	---	-	---
Balance of County	41	---	29	---	12	---
Fairfield	221	9.4	107	11.4	114	8.1
Winnsboro	11	---	8	---	3	---
Balance of County	210	---	99	---	111	---
Florence	1,970	15.7	1,123	15.1	847	16.5
Lake City	82	---	35	---	47	---
Florence	1,527	---	829	---	698	---
Balance of County	361	---	259	---	102	---

Table 69. (cont.)
Deaths and Death Rates ¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Georgetown	487	8.7	309	9.2	178	8.1
Andrews	8	---	5	---	3	---
Georgetown	349	---	210	---	139	---
Murrells Inlet	-	---	-	---	-	---
Balance of County	130	---	94	---	36	---
Greenville	3,860	10.2	3,178	10.5	682	8.8
Mauldin	36	---	35	---	1	---
Berea	-	---	-	---	-	---
Gantt	-	---	-	---	-	---
Parker	-	---	-	---	-	---
Taylors	3	---	2	---	1	---
Wade Hampton	-	---	-	---	-	---
Simpsonville	182	---	141	---	41	---
Welcome	-	---	-	---	-	---
Travelers Rest	15	---	14	---	1	---
Piedmont (Part)	5	---	5	---	-	---
Fountain Inn (Part)	10	---	6	---	4	---
Judson	-	---	-	---	-	---
Dunean	-	---	-	---	-	---
San Souci	-	---	-	---	-	---
Greenville	1,636	---	1,244	---	392	---
Greer (Part)	251	---	228	---	23	---
Balance of County	1,722	---	1,503	---	219	---
Greenwood	823	12.4	586	13.3	237	10.7
Greenwood	678	---	473	---	205	---
Balance of County	144	---	112	---	32	---
Hampton	147	6.9	67	7.2	80	6.6
Hampton	4	---	1	---	3	---
Balance of County	143	---	66	---	77	---
Horry	1,970	10.0	1,677	10.3	293	8.7
Red Hill	-	---	-	---	-	---
Conway	118	---	94	---	24	---
Forestbrook	-	---	-	---	-	---
Surfside Beach	13	---	12	---	1	---
N Myrtle Beach	28	---	27	---	1	---
Garden City	3	---	3	---	-	---
Little River	2	---	2	---	-	---
Socastee	2	---	2	---	-	---
Myrtle Beach	629	---	573	---	56	---
Balance of County	1,175	---	964	---	211	---
Jasper	101	4.9	55	6.0	46	4.0
Balance of County	101	---	55	---	46	---
Kershaw	398	7.6	281	7.3	117	8.1
Camden	243	---	168	---	75	---
Lugoff	-	---	-	---	-	---
Balance of County	155	---	113	---	42	---
Lancaster	539	8.8	406	9.2	133	7.8
Lancaster	277	---	190	---	87	---
Springdale	-	---	-	---	-	---
Balance of County	262	---	216	---	46	---
Laurens	539	7.7	413	8.2	126	6.7
Clinton	88	---	79	---	9	---
Laurens	118	---	97	---	21	---
Fountain Inn (Part)	2	---	2	---	-	---
Balance of County	331	---	235	---	96	---

Table 69. (cont.)
Deaths and Death Rates ¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Lee	73	3.6	33	4.6	40	3.1
Bishopville	30	---	15	---	15	---
Balance of County	43	---	18	---	25	---
Lexington	1,546	7.2	1,331	7.2	215	6.9
Irmo (Part)	1	---	1	---	-	---
Cayce	21	---	17	---	4	---
Batesburg	17	---	7	---	10	---
Lexington	15	---	10	---	5	---
Oak Grove	-	---	-	---	-	---
Springdale	-	---	-	---	-	---
Red Bank	-	---	-	---	-	---
W Columbia	110	---	103	---	7	---
Seven Oaks	-	---	-	---	-	---
Balance of County	1,382	---	1,193	---	189	---
McCormick	43	4.3	20	4.4	23	4.2
Balance of County	43	---	20	---	23	---
Marion	346	9.8	172	11.5	174	8.5
Marion	23	---	11	---	12	---
Mullins	19	---	8	---	11	---
Balance of County	304	---	153	---	151	---
Marlboro	243	8.4	134	10.3	109	6.9
Bennettsville	133	---	68	---	65	---
McColl	9	---	6	---	3	---
Balance of County	101	---	60	---	41	---
Newberry	271	7.5	190	8.0	81	6.5
Newberry	193	---	137	---	56	---
Balance of County	78	---	53	---	25	---
Oconee	538	8.1	495	8.2	43	7.1
Seneca	16	---	10	---	6	---
Walhalla	9	---	9	---	-	---
Westminster	3	---	3	---	-	---
Balance of County	510	---	473	---	37	---
Orangeburg	891	9.7	413	12.0	478	8.4
Brookdale	-	---	-	---	-	---
Edisto	-	---	-	---	-	---
Wilkinson Heights	-	---	-	---	-	---
Orangeburg	91	---	48	---	43	---
Balance of County	800	---	365	---	435	---
Pickens	703	6.3	651	6.4	52	5.6
Arial	-	---	-	---	-	---
Liberty	6	---	4	---	2	---
Pickens	129	---	121	---	8	---
Easley	254	---	227	---	27	---
Clemson (Part)	38	---	36	---	2	---
Balance of County	276	---	263	---	13	---
Richland	3,678	11.5	2,214	13.4	1,464	9.4
Dentsville	-	---	-	---	-	---
Irmo (Part)	2	---	2	---	-	---
Forest Acres	-	---	-	---	-	---
Valencia Heights	-	---	-	---	-	---
Woodfield	-	---	-	---	-	---
Columbia/Ft Jackson	2,884	---	1,666	---	1,218	---
St Andrews	-	---	-	---	-	---
Balance of County	792	---	546	---	246	---

Table 69. (cont.)
Deaths and Death Rates ¹ by Race
South Carolina and Each County and Places of 2,500 or More Population, 2000
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
Saluda	129	6.7	97	7.4	32	5.3
Batesburg (Part)	3	---	1	---	2	---
Saluda	9	---	7	---	2	---
Balance of County	117	---	89	---	28	---
Spartanburg	2,641	10.4	2,140	11.0	501	8.5
Boiling Springs	1	---	1	---	-	---
Woodruff	64	---	52	---	12	---
Southern Shops	-	---	-	---	-	---
Valley Falls	-	---	-	---	-	---
Wellford	7	---	6	---	1	---
Saxon	-	---	-	---	-	---
Spartanburg	1,461	---	1,114	---	347	---
Greer (Part)	23	---	17	---	6	---
Balance of County	1,085	---	950	---	135	---
Sumter	871	8.3	450	8.4	421	8.2
Cherryvale	-	---	-	---	-	---
South Sumter	-	---	-	---	-	---
Sumter	680	---	349	---	331	---
Balance of County	191	---	101	---	90	---
Union	287	9.6	216	10.6	71	7.5
Union	201	---	151	---	50	---
Balance of County	86	---	65	---	21	---
Williamsburg	182	4.9	64	5.2	118	4.7
Andrews (Part)	-	---	-	---	-	---
Kingstree	59	---	23	---	36	---
Balance of County	122	---	41	---	81	---
York	1,134	6.9	899	6.9	235	6.7
Clover	12	---	8	---	4	---
Fort Mill	18	---	13	---	5	---
York	32	---	26	---	6	---
Lake Wylie	7	---	7	---	-	---
Tega Cay	2	---	2	---	-	---
Rock Hill	800	---	619	---	181	---
Balance of County	263	---	224	---	39	---

¹ Rate per 1,000 Modified Population (see technical Notes)

Table 70.
Deaths by Race and Sex
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	36,816 *	18,633	18,183	26,013	13,145	12,868	10,785	5,479	5,306
Abbeville	229	131	98	159	91	68	70	40	30
Aiken	1,305 *	675	630	993	517	476	311	158	153
Allendale	109	66	43	42	21	21	67	45	22
Anderson	1,693	870	823	1,419	728	691	274	142	132
Bamberg	209 *	103	106	97	47	50	110	56	54
Barnwell	222	111	111	113	56	57	109	55	54
Beaufort	914 *	474	440	695	357	338	218	116	102
Berkeley	877 *	458	419	596	319	277	280	138	142
Calhoun	157	84	73	90	49	41	67	35	32
Charleston	2,894 *	1,506	1,388	1,843	945	898	1,047	559	488
Cherokee	528	260	268	433	215	218	95	45	50
Chester	338	178	160	219	114	105	119	64	55
Chesterfield	422	226	196	292	159	133	130	67	63
Clarendon	329	165	164	128	68	60	201	97	104
Colleton	386	200	186	215	113	102	171	87	84
Darlington	738	343	395	460	220	240	278	123	155
Dillon	315	157	158	172	88	84	143	69	74
Dorchester	713	346	367	488	242	246	225	104	121
Edgefield	197	98	99	127	62	65	69	36	33
Fairfield	322	153	169	154	68	86	168	85	83
Florence	1,325	671	654	816	425	391	509	246	263
Georgetown	532	262	270	332	170	162	200	92	108
Greenville	3,346	1,610	1,736	2,735	1,308	1,427	611	302	309
Greenwood	700	329	371	512	230	282	188	99	89
Hampton	227 *	116	111	110	58	52	116	58	58
Horry	1,924 *	1,104	820	1,648	936	712	275	168	107
Jasper	142	65	77	56	28	28	86	37	49
Kershaw	518	275	243	352	194	158	166	81	85
Lancaster	619	322	297	479	251	228	140	71	69
Laurens	711	332	379	524	243	281	187	89	98
Lee	188	109	79	77	40	37	111	69	42
Lexington	1,692	857	835	1,491	747	744	201	110	91
McCormick	97	54	43	51	27	24	46	27	19
Marion	416	222	194	190	102	88	226	120	106
Marlboro	354 *	188	166	193	105	88	159	81	78
Newberry	355	177	178	249	119	130	106	58	48
Oconee	635	314	321	582	285	297	53	29	24
Orangeburg	932 *	449	483	426	208	218	505	240	265
Pickens	895	463	432	825	433	392	70	30	40
Richland	2,600 *	1,296	1,304	1,499	713	786	1,099	581	518
Saluda	201	103	98	145	68	77	56	35	21
Spartanburg	2,599	1,267	1,332	2,096	1,032	1,064	503	235	268
Sumter	945 *	479	466	504	256	248	440	223	217
Union	356	175	181	268	131	137	88	44	44
Williamsburg	360	174	186	130	69	61	230	105	125
York	1,236	608	628	980	484	496	256	124	132
Unknown	14	8	6	8	4	4	6	4	2

* Includes unknown race

Table 71.
Deaths by Race and Sex
South Carolina and Each County, 2000
(Occurrence Data)

County of Occurrence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	36,170	18,269	17,901	25,615	12,918	12,697	10,555	5,351	5,204
Abbeville	160	83	77	113	57	56	47	26	21
Aiken	1,007	488	519	747	367	380	260	121	139
Allendale	65	41	24	29	16	13	36	25	11
Anderson	1,627	824	803	1,350	679	671	277	145	132
Bamberg	160	72	88	72	33	39	88	39	49
Barnwell	139	72	67	76	39	37	63	33	30
Beaufort	880	445	435	666	333	333	214	112	102
Berkeley	418	212	206	290	150	140	128	62	66
Calhoun	76	39	37	47	22	25	29	17	12
Charleston	4,079	2,172	1,907	2,613	1,400	1,213	1,466	772	694
Cherokee	400	196	204	329	164	165	71	32	39
Chester	222	118	104	144	77	67	78	41	37
Chesterfield	270	145	125	190	103	87	80	42	38
Clarendon	225	113	112	92	44	48	133	69	64
Colleton	365	193	172	191	99	92	174	94	80
Darlington	584	284	300	371	182	189	213	102	111
Dillon	242	119	123	135	70	65	107	49	58
Dorchester	502	238	264	362	176	186	140	62	78
Edgefield	118	58	60	77	38	39	41	20	21
Fairfield	221	110	111	107	49	58	114	61	53
Florence	1,970	985	985	1,123	591	532	847	394	453
Georgetown	487	236	251	309	158	151	178	78	100
Greenville	3,860	1,882	1,978	3,178	1,560	1,618	682	322	360
Greenwood	823	401	422	586	271	315	237	130	107
Hampton	147	68	79	67	32	35	80	36	44
Horry	1,970	1,126	844	1,677	944	733	293	182	111
Jasper	101	52	49	55	31	24	46	21	25
Kershaw	398	201	197	281	142	139	117	59	58
Lancaster	539	267	272	406	200	206	133	67	66
Laurens	539	237	302	413	180	233	126	57	69
Lee	73	41	32	33	18	15	40	23	17
Lexington	1,546	762	784	1,331	643	688	215	119	96
McCormick	43	20	23	20	7	13	23	13	10
Marion	346	173	173	172	85	87	174	88	86
Marlboro	243	122	121	134	64	70	109	58	51
Newberry	271	129	142	190	87	103	81	42	39
Oconee	538	279	259	495	255	240	43	24	19
Orangeburg	891	437	454	413	206	207	478	231	247
Pickens	703	347	356	651	326	325	52	21	31
Richland	3,678	1,939	1,739	2,214	1,140	1,074	1,464	799	665
Saluda	129	65	64	97	46	51	32	19	13
Spartanburg	2,641	1,288	1,353	2,140	1,049	1,091	501	239	262
Sumter	871	424	447	450	218	232	421	206	215
Union	287	136	151	216	100	116	71	36	35
Williamsburg	182	87	95	64	30	34	118	57	61
York	1,134	543	591	899	437	462	235	106	129

Table 72.
Deaths and Death Rates¹ from Selected Causes by Race and Sex
South Carolina, 2000
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	36,816	13,145	12,868	5,479	5,306
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	1	-	-	-	1
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	4	-	1	1	2
TUBERCULOSIS (A16-A19)	16	2	1	10	3
RESPIRATORY TUBERCULOSIS (A16)	13	2	1	8	2
OTHER TUBERCULOSIS (A17-A19)	3	-	-	2	1
WHOOPING COUGH (A37)	1	-	-	1	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	3	-	1	1	1
SEPTICEMIA (A40-A41)	507	135	171	80	121
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	62	33	8	12	9
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	260	48	10	131	71
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	128	43	40	26	19
MALIGNANT NEOPLASMS (C00-C97)	8,211	3,227	2,661	1,289	1,034
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	155	56	26	56	17
OF ESOPHAGUS (C15)	223	102	31	68	22
OF STOMACH (C16)	213	63	37	71	42
OF COLON, RECTUM & ANUS (C18-C21)	847	311	305	113	118
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	177	82	45	37	13
OF PANCREAS (C25)	433	153	148	57	75
OF LARYNX (C32)	65	27	10	24	4
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,415	1,160	722	370	163
OF SKIN (C43)	96	64	24	4	4
OF BREAST (C50)	637	7	422	-	208
OF CERVIX UTERI (C53)	65	-	20	-	45
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	72	-	42	-	30
OF OVARY (C56)	172	-	135	-	37
OF PROSTATE (C61)	510	285	-	225	-
OF KIDNEY & RENAL PELVIS (C64-C65)	181	99	44	23	15
OF BLADDER (C67)	149	89	35	11	14
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	197	89	71	14	23
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	785	306	278	98	103
HODGKIN'S DISEASE (C81)	15	6	7	2	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	286	132	113	21	20
LEUKEMIA (C91-C95)	279	106	96	40	37
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	205	62	62	35	46
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	819	334	266	118	101
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	159	51	62	25	21
ANEMIAS (D50-D64)	74 *	13	23	18	19
DIABETES MELLITUS (E10-E14)	1,202	330	329	195	348
NUTRITIONAL DEFICIENCIES (E40-E64)	83	16	35	12	20
MALNUTRITION (E40-E46)	63	15	21	8	19
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	20	1	14	4	1
MENINGITIS (G00,G03)	11	6	1	3	1
PARKINSON'S DISEASE (G20-G21)	207	99	89	10	9
ALZHEIMER'S DISEASE (G30)	876	206	535	36	99
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	13,679	4,839	4,981	1,739	2,120
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	9,856	3,749	3,492	1,230	1,385
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	49	9	30	-	10
HYPERTENSIVE HEART DISEASE (I11)	334	60	117	67	90
HYPERTENSIVE HEART & RENAL DISEASE (I13)	50	9	12	10	19
ISCHEMIC HEART DISEASES (I20-I25)	6,752	2,840	2,308	767	837
ACUTE MYOCARDIAL INFARCTION (I21-I22)	3,368	1,436	1,052	433	447
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	123	47	28	29	19
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	3,261	1,357	1,228	305	371
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	590	187	252	64	87
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2,671	1,170	976	241	284
OTHER HEART DISEASES (I26-I51)	2,671	831	1,025	386	429
ACUTE & SUBACUTE ENDOCARDITIS (I33)	22	8	5	5	4
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	11	7	1	3	-
HEART FAILURE (I50)	778	229	349	82	118
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	1,860	587	670	296	307

Table 72 (cont.)
Deaths and Death Rates¹ from Selected Causes by Race and Sex
South Carolina, 2000
(Residence Data)

Cause of Death	Rate		
	Total	White	Black & Other
ALL CAUSES	9.2	9.5	8.5
SALMONELLA INFECTIONS (A01-A02)	0	0	0
SHIGELLOSIS & AMEBIASIS (A03,A06)	0.0	0	0.1
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	0.1	0.0	0.2
TUBERCULOSIS (A16-A19)	0.4	0.1	1.0
RESPIRATORY TUBERCULOSIS (A16)	0.3	0.1	0.8
OTHER TUBERCULOSIS (A17-A19)	0.1	0	0.2
WHOOPING COUGH (A37)	0.0	0	0.1
SCARLET FEVER & ERYSIPELAS (A38, A46)	0	0	0
MENINGOCOCCAL INFECTION (A39)	0.1	0.0	0.2
SEPTICEMIA (A40-A41)	12.6	11.1	15.9
SYPHILIS (A50-A53)	0	0	0
ACUTE POLIOMYELITIS (A80)	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	0	0	0
MEASLES (B05)	0	0	0
VIRAL HEPATITIS (B15-B19)	1.5	1.5	1.7
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6.5	2.1	16.0
MALARIA (B50-B54)	0	0	0
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3.2	3.0	3.6
MALIGNANT NEOPLASMS (C00-C97)	204.7	214.1	184.0
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3.9	3.0	5.8
OF ESOPHAGUS (C15)	5.6	4.8	7.1
OF STOMACH (C16)	5.3	3.6	9.0
OF COLON, RECTUM & ANUS (C18-C21)	21.1	22.4	18.3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4.4	4.6	4.0
OF PANCREAS (C25)	10.8	10.9	10.5
OF LARYNX (C32)	1.6	1.3	2.2
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	60.2	68.4	42.2
OF SKIN (C43)	2.4	3.2	0.6
OF BREAST (C50)	15.9	15.6	16.5
OF CERVIX UTERI (C53)	1.6	0.7	3.6
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1.8	1.5	2.4
OF OVARY (C56)	4.3	4.9	2.9
OF PROSTATE (C61)	12.7	10.4	17.8
OF KIDNEY & RENAL PELVIS (C64-C65)	4.5	5.2	3.0
OF BLADDER (C67)	3.7	4.5	2.0
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4.9	5.8	2.9
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	19.6	21.2	15.9
HODGKIN'S DISEASE (C81)	0.4	0.5	0.2
NON-HODGKIN'S LYMPHOMA (C82-C85)	7.1	8.9	3.2
LEUKEMIA (C91-C95)	7.0	7.3	6.1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5.1	4.5	6.4
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	0	0	0
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	20.4	21.8	17.3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4.0	4.1	3.6
ANEMIAS (D50-D64)	1.8	1.3	2.9
DIABETES MELLITUS (E10-E14)	30.0	24.0	43.0
NUTRITIONAL DEFICIENCIES (E40-E64)	2.1	1.9	2.5
MALNUTRITION (E40-E46)	1.6	1.3	2.1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	0.5	0.5	0.4
MENINGITIS (G00,G03)	0.3	0.3	0.3
PARKINSON'S DISEASE (G20-G21)	5.2	6.8	1.5
ALZHEIMER'S DISEASE (G30)	21.8	27.0	10.7
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	341.0	357.2	305.7
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	245.7	263.4	207.1
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1.2	1.4	0.8
HYPERTENSIVE HEART DISEASE (I11)	8.3	6.4	12.4
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1.2	0.8	2.3
ISCHEMIC HEART DISEASES (I20-I25)	168.3	187.2	127.0
ACUTE MYOCARDIAL INFARCTION (I21-I22)	83.9	90.5	69.7
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	3.1	2.7	3.8
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	81.3	94.0	53.5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	14.7	16.0	12.0
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	66.6	78.1	41.6
OTHER HEART DISEASES (I26-I51)	66.6	67.5	64.6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	0.5	0.5	0.7
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	0.3	0.3	0.2
HEART FAILURE (I50)	19.4	21.0	15.8
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	46.4	45.7	47.8

Table 72 (cont.)
Deaths and Death Rates¹ from Selected Causes by Race and Sex
South Carolina, 2000
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	378	81	107	75	115
CEREBROVASCULAR DISEASES (I60-I69)	2,924	788	1,211	380	545
ATHEROSCLEROSIS (I70)	113	36	47	15	15
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	408	185	124	39	60
AORTIC ANEURYSM & DISSECTION (I71)	233	134	60	23	16
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	175	51	64	16	44
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	94	26	39	18	11
INFLUENZA & PNEUMONIA (J10-J18)	696	219	305	73	99
INFLUENZA (J10-J11)	34	9	22	1	2
PNEUMONIA (J12-J18)	662	210	283	72	97
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	11	3	5	3	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	6	2	2	2	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	5	1	3	1	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	1,724	787	690	166	81
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	26	9	12	2	3
EMPHYSEMA (J43)	248	119	89	27	13
ASTHMA (J45-J46)	71	8	33	16	14
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	1,379	651	556	121	51
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	15	11	2	2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	221	68	98	28	27
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	443	158	177	53	55
PEPTIC ULCER (K25-K28)	67	15	31	9	12
DISEASES OF APPENDIX (K35-K38)	12	7	2	2	1
HERNIA (K40-K46)	17	8	7	1	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	459	234	108	79	38
ALCOHOLIC LIVER DISEASE (K70)	294	163	48	57	26
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	165	71	60	22	12
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	55	11	28	3	13
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	539	170	159	102	108
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	5	1	1	3	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	11	3	3	4	1
RENAL FAILURE (N17-N19)	522	166	155	95	106
OTHER DISORDERS OF KIDNEY (N25,N27)	1	-	-	-	1
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	23	4	11	-	8
HYPERPLASIA OF PROSTATE (N40)	6	5	-	1	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	3	-	2	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	9	-	4	-	5
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	1	-	1	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	8	-	3	-	5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	267	54	40	98	75
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	179 *	44	56	44	35
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	481	130	158	84	92
ALL OTHER DISEASE (RESIDUAL)**	3,179	870	1,352	437	520
ACCIDENTS (V01-X59,Y85-Y86)	1,980	858	484	459	179
TRANSPORT ACCIDENTS (V01-V99,Y85)	1,059	484	209	263	103
MOTOR VEHICLE ACCIDENTS**	945	429	187	237	92
OTHER LAND TRANSPORT ACCIDENTS**	107	52	21	23	11
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	7	3	1	3	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	921	374	275	196	76
ACCIDENTAL FALLS (W00-W19)	178	63	90	20	5
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	17	13	2	2	-
ACCIDENTAL DROWNING AMD SUBMERSION (W65-W74)	63	32	9	20	2
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	98	22	14	39	23
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	204	114	48	30	12
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	346	124	109	79	34
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	445	291	96	51	7
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	298	213	51	31	3
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	147	78	45	20	4
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	326	93	49	156	28
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	166	45	19	97	5
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	160	48	30	59	23
LEGAL INTERVENTION (Y35,Y89.0)	9	5	-	4	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	32	16	7	8	1
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	7	4	2	1	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	25	12	5	7	1
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	1	-	-	1	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	39	10	10	8	11

Table 72 (cont.)
Deaths and Death Rates¹ from Selected Causes by Race and Sex
South Carolina, 2000
(Residence Data)

Cause of Death	Rate		
	Total	White	Black & Other
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9.4	6.8	15.0
CEREBROVASCULAR DISEASES (I60-I69)	72.9	72.7	73.3
ATHEROSCLEROSIS (I70)	2.8	3.0	2.4
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	10.2	11.2	7.8
AORTIC ANEURYSM & DISSECTION (I71)	5.8	7.1	3.1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4.4	4.2	4.8
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2.3	2.4	2.3
INFLUENZA & PNEUMONIA (J10-J18)	17.3	19.1	13.6
INFLUENZA (J10-J11)	0.8	1.1	0.2
PNEUMONIA (J12-J18)	16.5	17.9	13.4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	0.3	0.3	0.2
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	0.1	0.1	0.2
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	0.1	0.1	0.1
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	43.0	53.7	19.6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	0.6	0.8	0.4
EMPHYSEMA (J43)	6.2	7.6	3.2
ASTHMA (J45-J46)	1.8	1.5	2.4
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	34.4	43.9	13.6
PNEUMOCOCCI & CHEMICAL EFFECTS (J60-J66,J68)	0.4	0.5	0.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	5.5	6.0	4.4
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	11.0	12.2	8.6
PEPTIC ULCER (K25-K28)	1.7	1.7	1.7
DISEASES OF APPENDIX (K35-K38)	0.3	0.3	0.2
HERNIA (K40-K46)	0.4	0.5	0.2
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	11.4	12.4	9.3
ALCOHOLIC LIVER DISEASE (K70)	7.3	7.7	6.6
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4.1	4.8	2.7
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1.4	1.4	1.3
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	13.4	12.0	16.6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	0.1	0.1	0.2
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	0.3	0.2	0.4
RENAL FAILURE (N17-N19)	13.0	11.7	15.9
OTHER DISORDERS OF KIDNEY (N25,N27)	0.0	0	0.1
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	0.6	0.5	0.6
HYPERPLASIA OF PROSTATE (N40)	0.1	0.2	0.1
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	0.1	0.1	0.1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	0.2	0.1	0.4
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	0.0	0.0	0
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	0.2	0.1	0.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6.7	3.4	13.7
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4.5	3.6	6.3
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	12.0	10.5	13.9
ALL OTHER DISEASE (RESIDUAL)**	79.2	80.8	75.8
ACCIDENTS (V01-X59,Y85-Y86)	49.4	48.8	50.5
TRANSPORT ACCIDENTS (V01-V99,Y85)	26.4	25.2	29.0
MOTOR VEHICLE ACCIDENTS**	23.6	22.4	26.1
OTHER LAND TRANSPORT ACCIDENTS**	2.7	2.7	2.7
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	0.2	0.1	0.2
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	23.0	23.6	21.5
ACCIDENTAL FALLS (W00-W19)	4.4	5.6	2.0
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	0.4	0.5	0.2
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1.6	1.5	1.7
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2.4	1.3	4.9
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	5.1	5.9	3.3
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	8.6	8.5	9.0
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	11.1	14.1	4.6
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7.4	9.6	2.7
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3.7	4.5	1.9
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8.1	5.2	14.6
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	4.1	2.3	8.1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4.0	2.8	6.5
LEGAL INTERVENTION (Y35,Y89.0)	0.2	0.2	0.3
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	0.8	0.8	0.7
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	0.2	0.2	0.1
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	0.6	0.6	0.6
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	0.0	0	0.1
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1.0	0.7	1.5

¹ Rate per 1,000 Modified Census Population (See Technical Notes) for all causes; Rate per 100,000 Modified Census Population category

(See Technical Notes) for individual

* Includes unknown race

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Abbeville				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	229	91	68	40	30
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	2	4	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	1	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	53	29	10	7	7
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	2	-	-	-
OF ESOPHAGUS (C15)	4	3	-	1	-
OF STOMACH (C16)	1	1	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	7	3	3	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	1	1	-
OF PANCREAS (C25)	4	1	1	1	1
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	17	12	4	-	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	1	-	-	-	1
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	2	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	3	-	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	1	-	-	-
LEUKEMIA (C91-C95)	1	1	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	4	1	1	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	-	2	2	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	6	2	2	2	-
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	5	2	2	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	90	37	30	10	13
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	65	29	20	7	9
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	48	24	15	5	4
ACUTE MYOCARDIAL INFARCTION (I21-I22)	37	17	12	5	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	11	7	3	-	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	6	3	-	1
OTHER HEART DISEASES (I26-I51)	17	5	5	2	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	11	3	4	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	6	2	1	1	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Abbeville				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	-	-	-	-	-
CEREBROVASCULAR DISEASES (I60-I69)	23	7	9	3	4
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	2	1	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	2	1	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	1	-	-	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	1	-	-	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	5	1	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	5	3	1	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	1	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	6	2	2	-	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	-	-	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	-	1	3	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	-	1	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	-	1	2	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	2	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	3	1	1	1	-
ALL OTHER DISEASE (RESIDUAL)**	21	4	9	5	3
ACCIDENTS (V01-X59,Y85-Y86)	9	4	3	2	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	5	2	2	1	-
MOTOR VEHICLE ACCIDENTS**	5	2	2	1	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	2	1	1	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	1	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	1	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	1	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Aiken				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	1305*	517	476	158	153
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	-	1
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	-	1
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	24	7	7	6	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	11	-	2	8	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	6	4	1	1	-
MALIGNANT NEOPLASMS (C00-C97)	308	136	93	47	32
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	6	2	1	2	1
OF ESOPHAGUS (C15)	10	5	2	2	1
OF STOMACH (C16)	4	1	-	3	-
OF COLON, RECTUM & ANUS (C18-C21)	29	10	10	4	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	10	7	1	1	1
OF PANCREAS (C25)	12	4	5	2	1
OF LARYNX (C32)	4	2	1	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	89	45	27	15	2
OF SKIN (C43)	7	6	1	-	-
OF BREAST (C50)	28	1	21	-	6
OF CERVIX UTERI (C53)	3	-	-	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	5	-	5	-	-
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	12	7	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	4	-	2	-
OF BLADDER (C67)	5	4	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	9	4	2	1	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	25	14	5	2	4
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	10	8	1	-	1
LEUKEMIA (C91-C95)	9	4	4	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	2	-	1	3
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	43	20	11	7	5
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	7	3	4	-	-
ANEMIAS (D50-D64)	4	-	2	1	1
DIABETES MELLITUS (E10-E14)	51	12	15	8	16
NUTRITIONAL DEFICIENCIES (E40-E64)	4	-	2	1	1
MALNUTRITION (E40-E46)	3	-	1	1	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	6	1	5	-	-
ALZHEIMER'S DISEASE (G30)	38	14	18	1	5
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	469	183	183	44	59
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	346	143	142	34	27
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	12	5	3	2	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	229	97	93	20	19
ACUTE MYOCARDIAL INFARCTION (I21-I22)	85	40	30	7	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	-	1	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	142	57	62	12	11
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	26	10	14	2	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	116	47	48	10	11
OTHER HEART DISEASES (I26-I51)	103	41	44	12	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	33	14	12	4	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	69	26	32	8	3

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Aiken				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	21	4	4	3	10
CEREBROVASCULAR DISEASES (I60-I69)	77	21	33	4	19
ATHEROSCLEROSIS (I70)	5	4	-	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	20	11	4	3	2
AORTIC ANEURYSM & DISSECTION (I71)	15	9	3	2	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	2	1	1	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	1	3	-	-
INFLUENZA & PNEUMONIA (J10-J18)	27	7	17	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	27	7	17	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	61	30	28	-	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	7	5	1	-	1
ASTHMA (J45-J46)	3	1	1	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	50	24	25	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	2	1	1	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	7	-	4	2	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	16	4	8	1	3
PEPTIC ULCER (K25-K28)	2	2	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	9	3	4	2	-
ALCOHOLIC LIVER DISEASE (K70)	6	3	1	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	-	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	4	2	1	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	16	7	6	-	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	16	7	6	-	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	7	2	4	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	8	3	3	1	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	22*	6	10	3	2
ALL OTHER DISEASE (RESIDUAL)**	106	42	35	14	15
ACCIDENTS (V01-X59,Y85-Y86)	52	31	10	10	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	25	19	2	4	-
MOTOR VEHICLE ACCIDENTS**	20	15	2	3	-
OTHER LAND TRANSPORT ACCIDENTS**	5	4	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	27	12	8	6	1
ACCIDENTAL FALLS (W00-W19)	6	2	3	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	3	-	1	2	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	1	1	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	10	7	1	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	4	1	2	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	23	15	4	4	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	15	10	3	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	8	5	1	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	1	2	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	1	1	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	3	-	2	1	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Allendale				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	109	21	21	45	22
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	-	2	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	16	4	1	11	-
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	-	-	3	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	1	1	-	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	1	-	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	3	1	1	1	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	-	-	-	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	3	1	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	-	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	1	-	-	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	-	-	-	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	5	-	-	1	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	3	-	3	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	46	12	10	16	8
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	34	10	10	8	6
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	-	-	3	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	18	7	6	2	3
ACUTE MYOCARDIAL INFARCTION (I21-I22)	11	3	3	2	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	7	4	3	-	-
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	7	4	3	-	-
OTHER HEART DISEASES (I26-I51)	11	3	4	3	1
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	3	1	2	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	8	2	2	3	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Allendale				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	1	-	1	1
CEREBROVASCULAR DISEASES (I60-I69)	8	1	-	6	1
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	2	-	-	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	-	-	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	2	-	1	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	1	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	-	-	-	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	-	1	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	1	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	-	-	-	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	-	-	-	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	1	1	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	-	-	-	2
ALL OTHER DISEASE (RESIDUAL)**	13	2	2	7	2
ACCIDENTS (V01-X59,Y85-Y86)	7	-	-	5	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	4	-	-	3	1
MOTOR VEHICLE ACCIDENTS**	4	-	-	3	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	3	-	-	2	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	-	-	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

	Anderson				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	1693	728	691	142	132
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	-	1	-
SEPTICEMIA (A40-A41)	20	6	9	2	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	8	1	1	6	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	5	1	3	1	-
MALIGNANT NEOPLASMS (C00-C97)	355	167	142	27	19
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	5	3	2	-	-
OF ESOPHAGUS (C15)	6	3	1	2	-
OF STOMACH (C16)	3	1	2	-	-
OF COLON, RECTUM & ANUS (C18-C21)	46	20	22	3	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	4	2	-	-
OF PANCREAS (C25)	17	9	5	1	2
OF LARYNX (C32)	4	2	1	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	107	57	38	7	5
OF SKIN (C43)	6	5	1	-	-
OF BREAST (C50)	23	-	18	-	5
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	3	-	-
OF OVARY (C56)	11	-	10	-	1
OF PROSTATE (C61)	16	11	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	15	9	4	1	1
OF BLADDER (C67)	4	3	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	9	3	6	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	29	14	11	4	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	14	8	5	1	-
LEUKEMIA (C91-C95)	9	6	2	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	-	4	2	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	43	23	13	4	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	8	2	4	2	-
ANEMIAS (D50-D64)	4	1	2	1	-
DIABETES MELLITUS (E10-E14)	60	20	28	3	9
NUTRITIONAL DEFICIENCIES (E40-E64)	4	2	2	-	-
MALNUTRITION (E40-E46)	3	2	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	15	14	1	-	-
ALZHEIMER'S DISEASE (G30)	81	23	50	2	6
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	619	261	258	52	48
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	448	206	170	39	33
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	1	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	19	2	11	3	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	334	171	114	27	22
ACUTE MYOCARDIAL INFARCTION (I21-I22)	152	85	44	16	7
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	182	86	70	11	15
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	24	7	10	4	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	158	79	60	7	12
OTHER HEART DISEASES (I26-I51)	93	32	44	9	8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	35	12	19	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	57	20	25	7	5

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Anderson				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	18	4	9	1	4
CEREBROVASCULAR DISEASES (I60-I69)	131	38	71	12	10
ATHEROSCLEROSIS (I70)	3	1	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	19	12	6	-	1
AORTIC ANEURYSM & DISSECTION (I71)	9	8	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	10	4	5	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	1	2	1	-
INFLUENZA & PNEUMONIA (J10-J18)	25	12	11	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	25	12	11	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	81	38	39	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	8	3	4	-	1
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	70	35	32	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	11	3	5	2	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	21	6	12	1	2
PEPTIC ULCER (K25-K28)	5	1	3	-	1
DISEASES OF APPENDIX (K35-K38)	2	2	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	19	13	3	3	-
ALCOHOLIC LIVER DISEASE (K70)	16	12	2	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	4	-	3	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	25	9	6	4	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	25	9	6	4	6
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	13	4	1	4	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	3	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	16	7	6	-	3
ALL OTHER DISEASE (RESIDUAL)**	137	51	60	7	19
ACCIDENTS (V01-X59,Y85-Y86)	92	53	23	13	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	58	35	12	9	2
MOTOR VEHICLE ACCIDENTS**	50	32	8	8	2
OTHER LAND TRANSPORT ACCIDENTS**	7	3	4	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	-	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	34	18	11	4	1
ACCIDENTAL FALLS (W00-W19)	4	3	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	3	2	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	-	-	1	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	11	6	4	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	13	6	6	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	27	15	7	5	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	20	12	3	5	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	7	3	4	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	14	3	6	3	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	1	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	11	3	5	1	2
LEGAL INTERVENTION (Y35,Y89.0)	2	2	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	4	3	1	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	-	1	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	3	3	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Bamberg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	209*	47	50	56	54
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	-	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	1	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	48	12	12	10	14
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	1	-	-	-	1
OF STOMACH (C16)	2	1	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	4	-	3	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	-	2	1	-
OF PANCREAS (C25)	3	-	1	2	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	13	5	2	1	5
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	5	-	2	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	5	3	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	1	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	1	1	-	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	1	-	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	-	-	1	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	2	-	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	5	1	1	1	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	-	1	-
ALZHEIMER'S DISEASE (G30)	2	1	-	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	87	20	27	18	22
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	58	13	19	11	15
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	44	10	17	8	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	18	3	5	6	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	26	7	12	2	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	-	3	1	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	20	7	9	1	3
OTHER HEART DISEASES (I26-I51)	13	3	2	3	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	2	-	2	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	11	3	-	3	5

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Bamberg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	-	-	2	1
CEREBROVASCULAR DISEASES (I60-I69)	23	6	6	5	6
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	1	2	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	1	1	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	1	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	6	-	1	2	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	-	1	2	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	3	1	1	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	3	1	1	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	-	1	-
PEPTIC ULCER (K25-K28)	2	1	-	-	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	3	2	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	-	-	3	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	5	-	-	3	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	1	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2*	-	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	13	3	6	4	-
ACCIDENTS (V01-X59,Y85-Y86)	9	1	1	6	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	5	-	-	4	1
MOTOR VEHICLE ACCIDENTS**	4	-	-	3	1
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	1	1	2	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	-	1	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	-	-	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	1	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Barnwell				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	222	56	57	55	54
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	-	-	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	49	15	16	10	8
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	1	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	2	-	-	1	1
OF COLON, RECTUM & ANUS (C18-C21)	4	2	2	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	3	1	1	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	20	7	4	5	4
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	6	-	3	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	3	1	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	-	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	2	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	1	1	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	1	-	-
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	1	-	1	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	7	2	2	-	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	-	-	-	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	80	18	21	16	25
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	57	12	16	12	17
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	1	1	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	31	6	9	6	10
ACUTE MYOCARDIAL INFARCTION (I21-I22)	6	1	2	2	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	25	5	7	4	9
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	4	1	2	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	21	4	5	4	8
OTHER HEART DISEASES (I26-I51)	23	5	6	5	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	2	4	2	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	14	3	2	3	6

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Barnwell				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	-	-	-	1
CEREBROVASCULAR DISEASES (I60-I69)	19	5	4	4	6
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	1	1	-	1
AORTIC ANEURYSM & DISSECTION (I71)	2	1	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	8	2	2	4	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	8	2	2	4	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	-	1	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	-	1	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	2	4	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	7	2	4	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	4	-	1	2	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	1	1	2	-
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	1	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	8	2	-	2	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	8	2	-	2	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	1	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	3	-	-	2	1
ALL OTHER DISEASE (RESIDUAL)**	17	5	4	3	5
ACCIDENTS (V01-X59,Y85-Y86)	14	4	3	5	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	7	2	1	3	1
MOTOR VEHICLE ACCIDENTS**	6	1	1	3	1
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	7	2	2	2	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	3	2	1	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	3	-	1	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	2	-	-	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	2	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	1	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Beaufort				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	914*	357	338	116	102
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	14	3	5	4	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	-	-	-	2
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	6	-	4	1	1
MALIGNANT NEOPLASMS (C00-C97)	240	116	81	27	16
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	-	1	1	-
OF ESOPHAGUS (C15)	10	4	3	3	-
OF STOMACH (C16)	3	2	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	28	17	6	3	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	3	-	2	-
OF PANCREAS (C25)	12	5	5	-	2
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	71	39	21	8	3
OF SKIN (C43)	4	1	2	-	1
OF BREAST (C50)	19	-	17	-	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	7	-	5	-	2
OF PROSTATE (C61)	15	13	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	3	1	1	-
OF BLADDER (C67)	5	3	1	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	6	2	3	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	18	9	5	3	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	8	5	1	2	-
LEUKEMIA (C91-C95)	4	2	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	2	2	1	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	27	14	10	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	1	5	-	-
ANEMIAS (D50-D64)	2	1	-	1	-
DIABETES MELLITUS (E10-E14)	16	4	2	5	5
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	1	1	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	1	-
MENINGITIS (G00,G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	11	6	3	1	1
ALZHEIMER'S DISEASE (G30)	35	7	14	3	11
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	296	112	121	34	29
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	202	73	85	22	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	3	1	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	-	3	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	114	47	43	13	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	45	18	18	7	2
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	69	29	25	6	9
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	10	3	4	2	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	59	26	21	4	8
OTHER HEART DISEASES (I26-I51)	81	25	39	6	11
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	27	7	15	2	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	54	18	24	4	8

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Beaufort				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	2	3	4	-
CEREBROVASCULAR DISEASES (I60-I69)	68	28	27	7	6
ATHEROSCLEROSIS (I70)	4	2	1	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	13	7	5	-	1
AORTIC ANEURYSM & DISSECTION (I71)	10	6	4	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	1	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	16	5	10	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	16	5	10	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	39	17	22	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	9	4	5	-	-
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	28	13	15	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	14	5	6	1	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	13	9	3	-	1
ALCOHOLIC LIVER DISEASE (K70)	7	6	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	6	3	2	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	2	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	11	5	3	2	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	11	5	3	2	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	1	-	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	1	1	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	16*	6	3	1	5
ALL OTHER DISEASE (RESIDUAL)**	101	33	33	15	20
ACCIDENTS (V01-X59,Y85-Y86)	46	14	18	11	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	28	9	7	10	2
MOTOR VEHICLE ACCIDENTS**	24	6	6	10	2
OTHER LAND TRANSPORT ACCIDENTS**	4	3	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	18	5	11	1	1
ACCIDENTAL FALLS (W00-W19)	7	2	5	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	1	4	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	4	2	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	4	3	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	2	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	6	1	-	5	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	5	1	-	4	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	2	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Berkley				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	877*	319	277	138	142
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	1	2	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	1	-	2	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	2	-	1	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	4	-	1	2	1
MALIGNANT NEOPLASMS (C00-C97)	204	76	76	22	30
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	2	-	2	-
OF ESOPHAGUS (C15)	4	2	2	-	-
OF STOMACH (C16)	4	3	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	19	8	7	1	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	9	-	1	6	2
OF PANCREAS (C25)	8	2	3	1	2
OF LARYNX (C32)	2	1	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	60	26	26	7	1
OF SKIN (C43)	3	3	-	-	-
OF BREAST (C50)	15	-	10	-	5
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	7	-	5	-	2
OF PROSTATE (C61)	11	8	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	2	-	-	-
OF BLADDER (C67)	11	6	3	-	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	2	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	17	3	9	2	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	2	2	1	1
LEUKEMIA (C91-C95)	9	1	6	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	1	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	23	8	7	-	8
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	3	1	-	1	1
DIABETES MELLITUS (E10-E14)	39	17	6	7	9
NUTRITIONAL DEFICIENCIES (E40-E64)	4	1	3	-	-
MALNUTRITION (E40-E46)	2	1	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	2	-	2	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	4	3	1	-	-
ALZHEIMER'S DISEASE (G30)	11	2	5	1	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	301	99	106	41	55
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	206	81	65	26	34
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	1	2	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	1	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	146	64	42	15	25
ACUTE MYOCARDIAL INFARCTION (I21-I22)	73	36	19	5	13
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	11	3	3	4	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	62	25	20	6	11
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	18	4	7	3	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	44	21	13	3	7
OTHER HEART DISEASES (I26-I51)	54	15	20	10	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	-	1
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	17	5	8	3	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	36	10	12	7	7

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Berkley				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	2	4	2	1
CEREBROVASCULAR DISEASES (I60-I69)	69	10	30	10	19
ATHEROSCLEROSIS (I70)	2	1	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	15	5	6	3	1
AORTIC ANEURYSM & DISSECTION (I71)	7	3	3	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	8	2	3	3	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	5	2	-	1	2
INFLUENZA & PNEUMONIA (J10-J18)	14	4	3	4	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	14	4	3	4	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	49	29	13	6	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	16	9	3	4	-
ASTHMA (J45-J46)	3	1	1	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	30	19	9	2	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	2	2	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	6	2	3	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	11	5	3	3	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	16	9	4	1	2
ALCOHOLIC LIVER DISEASE (K70)	11	8	1	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	1	3	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	2	2	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	2	2	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	8	1	1	3	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	7	4	1	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2*	-	1	-	-
ALL OTHER DISEASE (RESIDUAL)**	78	22	28	12	16
ACCIDENTS (V01-X59,Y85-Y86)	61	24	10	19	8
TRANSPORT ACCIDENTS (V01-V99,Y85)	37	13	6	13	5
MOTOR VEHICLE ACCIDENTS**	36	12	6	13	5
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	24	11	4	6	3
ACCIDENTAL FALLS (W00-W19)	4	2	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	3	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	1	-	2	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	12	4	2	3	3
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	11	6	3	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	6	3	2	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	5	3	1	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	11	3	1	5	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	-	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	8	3	1	2	2
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Calhoun				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	157	49	41	35	32
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	1	1	2	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	30	13	6	6	5
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	1	1	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	4	1	2	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	3	-	1	1	1
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	8	3	1	2	2
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	-	-	-	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	2	2	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	3	1	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	2	-	-	-
LEUKEMIA (C91-C95)	1	-	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	-	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	3	-	1	-	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	1	-	-	-	1
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	-	1	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	1	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	17	3	12	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	53	16	13	11	13
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	42	13	8	11	10
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	-	2	2	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	28	9	5	8	6
ACUTE MYOCARDIAL INFARCTION (I21-I22)	15	4	2	6	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	13	5	3	2	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	-	1	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	5	2	2	1
OTHER HEART DISEASES (I26-I51)	8	4	1	1	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	1	-	-	1	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	7	4	1	-	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Calhoun				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	-	1	-	1
CEREBROVASCULAR DISEASES (I60-I69)	7	1	4	-	2
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	2	2	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	2	2	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	2	-	-	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	-	-	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	5	3	2	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	4	2	2	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	2	1	-	-	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	3	2	1	-	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	2	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	2	1	-	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	1	-	1	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	2	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	1	-	-	1	-
ALL OTHER DISEASE (RESIDUAL)**	13	3	1	5	4
ACCIDENTS (V01-X59,Y85-Y86)	8	3	3	2	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	2	-	1	1	-
MOTOR VEHICLE ACCIDENTS**	2	-	1	1	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	6	3	2	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	2	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	-	1	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	2	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	1	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Charleston				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	2894*	945	898	559	488
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	2	-	-	1	1
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	2	-	-	1	1
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	40	12	11	6	11
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	4	2	1	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	26	3	2	17	4
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	15	5	3	4	3
MALIGNANT NEOPLASMS (C00-C97)	685	241	198	150	96
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	13	4	3	6	-
OF ESOPHAGUS (C15)	20	7	2	7	4
OF STOMACH (C16)	33	3	8	16	6
OF COLON, RECTUM & ANUS (C18-C21)	68	22	20	15	11
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	4	-	1	-
OF PANCREAS (C25)	35	13	8	3	11
OF LARYNX (C32)	5	2	-	3	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	194	83	57	41	13
OF SKIN (C43)	5	5	-	-	-
OF BREAST (C50)	55	-	33	-	22
OF CERVIX UTERI (C53)	6	-	3	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	10	-	6	-	4
OF OVARY (C56)	12	-	9	-	3
OF PROSTATE (C61)	49	27	-	22	-
OF KIDNEY & RENAL PELVIS (C64-C65)	14	6	5	2	1
OF BLADDER (C67)	11	8	1	2	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	17	9	4	1	3
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	61	26	17	12	6
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	21	9	10	2	-
LEUKEMIA (C91-C95)	23	7	5	7	4
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	16	10	1	3	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	72	22	22	19	9
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	10	3	4	-	3
ANEMIAS (D50-D64)	4*	-	-	2	1
DIABETES MELLITUS (E10-E14)	105	17	19	27	42
NUTRITIONAL DEFICIENCIES (E40-E64)	3	-	3	-	-
MALNUTRITION (E40-E46)	3	-	3	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	30	12	13	3	2
ALZHEIMER'S DISEASE (G30)	97	27	53	5	12
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	980	311	323	155	191
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	658	238	198	105	117
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	3	-	2	-	1
HYPERTENSIVE HEART DISEASE (I11)	18	2	2	6	8
HYPERTENSIVE HEART & RENAL DISEASE (I13)	4	-	-	1	3
ISCHEMIC HEART DISEASES (I20-I25)	444	179	138	61	66
ACUTE MYOCARDIAL INFARCTION (I21-I22)	182	70	53	26	33
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	28	6	8	8	6
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	234	103	77	27	27
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	71	24	33	6	8
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	163	79	44	21	19
OTHER HEART DISEASES (I26-I51)	189	57	56	37	39
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	48	13	17	8	10
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	139	42	39	29	29

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Charleston				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	38	6	9	9	14
CEREBROVASCULAR DISEASES (I60-I69)	246	54	105	34	53
ATHEROSCLEROSIS (I70)	7	2	2	3	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	31	11	9	4	7
AORTIC ANEURYSM & DISSECTION (I71)	18	9	4	1	4
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	13	2	5	3	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	9	4	2	2	1
INFLUENZA & PNEUMONIA (J10-J18)	46	13	21	4	8
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	45	13	20	4	8
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	148	62	54	24	8
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	3	1	1	1	-
EMPHYSEMA (J43)	32	18	8	4	2
ASTHMA (J45-J46)	7	-	1	3	3
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	106	43	44	16	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	3	2	-	1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	22	8	7	2	5
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	37	18	10	4	5
PEPTIC ULCER (K25-K28)	6	-	4	1	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	2	2	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	49	21	9	12	7
ALCOHOLIC LIVER DISEASE (K70)	37	16	3	12	6
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	12	5	6	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	1	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	35	9	8	9	9
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	-	1	-
RENAL FAILURE (N17-N19)	34	9	8	8	9
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	18	4	1	9	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	15	6	4	4	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	27*	8	4	6	6
ALL OTHER DISEASE (RESIDUAL)**	263	71	97	45	50
ACCIDENTS (V01-X59,Y85-Y86)	141	56	35	41	9
TRANSPORT ACCIDENTS (V01-V99,Y85)	62	28	11	19	4
MOTOR VEHICLE ACCIDENTS**	58	26	10	18	4
OTHER LAND TRANSPORT ACCIDENTS**	2	1	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	2	1	1	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	79	28	24	22	5
ACCIDENTAL FALLS (W00-W19)	15	2	6	5	2
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	7	2	1	4	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	1	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	24	13	6	3	2
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	29	9	11	8	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	33	23	7	3	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	20	17	2	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	13	6	5	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	26	4	4	16	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	13	1	1	10	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	13	3	3	6	1
LEGAL INTERVENTION (Y35,Y89.0)	2	-	-	2	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	6	-	-	3	3

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Cherokee				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	528	215	218	45	50
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	-	3	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	127	55	45	18	9
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	1	1	1	-
OF ESOPHAGUS (C15)	3	2	-	1	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	15	5	3	5	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	8	2	4	2	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	44	25	12	5	2
OF SKIN (C43)	4	2	2	-	-
OF BREAST (C50)	9	-	5	-	4
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	4	4	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	2	2	1	-
OF BLADDER (C67)	4	4	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	-	3	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	9	4	5	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	2	1	-	-
LEUKEMIA (C91-C95)	6	2	4	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	12	2	7	3	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	17	5	6	-	6
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	1	-	-	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	2	2	1	-
ALZHEIMER'S DISEASE (G30)	11	1	9	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	193	77	84	8	24
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	150	67	61	7	15
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	1	3	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	3	1	1	-	1
ISCHEMIC HEART DISEASES (I20-I25)	98	46	39	4	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	36	17	16	1	2
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	62	29	23	3	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	13	4	4	2	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	49	25	19	1	4
OTHER HEART DISEASES (I26-I51)	44	19	18	3	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	1	6	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	35	18	11	3	3

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Cherokee				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	2	2	-	1
CEREBROVASCULAR DISEASES (I60-I69)	35	7	20	1	7
ATHEROSCLEROSIS (I70)	2	-	1	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	1	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	13	5	8	-	-
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	12	5	7	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	30	16	12	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	28	15	12	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	1	3	-	-
PEPTIC ULCER (K25-K28)	3	1	2	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	7	4	1	1	1
ALCOHOLIC LIVER DISEASE (K70)	4	2	-	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	2	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	10	5	3	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	5	3	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	1	1	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	9	3	6	-	-
ALL OTHER DISEASE (RESIDUAL)**	35	7	18	5	5
ACCIDENTS (V01-X59,Y85-Y86)	33	20	8	3	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	20	15	1	2	2
MOTOR VEHICLE ACCIDENTS**	18	14	-	2	2
OTHER LAND TRANSPORT ACCIDENTS**	2	1	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	13	5	7	1	-
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	2	2	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	1	4	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	4	3	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	5	3	2	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	1	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	9	5	2	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	1	1	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	6	4	1	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Chester				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	338	114	105	64	55
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	2	2	2	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	77	17	27	20	13
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	1	-	-
OF ESOPHAGUS (C15)	3	-	-	1	2
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	9	1	4	4	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	-	1	3	1
OF PANCREAS (C25)	1	-	1	-	-
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	18	6	9	2	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	8	-	4	-	4
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	9	3	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	2	-	2	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	1	1	1	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	2	-	1	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	2	-	-	1
LEUKEMIA (C91-C95)	2	-	-	-	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	-	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	2	4	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	21	1	8	4	8
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	2	-	-	-
ALZHEIMER'S DISEASE (G30)	3	-	3	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	137	56	40	20	21
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	102	45	29	14	14
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	-	1	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	82	38	22	10	12
ACUTE MYOCARDIAL INFARCTION (I21-I22)	66	30	18	8	10
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	15	7	4	2	2
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	3	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	12	4	4	2	2
OTHER HEART DISEASES (I26-I51)	18	7	6	3	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	4	2	-	2	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	14	5	6	1	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Chester				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	1	-	-	-
CEREBROVASCULAR DISEASES (I60-I69)	28	9	7	6	6
ATHEROSCLEROSIS (I70)	2	-	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	4	1	2	-	1
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	2	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	4	1	1	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	1	1	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	12	8	3	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	1	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	8	6	2	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	2	-	-	-
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	3	1	2	-	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	9	2	5	-	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	9	2	5	-	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	3	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	-	1	1	-
ALL OTHER DISEASE (RESIDUAL)**	23	5	7	6	5
ACCIDENTS (V01-X59,Y85-Y86)	21	11	5	2	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	13	7	3	2	1
MOTOR VEHICLE ACCIDENTS**	11	6	3	1	1
OTHER LAND TRANSPORT ACCIDENTS**	2	1	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	8	4	2	-	2
ACCIDENTAL FALLS (W00-W19)	3	-	2	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	-	-	1
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	2	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	2	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	1	1	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	1	1	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Chesterfield				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	422	159	133	67	63
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	1	1	-	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	1	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	98	38	34	16	10
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	-	1	1	-
OF ESOPHAGUS (C15)	3	-	1	1	1
OF STOMACH (C16)	5	4	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	8	2	4	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	1	-	-
OF PANCREAS (C25)	5	2	1	1	1
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	32	14	11	6	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	3	1	2	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	4	3	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	1	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	11	2	5	2	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	-	3	1	-
LEUKEMIA (C91-C95)	4	1	1	-	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	1	1	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	12	4	5	1	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	11	1	5	4	1
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	1	-	-	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	1	-	1	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	162	71	52	18	21
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	132	59	42	14	17
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	1	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	104	50	30	11	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	29	11	14	1	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	41	22	7	6	6
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	34	17	9	4	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	10	6	3	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	24	11	6	4	3
OTHER HEART DISEASES (I26-I51)	25	8	11	2	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	2	6	1	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	16	6	5	1	4

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Chesterfield				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	1	1	-	1
CEREBROVASCULAR DISEASES (I60-I69)	21	8	6	4	3
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	3	3	-	-
AORTIC ANEURYSM & DISSECTION (I71)	2	2	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	1	3	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	11	4	1	2	4
INFLUENZA (J10-J11)	1	-	-	-	1
PNEUMONIA (J12-J18)	10	4	1	2	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	14	6	5	2	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	12	5	4	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	-	4	-	1
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	-	1	1	-
ALCOHOLIC LIVER DISEASE (K70)	2	-	1	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	1	1	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	4	2	2	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	1	-	-	-
RENAL FAILURE (N17-N19)	3	1	2	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	1	-	-	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	1	2	1	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	5	1	1	3	-
ALL OTHER DISEASE (RESIDUAL)**	38	11	12	10	5
ACCIDENTS (V01-X59,Y85-Y86)	28	12	4	7	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	19	11	-	4	4
MOTOR VEHICLE ACCIDENTS**	16	9	-	4	3
OTHER LAND TRANSPORT ACCIDENTS**	3	2	-	-	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	9	1	4	3	1
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	-	2	2	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	9	4	4	-	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	9	4	4	-	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	1	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Clerendon				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	329	68	60	97	104
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	-	-	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	-	-	2	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	-	2	-
MALIGNANT NEOPLASMS (C00-C97)	87	23	15	23	26
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	1	-
OF ESOPHAGUS (C15)	2	1	-	1	-
OF STOMACH (C16)	3	-	-	-	3
OF COLON, RECTUM & ANUS (C18-C21)	11	4	3	1	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	1	1	2	-
OF PANCREAS (C25)	5	-	1	1	3
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	25	10	5	7	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	1	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	7	1	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	13	3	3	3	4
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	2	-	-	2
LEUKEMIA (C91-C95)	6	1	2	3	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	-	1	-	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	6	1	-	1	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	-	-	-	2
ANEMIAS (D50-D64)	2	-	-	-	2
DIABETES MELLITUS (E10-E14)	7	1	1	1	4
NUTRITIONAL DEFICIENCIES (E40-E64)	2	1	-	-	1
MALNUTRITION (E40-E46)	2	1	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	2	-	1	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	99	21	17	28	33
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	63	11	11	18	23
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	-	-	1	1
ISCHEMIC HEART DISEASES (I20-I25)	44	10	8	14	12
ACUTE MYOCARDIAL INFARCTION (I21-I22)	19	6	3	5	5
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	25	4	5	9	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	-	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	22	3	5	9	5
OTHER HEART DISEASES (I26-I51)	16	1	3	3	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	3	-	2	1	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	13	1	1	2	9

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Clerendon				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	-	-	1	1
CEREBROVASCULAR DISEASES (I60-I69)	33	9	6	9	9
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	5	-	1	2	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	-	1	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	17	5	4	4	4
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	1	-	-	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	15	5	4	3	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	1	2	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	-	2	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	2	2	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	-	2	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	1	-	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	1	-	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	2	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	15	1	3	4	7
ALL OTHER DISEASE (RESIDUAL)**	29	4	6	10	9
ACCIDENTS (V01-X59,Y85-Y86)	24	5	5	9	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	12	3	4	3	2
MOTOR VEHICLE ACCIDENTS**	10	2	3	3	2
OTHER LAND TRANSPORT ACCIDENTS**	2	1	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	12	2	1	6	3
ACCIDENTAL FALLS (W00-W19)	3	-	1	1	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	-	-	3	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	3	1	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	2	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	1	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	-	-	2	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Colleton				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	386	113	102	87	84
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	-	2	3	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7	1	-	3	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	105	32	27	28	18
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	3	2	-	1	-
OF STOMACH (C16)	5	1	-	3	1
OF COLON, RECTUM & ANUS (C18-C21)	13	8	2	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	1	1	-	3
OF PANCREAS (C25)	9	1	3	3	2
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	33	13	9	10	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	5	-	3	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	3	-	1	-	2
OF PROSTATE (C61)	8	1	-	7	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	1	-	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	2	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	8	2	3	2	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	-	-	2	-
LEUKEMIA (C91-C95)	4	1	2	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	1	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	1	3	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	14	2	3	3	6
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	-	1	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	1	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	-	1	-
ALZHEIMER'S DISEASE (G30)	7	1	5	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	142	35	41	29	37
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	113	29	33	22	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	1	-	1	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	61	17	19	11	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	33	10	9	6	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	28	7	10	5	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	1	2	2	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	22	6	8	3	5
OTHER HEART DISEASES (I26-I51)	46	11	13	10	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	18	5	7	2	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	28	6	6	8	8

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Colleton				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	-	-	1	1
CEREBROVASCULAR DISEASES (I60-I69)	24	6	6	5	7
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	2	-	2	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	2	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	4	1	1	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	1	1	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	17	12	1	4	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	-	1	-
ASTHMA (J45-J46)	1	1	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	13	9	1	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	4	-	2	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	3	4	-	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	2	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	2	2	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	-	2	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	-	2	1	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	1	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	20	5	4	4	7
ACCIDENTS (V01-X59,Y85-Y86)	26	12	5	4	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	16	9	3	2	2
MOTOR VEHICLE ACCIDENTS**	14	7	3	2	2
OTHER LAND TRANSPORT ACCIDENTS**	2	2	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	10	3	2	2	3
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	2	1	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	-	-	-	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	4	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	4	4	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	1	1	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	4	1	1	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Darlington				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	738	220	240	123	155
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	1	3	-	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	-	-	4	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	1	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	162	58	43	25	36
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	2	-	1	-
OF ESOPHAGUS (C15)	4	2	1	-	1
OF STOMACH (C16)	3	-	-	-	3
OF COLON, RECTUM & ANUS (C18-C21)	13	5	5	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	1	1	1	2
OF PANCREAS (C25)	3	1	2	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	59	27	16	8	8
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	14	-	6	-	8
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	13	4	-	9	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	2	-	1	1
OF BLADDER (C67)	4	2	-	1	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	2	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	15	4	6	2	3
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	2	4	-	-
LEUKEMIA (C91-C95)	4	2	1	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	-	1	1	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	14	5	4	1	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	5	2	2	-	1
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	29	13	9	1	6
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	9	2	6	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	283	83	99	47	54
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	205	65	68	38	34
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	9	-	5	2	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	143	53	48	22	20
ACUTE MYOCARDIAL INFARCTION (I21-I22)	67	28	23	8	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	27	9	5	8	5
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	49	16	20	6	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	9	3	4	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	40	13	16	5	6
OTHER HEART DISEASES (I26-I51)	52	12	15	13	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	2	4	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	44	10	11	12	11

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Darlington				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	6	3	-	1	2
CEREBROVASCULAR DISEASES (I60-I69)	65	13	28	8	16
ATHEROSCLEROSIS (I70)	1	1	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	1	3	-	2
AORTIC ANEURYSM & DISSECTION (I71)	2	-	2	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	1	1	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	19	3	11	1	4
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	19	3	11	1	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	31	14	13	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	2	-	1	1	-
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	26	13	10	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	7	2	4	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	13	2	6	3	2
PEPTIC ULCER (K25-K28)	2	-	1	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	5	2	2	1	-
ALCOHOLIC LIVER DISEASE (K70)	2	-	2	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	2	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	1	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	12	1	5	2	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	12	1	5	2	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	8	1	-	3	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	1	2	-	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	7	2	2	2	1
ALL OTHER DISEASE (RESIDUAL)**	60	14	17	12	17
ACCIDENTS (V01-X59,Y85-Y86)	46	12	12	12	10
TRANSPORT ACCIDENTS (V01-V99,Y85)	28	7	3	9	9
MOTOR VEHICLE ACCIDENTS**	26	7	3	8	8
OTHER LAND TRANSPORT ACCIDENTS**	2	-	-	1	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	18	5	9	3	1
ACCIDENTAL FALLS (W00-W19)	7	2	3	2	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	7	2	4	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	2	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	-	-	4	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	-	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	-	1	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	3	-	1	1	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Dillon				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	315	88	84	69	74
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	-	-	1
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	1	-	-	1	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	1	1	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	86	26	20	23	17
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	3	-	-	1	2
OF STOMACH (C16)	4	-	-	2	2
OF COLON, RECTUM & ANUS (C18-C21)	6	4	-	-	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	-	-	2	1
OF PANCREAS (C25)	3	1	-	1	1
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	30	13	6	8	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	8	1	5	-	2
OF CERVIX UTERI (C53)	2	-	1	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	5	1	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	1	-	1	1
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	10	2	5	3	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	1	-	2	-
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5	-	4	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	2	1	-	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	1	2	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	9	1	3	1	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	4	1	2	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	120	35	34	23	28
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	81	29	22	17	13
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	6	1	1	2	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	44	17	13	8	6
ACUTE MYOCARDIAL INFARCTION (I21-I22)	16	4	5	4	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	28	13	8	4	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	1	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	26	12	7	4	3
OTHER HEART DISEASES (I26-I51)	29	11	8	7	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	6	1	3	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	23	10	5	6	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Dillon				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	6	-	1	3	2
CEREBROVASCULAR DISEASES (I60-I69)	25	3	9	2	11
ATHEROSCLEROSIS (I70)	2	2	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	1	2	1	2
AORTIC ANEURYSM & DISSECTION (I71)	3	-	2	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	-	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	3	-	3	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	3	-	3	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	11	5	4	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	-	2	-	-
ASTHMA (J45-J46)	1	1	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	8	4	2	2	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	1	2	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	2	1	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	3	-	-	2	1
ALCOHOLIC LIVER DISEASE (K70)	2	-	-	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	1	3	-	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	5	1	3	-	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	-	-	3	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	-	1	-	3
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	6	1	1	2	2
ALL OTHER DISEASE (RESIDUAL)**	18	3	5	3	7
ACCIDENTS (V01-X59,Y85-Y86)	13	7	2	3	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	10	6	1	2	1
MOTOR VEHICLE ACCIDENTS**	10	6	1	2	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	3	1	1	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	-	-	2	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	-	-	2
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Dorchester				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	713	242	246	104	121
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	5	3	1	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	2	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	3	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	5	3	-	1	1
MALIGNANT NEOPLASMS (C00-C97)	172	72	62	19	19
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	1	-	2	-
OF ESOPHAGUS (C15)	3	-	-	2	1
OF STOMACH (C16)	5	2	1	1	1
OF COLON, RECTUM & ANUS (C18-C21)	22	8	6	3	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	2	3	-	-
OF PANCREAS (C25)	15	4	9	1	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	45	25	14	4	2
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	10	-	8	-	2
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	6	-	4	-	2
OF PROSTATE (C61)	10	8	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	1	1	1	1
OF BLADDER (C67)	1	-	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	6	5	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	16	4	8	1	3
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	10	4	4	-	2
LEUKEMIA (C91-C95)	3	-	2	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	1	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	18	11	6	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	22	4	7	5	6
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	4	1	2	-	1
ALZHEIMER'S DISEASE (G30)	10	1	7	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	294	87	112	38	57
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	188	63	70	27	28
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	8	-	6	2	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	1	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	121	48	41	15	17
ACUTE MYOCARDIAL INFARCTION (I21-I22)	63	33	15	9	6
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	58	15	26	6	11
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	17	5	7	2	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	41	10	19	4	8
OTHER HEART DISEASES (I26-I51)	58	14	23	10	11
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	23	3	11	2	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	34	11	12	7	4

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Dorchester				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	1	2	2	4
CEREBROVASCULAR DISEASES (I60-I69)	83	16	38	8	21
ATHEROSCLEROSIS (I70)	6	2	1	-	3
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	5	1	1	1
AORTIC ANEURYSM & DISSECTION (I71)	3	2	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	3	1	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	8	2	6	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	8	2	6	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	29	11	12	-	6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	9	6	2	-	1
ASTHMA (J45-J46)	3	-	2	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	17	5	8	-	4
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	4	2	1	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	4	2	-	1
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	12	5	2	4	1
ALCOHOLIC LIVER DISEASE (K70)	9	4	2	3	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	-	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	15	3	3	6	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	-	1	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	14	3	3	5	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	10	2	4	2	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	-	-	2	3
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	9	4	1	2	2
ALL OTHER DISEASE (RESIDUAL)**	51	20	14	7	10
ACCIDENTS (V01-X59,Y85-Y86)	28	10	4	10	4
TRANSPORT ACCIDENTS (V01-V99,Y85)	15	6	2	5	2
MOTOR VEHICLE ACCIDENTS**	15	6	2	5	2
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	13	4	2	5	2
ACCIDENTAL FALLS (W00-W19)	4	3	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	-	1	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	4	2	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	3	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	2	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	1	1	2	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	1	-	1	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	1	1	-
LEGAL INTERVENTION (Y35,Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Edgefield				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	197*	62	65	36	33
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	1	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	1	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	-	1	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	30	9	10	8	3
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	4	2	1	1	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	2	-	2	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	5	2	2	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	6	2	1	3	-
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	1	-	1	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	3	1	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	2	-	1	-	1
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	1	-	-	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	2	-	-	-
ANEMIAS (D50-D64)	2	-	1	1	-
DIABETES MELLITUS (E10-E14)	7	1	2	-	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	7	-	5	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	80	29	24	11	16
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	66	28	19	6	13
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	2	1	-	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	50	22	15	5	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	21	6	6	4	5
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	29	16	9	1	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	10	2	5	1	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	19	14	4	-	1
OTHER HEART DISEASES (I26-I51)	11	4	3	1	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	3	2	1	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	8	2	2	1	3

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Edgefield				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	-	-	-	1
CEREBROVASCULAR DISEASES (I60-I69)	12	1	5	4	2
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	-	-	1	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	6	2	3	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	2	3	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	6	2	3	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	5	2	2	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	1	-	-
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	2	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	1	1	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	1	1	-	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	1	1	-	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	2	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2*	-	-	1	-
ALL OTHER DISEASE (RESIDUAL)**	18	5	6	2	5
ACCIDENTS (V01-X59,Y85-Y86)	16	3	6	6	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	12	3	5	3	1
MOTOR VEHICLE ACCIDENTS**	12	3	5	3	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	-	1	3	-
ACCIDENTAL FALLS (W00-W19)	2	-	1	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	2	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	1	1	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Fairfield				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	322	68	86	85	83
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	-	-	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	1	-	1
MALIGNANT NEOPLASMS (C00-C97)	48	13	9	17	9
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	2	1	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	2	-	-	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	2	1	-	1	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	18	5	6	5	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	1	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	-	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	-	1	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	1	1	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	1	-	-
LEUKEMIA (C91-C95)	2	1	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	4	2	-	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	11	-	4	2	5
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	3	-	-	2	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	151	27	42	41	41
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	122	20	38	33	31
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	92	16	25	27	24
ACUTE MYOCARDIAL INFARCTION (I21-I22)	64	13	12	18	21
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	28	3	13	9	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	1	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	25	2	12	8	3
OTHER HEART DISEASES (I26-I51)	30	4	13	6	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	5	1	2	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	25	3	11	6	5

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Fairfield				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	1	-	-	-
CEREBROVASCULAR DISEASES (I60-I69)	21	4	2	7	8
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	2	1	1	2
AORTIC ANEURYSM & DISSECTION (I71)	3	2	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	-	1	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	11	2	5	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	11	2	5	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	1	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	1	-	1	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	12	5	4	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	4	-	1	3	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	7	5	2	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	-	-	1	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	5	2	-	-	3
ALCOHOLIC LIVER DISEASE (K70)	4	2	-	-	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	7	-	2	3	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	-	2	3	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	1	-	-	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	1	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	6	-	4	1	1
ALL OTHER DISEASE (RESIDUAL)**	31	12	7	4	8
ACCIDENTS (V01-X59,Y85-Y86)	11	3	2	5	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	5	1	1	2	1
MOTOR VEHICLE ACCIDENTS**	4	-	1	2	1
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	6	2	1	3	-
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	4	1	-	3	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	2	1	2	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	5	1	1	2	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	-	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	-	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Florence				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	1325	425	391	246	263
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	1	-	-	1	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	22	6	5	2	9
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	14	4	-	3	7
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	2	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	280	97	72	69	42
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	10	3	-	5	2
OF ESOPHAGUS (C15)	5	4	-	1	-
OF STOMACH (C16)	11	3	-	4	4
OF COLON, RECTUM & ANUS (C18-C21)	33	8	12	6	7
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	1	1	1	-
OF PANCREAS (C25)	13	5	3	4	1
OF LARYNX (C32)	5	1	-	4	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	76	32	20	19	5
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	17	-	8	-	9
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	4	-	3	-	1
OF PROSTATE (C61)	17	11	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	1	1	2	1
OF BLADDER (C67)	6	3	2	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	3	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	30	6	12	8	4
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	11	1	8	1	1
LEUKEMIA (C91-C95)	10	3	2	3	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	9	2	2	4	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	37	15	9	9	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	7	3	3	1	-
ANEMIAS (D50-D64)	3	-	-	2	1
DIABETES MELLITUS (E10-E14)	52	16	12	10	14
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	1	-	1
MALNUTRITION (E40-E46)	2	-	1	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	4	1	3	-	-
ALZHEIMER'S DISEASE (G30)	16	5	9	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	556	169	183	80	124
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	423	128	147	60	88
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	26	4	11	6	5
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	281	88	101	37	55
ACUTE MYOCARDIAL INFARCTION (I21-I22)	156	45	49	25	37
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	1	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	123	42	52	11	18
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	52	12	27	4	9
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	71	30	25	7	9
OTHER HEART DISEASES (I26-I51)	114	36	33	17	28
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	3	1	-	2	-
HEART FAILURE (I50)	16	5	5	1	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	95	30	28	14	23

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Florence				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	7	-	2	1	4
CEREBROVASCULAR DISEASES (I60-I69)	112	33	33	17	29
ATHEROSCLEROSIS (I70)	2	1	-	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	12	7	1	1	3
AORTIC ANEURYSM & DISSECTION (I71)	7	4	1	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	3	-	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	19	7	7	2	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	19	7	7	2	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	65	25	26	8	6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	2	-	-	-
EMPHYSEMA (J43)	7	1	4	1	1
ASTHMA (J45-J46)	5	1	2	1	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	51	21	20	6	4
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	9	4	4	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	18	5	8	2	3
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	15	8	2	4	1
ALCOHOLIC LIVER DISEASE (K70)	12	6	2	4	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	2	-	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	15	6	2	4	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	2	-	-	1	1
RENAL FAILURE (N17-N19)	13	6	2	3	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	17	2	-	10	5
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	8	2	3	2	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	11	2	4	4	1
ALL OTHER DISEASE (RESIDUAL)**	96	19	36	19	22
ACCIDENTS (V01-X59,Y85-Y86)	51	20	6	14	11
TRANSPORT ACCIDENTS (V01-V99,Y85)	30	11	4	9	6
MOTOR VEHICLE ACCIDENTS**	26	10	4	7	5
OTHER LAND TRANSPORT ACCIDENTS**	4	1	-	2	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	21	9	2	5	5
ACCIDENTAL FALLS (W00-W19)	6	3	2	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	6	-	-	4	2
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	2	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	3	-	1	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	15	13	-	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	11	10	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4	3	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	18	7	3	6	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	8	3	1	4	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	10	4	2	2	2
LEGAL INTERVENTION (Y35,Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	-	1
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	-	1
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Georgetown				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	532	170	162	92	108
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	10	4	3	-	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	1	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	141	55	37	24	25
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	3	2	1	-	-
OF STOMACH (C16)	7	2	1	2	2
OF COLON, RECTUM & ANUS (C18-C21)	13	5	2	2	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	1	-	1	-
OF PANCREAS (C25)	9	2	3	-	4
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	36	14	12	8	2
OF SKIN (C43)	3	-	2	1	-
OF BREAST (C50)	11	-	8	-	3
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	10	6	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	2	1	-	-
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	2	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	14	4	5	3	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	1	-	-
LEUKEMIA (C91-C95)	7	2	2	2	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	2	2	1	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	19	12	-	2	5
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	-	2	1	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	13	1	4	1	7
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	2	-	-	-
ALZHEIMER'S DISEASE (G30)	10	2	5	-	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	189	58	70	26	35
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	137	44	52	19	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	5	-	2	1	2
ISCHEMIC HEART DISEASES (I20-I25)	96	34	37	12	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	56	23	16	8	9
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	40	11	21	4	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	4	3	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	36	8	20	4	4
OTHER HEART DISEASES (I26-I51)	36	10	13	6	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	1	3	-	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	27	9	10	6	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Georgetown				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	1	-	2	2
CEREBROVASCULAR DISEASES (I60-I69)	39	10	15	5	9
ATHEROSCLEROSIS (I70)	4	1	2	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	4	2	1	-	1
AORTIC ANEURYSM & DISSECTION (I71)	2	2	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	1	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	5	1	3	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	1	3	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	22	5	7	5	5
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	1	1	-	1
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	19	4	6	5	4
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	-	2	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	2	-	1	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	9	3	2	3	1
ALCOHOLIC LIVER DISEASE (K70)	6	2	1	3	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	1	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	12	3	2	1	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	12	3	2	1	6
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	1	-	1	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	8	1	1	4	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	-	1	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	4	1	-	1	2
ALL OTHER DISEASE (RESIDUAL)**	32	9	14	4	5
ACCIDENTS (V01-X59,Y85-Y86)	41	16	8	12	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	27	12	3	8	4
MOTOR VEHICLE ACCIDENTS**	26	11	3	8	4
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	14	4	5	4	1
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	2	1	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	7	1	3	2	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	4	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	2	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	2	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	6	2	-	4	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	-	3	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Greenville				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	3346	1308	1427	302	309
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	2	1	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	2	1	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	50	13	28	4	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	8	6	-	1	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	18	5	1	9	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	14	5	6	2	1
MALIGNANT NEOPLASMS (C00-C97)	714	306	261	72	75
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	16	7	3	3	3
OF ESOPHAGUS (C15)	15	8	2	5	-
OF STOMACH (C16)	12	6	2	2	2
OF COLON, RECTUM & ANUS (C18-C21)	78	27	33	7	11
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	17	10	6	1	-
OF PANCREAS (C25)	33	19	9	2	3
OF LARYNX (C32)	4	-	2	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	194	89	61	28	16
OF SKIN (C43)	9	5	4	-	-
OF BREAST (C50)	67	2	46	-	19
OF CERVIX UTERI (C53)	5	-	3	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	17	-	15	-	2
OF PROSTATE (C61)	40	30	-	10	-
OF KIDNEY & RENAL PELVIS (C64-C65)	19	13	4	1	1
OF BLADDER (C67)	10	7	2	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	19	10	7	1	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	76	36	31	4	5
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	29	17	10	-	2
LEUKEMIA (C91-C95)	28	13	13	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	18	5	8	2	3
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	82	37	30	6	9
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	15	7	6	1	1
ANEMIAS (D50-D64)	10	3	5	-	2
DIABETES MELLITUS (E10-E14)	127	44	53	9	21
NUTRITIONAL DEFICIENCIES (E40-E64)	10	1	5	-	4
MALNUTRITION (E40-E46)	8	1	3	-	4
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	2	-	2	-	-
MENINGITIS (G00,G03)	2	2	-	-	-
PARKINSON'S DISEASE (G20-G21)	26	11	14	1	-
ALZHEIMER'S DISEASE (G30)	95	15	67	3	10
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	1138	445	502	80	111
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	844	351	357	62	74
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	3	1	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	41	10	18	2	11
HYPERTENSIVE HEART & RENAL DISEASE (I13)	4	-	2	1	1
ISCHEMIC HEART DISEASES (I20-I25)	593	265	238	43	47
ACUTE MYOCARDIAL INFARCTION (I21-I22)	250	114	103	15	18
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	342	150	135	28	29
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	60	21	22	9	8
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	282	129	113	19	21
OTHER HEART DISEASES (I26-I51)	203	75	97	16	15
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	42	13	24	3	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	159	61	73	12	13

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Greenville				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	28	11	9	2	6
CEREBROVASCULAR DISEASES (I60-I69)	224	68	116	12	28
ATHEROSCLEROSIS (I70)	7	1	5	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	35	14	15	3	3
AORTIC ANEURYSM & DISSECTION (I71)	20	10	8	2	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	15	4	7	1	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	15	2	10	2	1
INFLUENZA & PNEUMONIA (J10-J18)	78	32	35	9	2
INFLUENZA (J10-J11)	16	6	9	1	-
PNEUMONIA (J12-J18)	62	26	26	8	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	5	1	3	1	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	1	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	4	1	2	1	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	176	81	74	15	6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	-	1	1
EMPHYSEMA (J43)	16	9	7	-	-
ASTHMA (J45-J46)	6	2	3	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	152	70	64	13	5
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	2	2	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	20	5	11	1	3
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	40	14	17	5	4
PEPTIC ULCER (K25-K28)	5	2	2	-	1
DISEASES OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	46	24	16	5	1
ALCOHOLIC LIVER DISEASE (K70)	29	19	6	3	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	17	5	10	2	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	9	1	6	-	2
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	70	28	29	7	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	69	28	28	7	6
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	2	2	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	11	7	1	1	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	13	4	5	2	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	32	14	10	5	3
ALL OTHER DISEASE (RESIDUAL)**	329	97	172	30	30
ACCIDENTS (V01-X59,Y85-Y86)	186	89	64	23	10
TRANSPORT ACCIDENTS (V01-V99,Y85)	79	38	27	10	4
MOTOR VEHICLE ACCIDENTS**	74	35	25	10	4
OTHER LAND TRANSPORT ACCIDENTS**	5	3	2	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	107	51	37	13	6
ACCIDENTAL FALLS (W00-W19)	29	10	15	4	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	8	4	1	1	2
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	36	23	9	4	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	31	13	11	3	4
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	40	26	13	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	21	16	5	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	19	10	8	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	31	11	7	11	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	16	6	3	6	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	15	5	4	5	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	-	-	1	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	3	1	2	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Greenwood				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	700	230	282	99	89
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	-	-	1
SEPTICEMIA (A40-A41)	6	1	4	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	3	-	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	152	50	63	23	16
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	2	-	1	-
OF ESOPHAGUS (C15)	4	-	2	2	-
OF STOMACH (C16)	5	3	1	-	1
OF COLON, RECTUM & ANUS (C18-C21)	13	7	6	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	6	2	4	-	-
OF LARYNX (C32)	1	-	-	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	34	14	10	8	2
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	16	-	13	-	3
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	2	-	1
OF OVARY (C56)	4	-	3	-	1
OF PROSTATE (C61)	12	6	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	4	2	1	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	-	3	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	25	6	11	3	5
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	10	1	8	-	1
LEUKEMIA (C91-C95)	6	2	2	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	9	3	1	1	4
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	14	5	6	3	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	2	1	1	-
ANEMIAS (D50-D64)	2	-	-	1	1
DIABETES MELLITUS (E10-E14)	24	9	5	3	7
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	-	2	-	-
ALZHEIMER'S DISEASE (G30)	25	6	13	-	6
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	251	94	100	25	32
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	182	74	67	18	23
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	3	1	1	-	1
HYPERTENSIVE HEART DISEASE (I11)	4	2	2	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	119	52	43	11	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	68	25	27	7	9
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	51	27	16	4	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	5	4	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	46	23	15	4	4
OTHER HEART DISEASES (I26-I51)	56	19	21	7	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	22	6	13	-	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	34	13	8	7	6

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Greenwood				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	12	1	6	2	3
CEREBROVASCULAR DISEASES (I60-I69)	53	17	27	5	4
ATHEROSCLEROSIS (I70)	1	1	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	1	-	-	2
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	-	1	-	1
INFLUENZA & PNEUMONIA (J10-J18)	24	6	14	2	2
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	23	6	13	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	33	13	16	3	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	6	2	4	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	26	11	12	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	5	2	3	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	16	8	8	-	-
PEPTIC ULCER (K25-K28)	2	-	1	-	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	-	1	1
ALCOHOLIC LIVER DISEASE (K70)	3	1	-	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	7	1	2	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	1	2	2	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	8	-	1	5	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	1	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	3	-	2	1	-
ALL OTHER DISEASE (RESIDUAL)**	74	15	32	15	12
ACCIDENTS (V01-X59,Y85-Y86)	35	14	11	9	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	15	6	4	5	-
MOTOR VEHICLE ACCIDENTS**	13	6	4	3	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	-	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	20	8	7	4	1
ACCIDENTAL FALLS (W00-W19)	6	2	4	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	1	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	-	-	2	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	2	2	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	4	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	4	3	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	-	-	3	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	-	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Hampton				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	227*	58	52	58	58
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	-	1	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	42	9	9	10	14
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	-	-	1	1
OF ESOPHAGUS (C15)	2	1	1	-	-
OF STOMACH (C16)	2	-	-	1	1
OF COLON, RECTUM & ANUS (C18-C21)	2	1	1	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	3	-	-	1	2
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	10	2	2	5	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	1	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	4	2	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	-	1
OF BLADDER (C67)	2	1	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	1	-	-	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	-	-	1
LEUKEMIA (C91-C95)	1	-	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	4	1	3	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	-	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	6	1	1	-	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	-	2	-	-
ALZHEIMER'S DISEASE (G30)	2	-	1	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	97	25	22	22	28
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	71	16	19	15	21
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	46	12	16	9	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	18	3	7	4	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	-	-	1	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	27	9	9	4	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	9	5	-	1	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	18	4	9	3	2
OTHER HEART DISEASES (I26-I51)	24	4	3	6	11
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	6	2	2	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	18	2	1	5	10

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Hampton				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	1	1	2	-
CEREBROVASCULAR DISEASES (I60-I69)	20	6	2	5	7
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	2	2	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	1	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	7	2	2	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	7	2	2	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	10	5	4	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	1	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	7	4	2	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	1	-	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	1	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	-	-	1	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	-	-	1	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	-	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	3*	-	-	1	1
ALL OTHER DISEASE (RESIDUAL)**	21	7	8	3	3
ACCIDENTS (V01-X59,Y85-Y86)	16	4	2	8	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	10	4	2	3	1
MOTOR VEHICLE ACCIDENTS**	10	4	2	3	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	6	-	-	5	1
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	4	-	-	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Horry				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	1924*	936	712	168	107
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	-	1
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	-	1
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	1	-	-
SEPTICEMIA (A40-A41)	18	10	5	-	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	15	7	2	5	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	2	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	435	226	166	24	19
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	8	5	1	1	1
OF ESOPHAGUS (C15)	14	11	3	-	-
OF STOMACH (C16)	11	5	2	3	1
OF COLON, RECTUM & ANUS (C18-C21)	40	18	18	1	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	15	6	6	3	-
OF PANCREAS (C25)	20	6	11	1	2
OF LARYNX (C32)	3	1	1	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	141	83	54	2	2
OF SKIN (C43)	7	5	2	-	-
OF BREAST (C50)	23	-	19	-	4
OF CERVIX UTERI (C53)	2	-	1	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	10	-	10	-	-
OF PROSTATE (C61)	23	19	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	5	-	-	1
OF BLADDER (C67)	6	3	3	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	11	7	3	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	42	24	14	3	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	15	9	6	-	-
LEUKEMIA (C91-C95)	17	11	4	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	10	4	4	2	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	51	28	17	4	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	3	-	1	-
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	62	27	15	12	8
NUTRITIONAL DEFICIENCIES (E40-E64)	5	2	2	-	1
MALNUTRITION (E40-E46)	4	1	2	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	1	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	4	4	-	-	-
ALZHEIMER'S DISEASE (G30)	50	18	30	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	719	362	254	59	44
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	529	273	184	43	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	2	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	12	4	3	3	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	1	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	401	216	127	34	24
ACUTE MYOCARDIAL INFARCTION (I21-I22)	223	128	58	23	14
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	178	88	69	11	10
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	35	14	16	5	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	143	74	53	6	10
OTHER HEART DISEASES (I26-I51)	113	50	54	6	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	3	1	2	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	20	13	7	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	90	36	45	6	3

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Horry				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	11	3	5	2	1
CEREBROVASCULAR DISEASES (I60-I69)	145	62	59	11	13
ATHEROSCLEROSIS (I70)	4	2	1	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	30	22	5	3	-
AORTIC ANEURYSM & DISSECTION (I71)	21	16	2	3	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	9	6	3	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	33	18	12	3	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	33	18	12	3	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	1	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	1	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	92	43	40	8	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	11	6	4	1	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	79	37	35	6	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	9	5	4	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	27	11	13	1	2
PEPTIC ULCER (K25-K28)	4	1	2	1	-
DISEASES OF APPENDIX (K35-K38)	3	2	-	1	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	29	20	8	1	-
ALCOHOLIC LIVER DISEASE (K70)	19	13	5	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	10	7	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	25	9	13	2	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	24	9	12	2	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	4	2	2	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	12	3	3	4	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	1	2	2	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	15*	3	5	5	1
ALL OTHER DISEASE (RESIDUAL)**	181	72	85	7	17
ACCIDENTS (V01-X59,Y85-Y86)	108	50	31	24	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	62	33	11	18	-
MOTOR VEHICLE ACCIDENTS**	57	31	9	17	-
OTHER LAND TRANSPORT ACCIDENTS**	5	2	2	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	46	17	20	6	3
ACCIDENTAL FALLS (W00-W19)	7	2	5	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	3	1	2	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	4	-	-	3	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	19	9	8	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	12	5	5	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	25	16	6	3	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	18	14	3	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	7	2	3	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	21	15	2	4	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	10	5	1	4	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	11	10	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	6	2	3	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	5	1	3	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	1	1	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Jasper				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	142	28	28	37	49
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	-	-	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	34	8	7	11	8
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	3	2	-	1	-
OF STOMACH (C16)	2	-	-	2	-
OF COLON, RECTUM & ANUS (C18-C21)	2	-	2	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	1	-	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	8	3	1	2	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	2	-	1	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	4	-	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	2	1	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	-	-	-	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2	-	-	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	2	1	-	-	1
DIABETES MELLITUS (E10-E14)	2	1	-	1	-
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	1	-	-	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	54	10	11	8	25
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	41	7	9	8	17
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	1	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	22	5	3	6	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	12	3	2	3	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	-	1	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	8	2	-	3	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	7	1	-	3	3
OTHER HEART DISEASES (I26-I51)	16	1	5	1	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	-	2	-	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	7	1	3	1	2

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Jasper				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	-	-	-	-	-
CEREBROVASCULAR DISEASES (I60-I69)	12	2	2	-	8
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	1	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	5	-	2	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	-	2	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	6	3	1	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	4	2	1	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	-	-	1	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	-	-	1	1
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	-	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	-	1	3	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	-	1	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	-	1	2	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	5	1	1	1	2
ALL OTHER DISEASE (RESIDUAL)**	8	1	2	-	5
ACCIDENTS (V01-X59,Y85-Y86)	7	-	-	5	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	6	-	-	5	1
MOTOR VEHICLE ACCIDENTS**	5	-	-	4	1
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1	-	-	-	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	-	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	3	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	2	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2	-	2	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	1	-	-	1	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Kershaw				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	518	194	158	81	85
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	1	-	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	1	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	-	-	2
MALIGNANT NEOPLASMS (C00-C97)	129	59	33	23	14
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	1	-	2	-
OF ESOPHAGUS (C15)	4	2	-	2	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	11	8	2	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	-	1	-
OF PANCREAS (C25)	7	3	4	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	46	25	10	7	4
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	7	-	5	-	2
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	14	7	-	7	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	-	-	-	2
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	16	5	7	3	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	3	3	-	1
LEUKEMIA (C91-C95)	6	-	3	3	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	2	1	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	9	3	3	1	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	-	-	2	2
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	21	6	4	6	5
NUTRITIONAL DEFICIENCIES (E40-E64)	3	2	-	-	1
MALNUTRITION (E40-E46)	3	2	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	2	-	2	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	201	73	67	25	36
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	144	54	47	19	24
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	7	1	1	2	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	103	41	35	9	18
ACUTE MYOCARDIAL INFARCTION (I21-I22)	57	23	17	5	12
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	46	18	18	4	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	-	-	2	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	43	18	18	2	5
OTHER HEART DISEASES (I26-I51)	34	12	11	8	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	11	3	2	4	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	23	9	9	4	1

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Kershaw				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	-	2	-	2
CEREBROVASCULAR DISEASES (I60-I69)	44	16	13	6	9
ATHEROSCLEROSIS (I70)	1	1	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	2	5	-	1
AORTIC ANEURYSM & DISSECTION (I71)	5	2	3	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	2	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	2	4	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	10	2	4	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	28	10	16	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	2	-	-	-
ASTHMA (J45-J46)	2	1	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	24	7	16	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	2	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	2	2	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	7	5	-	1	1
ALCOHOLIC LIVER DISEASE (K70)	5	3	-	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	2	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	9	2	1	1	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	8	2	1	1	4
OTHER DISORDERS OF KIDNEY (N25,N27)	1	-	-	-	1
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	1	1	-	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	3	-	2	-	1
ALL OTHER DISEASE (RESIDUAL)**	44	8	16	9	11
ACCIDENTS (V01-X59,Y85-Y86)	28	13	7	8	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	18	9	5	4	-
MOTOR VEHICLE ACCIDENTS**	17	9	5	3	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	-	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	10	4	2	4	-
ACCIDENTAL FALLS (W00-W19)	1	1	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	7	1	2	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	3	2	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	4	3	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	1	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Lancaster				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	619	251	228	71	69
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	14	2	6	1	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	1	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	125	53	41	14	17
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	2	2	-	-	-
OF STOMACH (C16)	3	2	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	14	3	6	1	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	1	3	1	-
OF PANCREAS (C25)	5	4	-	1	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	43	23	14	3	3
OF SKIN (C43)	2	1	-	1	-
OF BREAST (C50)	10	-	8	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	2	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	8	5	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	-	1
OF BLADDER (C67)	5	2	2	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	5	3	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	12	4	3	2	3
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	1	-	-	-
LEUKEMIA (C91-C95)	4	-	-	2	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	3	2	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	6	2	1	1	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	7	5	1	-	1
NUTRITIONAL DEFICIENCIES (E40-E64)	1	1	-	-	-
MALNUTRITION (E40-E46)	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	4	-	3	-	1
ALZHEIMER'S DISEASE (G30)	11	5	6	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	248	92	95	27	34
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	188	81	66	17	24
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	-	3	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	129	64	40	9	16
ACUTE MYOCARDIAL INFARCTION (I21-I22)	79	42	21	4	12
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	50	22	19	5	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	8	2	4	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	42	20	15	4	3
OTHER HEART DISEASES (I26-I51)	55	17	23	7	8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	26	7	10	6	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	28	9	13	1	5

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Lancaster				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	11	2	2	3	4
CEREBROVASCULAR DISEASES (I60-I69)	40	5	24	5	6
ATHEROSCLEROSIS (I70)	4	1	3	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	3	-	2	-
AORTIC ANEURYSM & DISSECTION (I71)	3	2	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	1	-	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	15	4	8	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	15	4	8	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	33	20	12	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	3	3	-	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	28	17	10	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	1	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	9	6	2	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	7	2	5	-	-
ALCOHOLIC LIVER DISEASE (K70)	2	1	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	1	4	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	7	4	1	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	4	1	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	1	3	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	1	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	16	3	6	3	4
ALL OTHER DISEASE (RESIDUAL)**	50	20	22	6	2
ACCIDENTS (V01-X59,Y85-Y86)	37	23	7	6	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	25	17	4	4	-
MOTOR VEHICLE ACCIDENTS**	23	16	4	3	-
OTHER LAND TRANSPORT ACCIDENTS**	2	1	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	12	6	3	2	1
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	5	4	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	2	1	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	10	6	4	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7	4	3	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	2	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8	2	2	4	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	4	1	1	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	1	2	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Laurens				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	711	243	281	89	98
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	9	-	5	1	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	1	-	1
MALIGNANT NEOPLASMS (C00-C97)	144	61	45	22	16
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	2	1	-	-
OF ESOPHAGUS (C15)	4	3	-	-	1
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	12	5	3	3	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	13	6	2	1	4
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	49	22	13	8	6
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	12	-	9	-	3
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	7	2	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	5	-	1	-
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	1	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	12	2	7	2	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	-	2	-	-
LEUKEMIA (C91-C95)	7	2	4	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	-	1	1	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	16	10	5	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	28	10	6	4	8
NUTRITIONAL DEFICIENCIES (E40-E64)	2	1	-	-	1
MALNUTRITION (E40-E46)	2	1	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	1	2	-	-
ALZHEIMER'S DISEASE (G30)	29	7	19	-	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	284	89	118	37	40
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	198	68	78	22	30
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	-	1	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	128	50	46	14	18
ACUTE MYOCARDIAL INFARCTION (I21-I22)	63	21	22	9	11
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	65	29	24	5	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	19	6	7	2	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	46	23	17	3	3
OTHER HEART DISEASES (I26-I51)	66	18	29	7	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	19	4	9	3	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	47	14	20	4	9

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Laurens				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	17	3	7	2	5
CEREBROVASCULAR DISEASES (I60-I69)	56	16	25	11	4
ATHEROSCLEROSIS (I70)	6	1	5	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	7	1	3	2	1
AORTIC ANEURYSM & DISSECTION (I71)	4	1	2	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	1	1	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	2	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	12	4	6	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	12	4	6	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	32	11	14	7	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	7	2	2	3	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	24	9	11	4	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	-	3	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	8	2	3	1	2
PEPTIC ULCER (K25-K28)	2	1	-	-	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	8	4	3	-	1
ALCOHOLIC LIVER DISEASE (K70)	7	4	2	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	11	2	5	1	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	11	2	5	1	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	2	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	2	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	-	1	1	-
ALL OTHER DISEASE (RESIDUAL)**	70	20	34	7	9
ACCIDENTS (V01-X59,Y85-Y86)	35	13	11	4	7
TRANSPORT ACCIDENTS (V01-V99,Y85)	18	7	5	1	5
MOTOR VEHICLE ACCIDENTS**	17	7	4	1	5
OTHER LAND TRANSPORT ACCIDENTS**	1	-	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	17	6	6	3	2
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	2	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	-	1	1	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	5	2	2	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	2	2	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	8	7	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	4	4	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4	3	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	2	-	1	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	-	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	2	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	1	1	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	1	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Lee				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	188	40	37	69	42
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	5	2	-	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	1	-	-	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	37	10	8	12	7
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	2	-	-	2	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	4	1	1	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	5	3	1	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	11	1	3	6	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	2	-	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	1	-	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	2	2	-	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	2	-	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2	1	-	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	4	-	-	1	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	3	1	2	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	71	13	18	23	17
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	55	10	14	18	13
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	-	2	1	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	-	-	-	2
ISCHEMIC HEART DISEASES (I20-I25)	34	8	7	12	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	15	4	5	5	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	19	4	2	7	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	-	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	16	3	2	6	5
OTHER HEART DISEASES (I26-I51)	15	2	5	5	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	1	-
HEART FAILURE (I50)	5	2	2	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	8	-	3	3	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Lee				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	3	2	-	1	-
CEREBROVASCULAR DISEASES (I60-I69)	13	1	4	4	4
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	2	1	-	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	1	-	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	9	3	3	2	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	2	-	-	-
ASTHMA (J45-J46)	2	-	1	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	5	1	2	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	-	-	2	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	-	-	1	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	1	-	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	1	-	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	-	1	2	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	-	-	1	1
ALL OTHER DISEASE (RESIDUAL)**	15	1	3	8	3
ACCIDENTS (V01-X59,Y85-Y86)	17	6	1	9	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	10	2	-	7	1
MOTOR VEHICLE ACCIDENTS**	10	2	-	7	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	7	4	1	2	-
ACCIDENTAL FALLS (W00-W19)	2	2	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	3	1	1	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	1	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Lexington				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	1692	747	744	110	91
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	1	-	-	-	1
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	20	7	7	5	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	3	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	3	-	1	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	8	3	3	1	1
MALIGNANT NEOPLASMS (C00-C97)	356	163	152	25	16
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	1	3	-	-
OF ESOPHAGUS (C15)	12	7	1	4	-
OF STOMACH (C16)	5	2	1	1	1
OF COLON, RECTUM & ANUS (C18-C21)	42	14	25	3	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	8	5	3	-	-
OF PANCREAS (C25)	12	7	5	-	-
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	106	57	41	7	1
OF SKIN (C43)	5	4	-	-	1
OF BREAST (C50)	32	1	28	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	1	-	2
OF OVARY (C56)	6	-	5	-	1
OF PROSTATE (C61)	20	15	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	14	8	4	1	1
OF BLADDER (C67)	5	3	2	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	15	9	4	-	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	35	13	18	1	3
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	16	8	7	-	1
LEUKEMIA (C91-C95)	12	4	6	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	1	4	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	30	16	11	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	2	3	1	-
ANEMIAS (D50-D64)	4	-	1	2	1
DIABETES MELLITUS (E10-E14)	50	17	20	5	8
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	14	8	5	-	1
ALZHEIMER'S DISEASE (G30)	50	8	41	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	611	278	269	30	34
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	439	216	184	21	18
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	1	3	-	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	3	1	1	1	-
ISCHEMIC HEART DISEASES (I20-I25)	303	161	114	15	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	179	103	59	10	7
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	1	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	122	57	54	5	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	10	4	5	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	112	53	49	5	5
OTHER HEART DISEASES (I26-I51)	125	53	64	5	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	3	2	1	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	1	-	-
HEART FAILURE (I50)	49	24	23	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	72	27	39	4	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Lexington				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	8	3	3	-	2
CEREBROVASCULAR DISEASES (I60-I69)	136	50	66	9	11
ATHEROSCLEROSIS (I70)	4	-	3	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	24	9	13	-	2
AORTIC ANEURYSM & DISSECTION (I71)	18	8	8	-	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	6	1	5	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	3	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	33	17	11	2	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	33	17	11	2	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	89	46	40	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	1	1	-	-
EMPHYSEMA (J43)	6	3	3	-	-
ASTHMA (J45-J46)	3	-	3	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	78	42	33	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	14	8	6	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	23	10	11	1	1
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	-	1	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	31	18	9	4	-
ALCOHOLIC LIVER DISEASE (K70)	18	12	4	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	13	6	5	2	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	-	1	1	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	24	11	11	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	23	11	10	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	2	-	1	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	2	-	1	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	13	5	4	2	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	13	5	6	1	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	22	9	10	-	3
ALL OTHER DISEASE (RESIDUAL)**	153	47	88	7	11
ACCIDENTS (V01-X59,Y85-Y86)	101	54	35	9	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	52	31	16	4	1
MOTOR VEHICLE ACCIDENTS**	38	23	12	2	1
OTHER LAND TRANSPORT ACCIDENTS**	14	8	4	2	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	49	23	19	5	2
ACCIDENTAL FALLS (W00-W19)	9	4	5	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	3	1	2	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	5	3	2	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	10	7	2	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	20	8	7	3	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	20	14	5	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	12	9	2	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	8	5	3	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	10	4	-	6	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	6	2	-	4	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	2	-	2	-
LEGAL INTERVENTION (Y35,Y89.0)	2	1	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	2	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	2	2	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	McCormick				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	97	27	24	27	19
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	1	-	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	24	6	6	9	3
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	2	-	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	2	-	-	2	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	2	-	1	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	8	4	2	1	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	1	-	-	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	2	-	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	1	1	1	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	1	1	1	-
LEUKEMIA (C91-C95)	1	-	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	1	-	1	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	2	1	1	-	-
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	3	-	3	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	35	8	7	11	9
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	26	7	7	8	4
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	22	7	5	8	2
ACUTE MYOCARDIAL INFARCTION (I21-I22)	11	2	4	4	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	11	5	1	4	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	-	-	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	5	1	3	1
OTHER HEART DISEASES (I26-I51)	4	-	2	-	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	1	-	-	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	3	-	2	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	McCormick				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	-	-	1	1
CEREBROVASCULAR DISEASES (I60-I69)	6	1	-	1	4
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	2	1	1	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	2	1	1	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	1	1	-	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	1	1	-	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	1	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	2	2	-	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	2	-	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	8	1	3	2	2
ACCIDENTS (V01-X59,Y85-Y86)	7	1	2	2	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	4	1	1	1	1
MOTOR VEHICLE ACCIDENTS**	4	1	1	1	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	3	-	1	1	1
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	2	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Marion				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	416	102	88	120	106
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	10	2	2	4	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	3	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	97	25	23	33	16
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	1	1	1	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	3	-	-	3	-
OF COLON, RECTUM & ANUS (C18-C21)	8	2	4	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	-	2	-
OF PANCREAS (C25)	5	1	1	1	2
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	31	12	7	10	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	10	-	4	-	6
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	9	2	-	7	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	-	2	1	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	8	3	2	1	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	-	-	1
LEUKEMIA (C91-C95)	3	2	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	-	2	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	9	2	-	5	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	19	1	5	3	10
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	4	1	2	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	158	47	31	37	43
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	117	35	25	25	32
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	7	2	2	1	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	68	23	15	14	16
ACUTE MYOCARDIAL INFARCTION (I21-I22)	28	6	7	6	9
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	39	17	7	8	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	1	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	36	16	6	8	6
OTHER HEART DISEASES (I26-I51)	41	10	8	10	13
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	20	5	5	3	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	20	4	3	7	6

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Marion				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	2	1	-	2
CEREBROVASCULAR DISEASES (I60-I69)	30	9	4	10	7
ATHEROSCLEROSIS (I70)	1	1	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	-	1	2	2
AORTIC ANEURYSM & DISSECTION (I71)	3	-	1	2	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	-	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	8	-	1	2	5
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	8	-	1	2	5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	17	7	7	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	16	7	7	2	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	6	2	1	1	2
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	2	-	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	6	2	-	1	3
ALCOHOLIC LIVER DISEASE (K70)	2	-	-	-	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	2	-	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	2	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	8	1	1	3	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	8	1	1	3	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	-	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	1	-	-	1	-
ALL OTHER DISEASE (RESIDUAL)**	31	3	13	3	12
ACCIDENTS (V01-X59,Y85-Y86)	28	6	-	17	5
TRANSPORT ACCIDENTS (V01-V99,Y85)	15	3	-	8	4
MOTOR VEHICLE ACCIDENTS**	13	3	-	8	2
OTHER LAND TRANSPORT ACCIDENTS**	2	-	-	-	2
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	13	3	-	9	1
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	6	-	-	5	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	2	-	3	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	6	-	-	6	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	-	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	-	-	3	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Marlboro				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	354*	105	88	81	78
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	-	1	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	-	3	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	1	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	66	27	14	13	12
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	-	1
OF ESOPHAGUS (C15)	2	-	1	1	-
OF STOMACH (C16)	3	1	-	1	1
OF COLON, RECTUM & ANUS (C18-C21)	8	3	2	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	1	1	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	29	14	3	9	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	1	-	1	-	-
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	6	5	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	-	-	1
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	2	1	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	1	-	-	-
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	-	4	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	1	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	14	2	3	4	5
NUTRITIONAL DEFICIENCIES (E40-E64)	2	1	1	-	-
MALNUTRITION (E40-E46)	1	1	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	2	-	2	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	142	31	37	36	38
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	122	27	35	31	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	61	16	16	13	16
ACUTE MYOCARDIAL INFARCTION (I21-I22)	44	12	11	10	11
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	17	4	5	3	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	16	4	4	3	5
OTHER HEART DISEASES (I26-I51)	59	11	17	18	13
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	3	-	-	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	56	11	17	17	11

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Marlboro				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	1	-	-	3
CEREBROVASCULAR DISEASES (I60-I69)	13	2	2	4	5
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	1	-	1	1
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	-	1	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	-	-	2	-
INFLUENZA & PNEUMONIA (J10-J18)	7	3	3	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	7	3	3	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	-	1	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	-	1	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	16	9	2	3	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	14	8	2	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	1	3	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	3	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	3	2	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	1	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	1	1	3	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	1	1	3	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	1	-	-	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	1	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	19*	8	2	2	5
ALL OTHER DISEASE (RESIDUAL)**	20	8	7	2	3
ACCIDENTS (V01-X59,Y85-Y86)	23	7	8	2	6
TRANSPORT ACCIDENTS (V01-V99,Y85)	13	5	2	2	4
MOTOR VEHICLE ACCIDENTS**	13	5	2	2	4
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	10	2	6	-	2
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	1	2	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	1	3	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	1	-	1	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	-	-	1	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	6	-	1	5	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	-	1	3	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	-	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Newberry				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	355	119	130	58	48
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	-	4	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	82	31	20	14	17
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	3	-	2	1	-
OF STOMACH (C16)	3	1	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	13	5	4	-	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	7	1	3	1	2
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	24	12	3	5	4
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	3	-	-	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	6	5	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	1	-	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	9	3	2	3	1
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	1	2	1	-
LEUKEMIA (C91-C95)	2	1	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	-	2	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	2	2	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	14	6	3	2	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	11	-	10	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	142	50	55	19	18
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	93	36	42	9	6
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	60	27	24	6	3
ACUTE MYOCARDIAL INFARCTION (I21-I22)	32	17	12	3	-
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	28	10	12	3	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	-	1	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	26	10	11	2	3
OTHER HEART DISEASES (I26-I51)	32	9	17	3	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	19	6	11	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	13	3	6	2	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Newberry				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	4	-	1	3	-
CEREBROVASCULAR DISEASES (I60-I69)	32	7	11	6	8
ATHEROSCLEROSIS (I70)	3	1	-	-	2
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	10	6	1	1	2
AORTIC ANEURYSM & DISSECTION (I71)	7	5	-	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	1	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	6	1	3	2	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	1	3	2	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	15	6	4	4	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	13	5	4	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	-	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	1	-	2	1
ALCOHOLIC LIVER DISEASE (K70)	3	-	-	2	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	4	-	2	2	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	-	2	2	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	1	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	1	1	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	11	-	7	2	2
ALL OTHER DISEASE (RESIDUAL)**	29	7	14	3	5
ACCIDENTS (V01-X59,Y85-Y86)	18	9	5	3	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	13	6	4	2	1
MOTOR VEHICLE ACCIDENTS**	13	6	4	2	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	5	3	1	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	2	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	1	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	6	3	1	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	6	3	1	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	1	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Oconee				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	635	285	297	29	24
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	1	5	2	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	1	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	4	1	1	1	1
MALIGNANT NEOPLASMS (C00-C97)	158	83	65	8	2
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	1	-
OF ESOPHAGUS (C15)	6	4	2	-	-
OF STOMACH (C16)	2	2	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	17	8	7	2	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	3	-	-	-
OF PANCREAS (C25)	12	5	6	1	-
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	51	33	17	1	-
OF SKIN (C43)	4	3	1	-	-
OF BREAST (C50)	10	-	10	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	4	-	3	-	1
OF PROSTATE (C61)	6	5	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	1	2	-	-
OF BLADDER (C67)	2	-	2	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	3	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	17	8	6	2	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	8	2	4	1	1
LEUKEMIA (C91-C95)	6	4	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	2	-	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	13	7	6	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	-	3	-	-
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	11	2	6	1	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	21	8	13	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	220	82	119	5	14
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	161	65	84	3	9
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	1	1	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	1	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	114	45	62	2	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	56	19	32	1	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	58	26	30	1	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	9	3	5	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	49	23	25	1	-
OTHER HEART DISEASES (I26-I51)	43	18	21	1	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	13	5	7	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	30	13	14	1	2

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Oconee				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	2	2	-	1
CEREBROVASCULAR DISEASES (I60-I69)	46	12	30	2	2
ATHEROSCLEROSIS (I70)	2	-	1	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	3	2	-	1
AORTIC ANEURYSM & DISSECTION (I71)	5	3	1	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	16	10	5	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	16	10	5	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	35	22	13	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	2	-	-
EMPHYSEMA (J43)	6	4	2	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	26	18	8	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	2	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	6	2	4	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	9	4	3	2	-
ALCOHOLIC LIVER DISEASE (K70)	7	3	2	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	1	2	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	6	2	4	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	2	4	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	1	3	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	2	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	12	4	4	1	3
ALL OTHER DISEASE (RESIDUAL)**	49	18	27	4	-
ACCIDENTS (V01-X59,Y85-Y86)	43	31	10	2	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	23	17	5	1	-
MOTOR VEHICLE ACCIDENTS**	23	17	5	1	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	20	14	5	1	-
ACCIDENTAL FALLS (W00-W19)	6	4	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	9	6	2	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	11	7	2	1	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	8	6	1	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	1	-	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	-	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	1	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Orangeburg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	932*	208	218	240	265
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	14	5	2	2	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	15	1	1	7	6
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	205	54	47	50	54
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	-	-	1	1
OF ESOPHAGUS (C15)	9	-	-	8	1
OF STOMACH (C16)	7	1	1	4	1
OF COLON, RECTUM & ANUS (C18-C21)	24	3	5	5	11
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	1	1	-
OF PANCREAS (C25)	16	-	6	4	6
OF LARYNX (C32)	3	-	1	1	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	58	23	19	10	6
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	14	-	3	-	11
OF CERVIX UTERI (C53)	3	-	-	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	7	-	4	-	3
OF PROSTATE (C61)	12	7	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	2	-	2	-
OF BLADDER (C67)	4	1	1	-	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	2	1	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	20	9	3	5	3
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	4	-	2	-
LEUKEMIA (C91-C95)	6	3	1	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	7	1	2	2	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	13	4	2	3	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	2	1	-	1
ANEMIAS (D50-D64)	2	-	-	1	1
DIABETES MELLITUS (E10-E14)	28	6	2	7	13
NUTRITIONAL DEFICIENCIES (E40-E64)	3	-	-	1	2
MALNUTRITION (E40-E46)	2	-	-	1	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	-	1
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	15	5	8	1	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	359	75	95	78	111
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	236	60	54	46	76
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	-	-	2
HYPERTENSIVE HEART DISEASE (I11)	13	1	2	3	7
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	-	-	-	2
ISCHEMIC HEART DISEASES (I20-I25)	158	44	36	30	48
ACUTE MYOCARDIAL INFARCTION (I21-I22)	93	26	14	23	30
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	65	18	22	7	18
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	4	-	1	-	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	61	18	21	7	15
OTHER HEART DISEASES (I26-I51)	61	15	16	13	17
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	17	4	6	3	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	44	11	10	10	13

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Orangeburg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	7	-	1	3	3
CEREBROVASCULAR DISEASES (I60-I69)	108	12	39	28	29
ATHEROSCLEROSIS (I70)	2	-	1	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	3	-	1	2
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	2	-	1	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	2	3	2	3
INFLUENZA (J10-J11)	1	1	-	-	-
PNEUMONIA (J12-J18)	9	1	3	2	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	1	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	1	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	33	8	8	11	6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	-	-	1
EMPHYSEMA (J43)	2	-	1	1	-
ASTHMA (J45-J46)	3	-	-	1	2
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	27	8	7	9	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	-	-	1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	8	2	3	1	2
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	16	4	6	3	3
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	6	3	-	2	1
ALCOHOLIC LIVER DISEASE (K70)	5	3	-	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	13	4	2	5	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	1	-	-	-
RENAL FAILURE (N17-N19)	12	3	2	5	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	12	-	1	6	5
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	9	-	2	2	5
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	21*	1	4	9	6
ALL OTHER DISEASE (RESIDUAL)**	72	9	22	19	22
ACCIDENTS (V01-X59,Y85-Y86)	61	17	8	24	12
TRANSPORT ACCIDENTS (V01-V99,Y85)	34	7	3	15	9
MOTOR VEHICLE ACCIDENTS**	30	6	3	13	8
OTHER LAND TRANSPORT ACCIDENTS**	4	1	-	2	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	27	10	5	9	3
ACCIDENTAL FALLS (W00-W19)	5	1	4	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	3	2	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	5	1	-	3	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	1	-	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	9	4	1	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	5	2	-	2	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	1	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	3	1	-	1	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	9	3	1	4	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	5	1	1	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	2	-	1	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Pickens				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	895	433	392	30	40
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	1	4	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	2	-	-	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	3	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	177	84	80	6	7
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	4	3	-	1	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	20	8	11	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	1	2	-	-
OF PANCREAS (C25)	13	7	4	1	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	52	35	16	-	1
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	16	-	15	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	2	-	1
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	8	6	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	2	4	-	-
OF BLADDER (C67)	2	1	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	1	3	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	24	12	12	-	-
HODGKIN'S DISEASE (C81)	2	2	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	4	3	-	-
LEUKEMIA (C91-C95)	9	3	6	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	3	3	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	17	5	10	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	2	-	-	-
ANEMIAS (D50-D64)	4	1	3	-	-
DIABETES MELLITUS (E10-E14)	20	10	7	2	1
NUTRITIONAL DEFICIENCIES (E40-E64)	2	2	-	-	-
MALNUTRITION (E40-E46)	2	2	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	1	-	-
PARKINSON'S DISEASE (G20-G21)	9	4	5	-	-
ALZHEIMER'S DISEASE (G30)	18	4	14	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	388	183	173	12	20
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	268	144	107	6	11
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	2	2	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	196	113	70	5	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	93	56	30	3	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	103	57	40	2	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	12	7	4	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	91	50	36	1	4
OTHER HEART DISEASES (I26-I51)	65	29	32	1	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	23	7	13	-	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	41	21	19	1	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Pickens				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	7	-	4	1	2
CEREBROVASCULAR DISEASES (I60-I69)	84	25	51	4	4
ATHEROSCLEROSIS (I70)	16	8	6	-	2
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	13	6	5	1	1
AORTIC ANEURYSM & DISSECTION (I71)	7	5	1	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	6	1	4	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	14	2	11	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	14	2	11	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	1	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	1	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	56	35	16	2	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	2	-	-
EMPHYSEMA (J43)	5	3	2	-	-
ASTHMA (J45-J46)	2	-	1	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	47	32	11	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	5	2	2	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	2	5	-	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	7	6	1	-	-
ALCOHOLIC LIVER DISEASE (K70)	5	4	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	2	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	10	6	4	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	6	4	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	2	-	2	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	1	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	2	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	21	11	7	1	2
ALL OTHER DISEASE (RESIDUAL)**	60	27	31	1	1
ACCIDENTS (V01-X59,Y85-Y86)	51	32	16	3	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	30	20	9	1	-
MOTOR VEHICLE ACCIDENTS**	30	20	9	1	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	21	12	7	2	-
ACCIDENTAL FALLS (W00-W19)	5	2	3	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	1	2	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	2	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	8	5	1	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	17	11	5	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	12	10	2	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	5	1	3	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	1	-	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	1	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Richland				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	2600*	713	786	581	518
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	-	-	1
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	47	14	13	10	10
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	5	2	1	2	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	35	7	-	23	5
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	13	2	5	4	2
MALIGNANT NEOPLASMS (C00-C97)	596	174	186	129	107
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	20	7	2	9	2
OF ESOPHAGUS (C15)	14	2	1	9	2
OF STOMACH (C16)	19	4	6	6	3
OF COLON, RECTUM & ANUS (C18-C21)	60	18	14	15	13
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	14	8	4	1	1
OF PANCREAS (C25)	22	7	7	5	3
OF LARYNX (C32)	8	3	-	4	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	158	52	56	34	16
OF SKIN (C43)	6	5	-	-	1
OF BREAST (C50)	59	-	32	-	27
OF CERVIX UTERI (C53)	5	-	2	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	8	-	4	-	4
OF OVARY (C56)	18	-	15	-	3
OF PROSTATE (C61)	39	15	-	24	-
OF KIDNEY & RENAL PELVIS (C64-C65)	11	6	3	1	1
OF BLADDER (C67)	9	5	2	2	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	9	1	5	1	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	60	24	15	6	15
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	20	7	7	3	3
LEUKEMIA (C91-C95)	23	12	2	2	7
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	17	5	6	1	5
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	57	17	18	12	10
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	12	4	2	1	5
ANEMIAS (D50-D64)	5	-	2	2	1
DIABETES MELLITUS (E10-E14)	70	11	10	20	29
NUTRITIONAL DEFICIENCIES (E40-E64)	7	1	3	3	-
MALNUTRITION (E40-E46)	7	1	3	3	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	2	1	-	1	-
PARKINSON'S DISEASE (G20-G21)	7	4	2	-	1
ALZHEIMER'S DISEASE (G30)	58	11	31	6	10
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	880	257	253	188	182
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	627	193	180	129	125
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	4	-	3	-	1
HYPERTENSIVE HEART DISEASE (I11)	21	2	5	6	8
HYPERTENSIVE HEART & RENAL DISEASE (I13)	6	-	-	2	4
ISCHEMIC HEART DISEASES (I20-I25)	402	152	110	68	72
ACUTE MYOCARDIAL INFARCTION (I21-I22)	242	84	66	45	47
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	160	68	44	23	25
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	20	9	5	1	5
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	140	59	39	22	20
OTHER HEART DISEASES (I26-I51)	194	39	62	53	40
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	-	-	1	1
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	45	9	21	8	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	147	30	41	44	32

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Richland				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	24	5	3	7	9
CEREBROVASCULAR DISEASES (I60-I69)	196	50	60	45	41
ATHEROSCLEROSIS (I70)	4	1	-	3	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	29	8	10	4	7
AORTIC ANEURYSM & DISSECTION (I71)	11	2	4	3	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	18	6	6	1	5
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	15	6	3	3	3
INFLUENZA & PNEUMONIA (J10-J18)	69	16	27	9	17
INFLUENZA (J10-J11)	7	2	4	-	1
PNEUMONIA (J12-J18)	62	14	23	9	16
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	112	44	51	13	4
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	3	1	1	-	1
EMPHYSEMA (J43)	17	5	10	2	-
ASTHMA (J45-J46)	3	-	1	1	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	89	38	39	10	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	23	8	9	2	4
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	29	12	4	6	7
PEPTIC ULCER (K25-K28)	6	1	5	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	31	12	6	11	2
ALCOHOLIC LIVER DISEASE (K70)	20	9	3	6	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	11	3	3	5	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	33	5	7	10	11
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	1	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	-	1	-
RENAL FAILURE (N17-N19)	31	5	6	9	11
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	1	-	-	1	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	18	3	1	8	6
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	16	2	4	4	6
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	46*	9	17	9	9
ALL OTHER DISEASE (RESIDUAL)**	274	55	102	50	67
ACCIDENTS (V01-X59,Y85-Y86)	125	33	30	39	23
TRANSPORT ACCIDENTS (V01-V99,Y85)	61	17	8	24	12
MOTOR VEHICLE ACCIDENTS**	42	10	5	18	9
OTHER LAND TRANSPORT ACCIDENTS**	18	6	3	6	3
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	64	16	22	15	11
ACCIDENTAL FALLS (W00-W19)	12	4	7	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	2	-	1	1
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	10	1	2	3	4
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	6	1	1	3	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	30	6	12	7	5
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	26	14	8	2	2
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	17	11	4	1	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	9	3	4	1	1
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	29	5	1	21	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	16	4	1	11	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	13	1	-	10	2
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	4	-	1	3	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	4	-	1	3	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	-	1	-	1

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Saluda				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	201	68	77	35	21
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	-	1	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	38	16	13	4	5
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	2	1	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	5	1	4	-	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	2	-	1	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	8	6	-	-	2
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	1	-	1	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	2	1	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	3	2	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	-	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	2	1	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	1	-	-
LEUKEMIA (C91-C95)	2	1	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	3	2	1	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	5	3	1	-	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	8	2	5	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	90	30	37	14	9
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	74	23	32	11	8
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	1	2	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	52	18	21	8	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	39	15	14	8	2
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	13	3	7	-	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	-	-	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	12	3	7	-	2
OTHER HEART DISEASES (I26-I51)	18	4	9	3	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	12	2	7	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	6	2	2	2	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Saluda				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	1	-	1	-	-
CEREBROVASCULAR DISEASES (I60-I69)	11	6	3	1	1
ATHEROSCLEROSIS (I70)	3	1	1	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	-	-	1	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	4	1	2	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	1	2	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	6	2	4	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	6	2	4	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	2	-	1	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	-	-	1	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	2	1	1	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	1	1	-	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	-	-	2	-
ALL OTHER DISEASE (RESIDUAL)**	16	3	7	5	1
ACCIDENTS (V01-X59,Y85-Y86)	17	7	4	4	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	13	4	4	3	2
MOTOR VEHICLE ACCIDENTS**	11	4	3	3	1
OTHER LAND TRANSPORT ACCIDENTS**	2	-	1	-	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	4	3	-	1	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	2	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	1	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	4	-	-	4	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	-	-	4	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Spartanburg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	2599	1032	1064	235	268
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	35	13	10	5	7
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	4	1	2	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	8	1	-	4	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	8	2	3	2	1
MALIGNANT NEOPLASMS (C00-C97)	541	232	206	53	50
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	7	1	3	1	2
OF ESOPHAGUS (C15)	9	8	-	-	1
OF STOMACH (C16)	7	2	3	1	1
OF COLON, RECTUM & ANUS (C18-C21)	50	19	22	7	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	11	8	2	-	1
OF PANCREAS (C25)	35	9	17	4	5
OF LARYNX (C32)	3	2	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	164	97	49	11	7
OF SKIN (C43)	3	1	2	-	-
OF BREAST (C50)	48	-	36	-	12
OF CERVIX UTERI (C53)	5	-	2	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	6	-	4	-	2
OF OVARY (C56)	14	-	13	-	1
OF PROSTATE (C61)	34	17	-	17	-
OF KIDNEY & RENAL PELVIS (C64-C65)	13	8	4	1	-
OF BLADDER (C67)	14	10	4	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	13	6	5	2	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	48	18	17	4	9
HODGKIN'S DISEASE (C81)	3	1	2	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	16	8	7	-	1
LEUKEMIA (C91-C95)	11	3	5	1	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	18	6	3	3	6
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	57	26	22	5	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	12	3	7	2	-
ANEMIAS (D50-D64)	4	1	3	-	-
DIABETES MELLITUS (E10-E14)	70	20	23	12	15
NUTRITIONAL DEFICIENCIES (E40-E64)	10	1	8	1	-
MALNUTRITION (E40-E46)	2	1	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	8	-	7	1	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	25	9	15	-	1
ALZHEIMER'S DISEASE (G30)	59	16	36	1	6
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	1022	412	424	75	111
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	717	317	286	52	62
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	9	2	4	-	3
HYPERTENSIVE HEART DISEASE (I11)	33	10	14	2	7
HYPERTENSIVE HEART & RENAL DISEASE (I13)	3	1	2	-	-
ISCHEMIC HEART DISEASES (I20-I25)	489	234	190	30	35
ACUTE MYOCARDIAL INFARCTION (I21-I22)	226	106	87	17	16
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	2	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	261	126	103	13	19
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	12	2	8	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	249	124	95	13	17
OTHER HEART DISEASES (I26-I51)	183	70	76	20	17
ACUTE & SUBACUTE ENDOCARDITIS (I33)	5	2	1	-	2
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	1	-	-	-
HEART FAILURE (I50)	68	24	31	7	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	109	43	44	13	9

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Spartanburg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	38	10	15	4	9
CEREBROVASCULAR DISEASES (I60-I69)	240	73	113	18	36
ATHEROSCLEROSIS (I70)	3	-	3	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	24	12	7	1	4
AORTIC ANEURYSM & DISSECTION (I71)	11	8	3	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	13	4	4	1	4
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	5	-	5	-	-
INFLUENZA & PNEUMONIA (J10-J18)	32	7	18	2	5
INFLUENZA (J10-J11)	6	-	6	-	-
PNEUMONIA (J12-J18)	26	7	12	2	5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	141	70	57	6	8
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	1	1	-	-
EMPHYSEMA (J43)	27	11	9	2	5
ASTHMA (J45-J46)	2	-	1	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	110	58	46	3	3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	18	3	14	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	35	10	15	3	7
PEPTIC ULCER (K25-K28)	5	1	2	1	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	5	2	2	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	32	19	8	4	1
ALCOHOLIC LIVER DISEASE (K70)	17	11	2	3	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	15	8	6	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	39	20	10	4	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	1	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	2	1	-	1	-
RENAL FAILURE (N17-N19)	36	18	10	3	5
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	3	1	1	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	2	-	2	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	10	3	3	2	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	3	1	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	41	16	17	2	6
ALL OTHER DISEASE (RESIDUAL)**	240	61	130	23	26
ACCIDENTS (V01-X59,Y85-Y86)	115	62	27	19	7
TRANSPORT ACCIDENTS (V01-V99,Y85)	50	25	12	11	2
MOTOR VEHICLE ACCIDENTS**	39	17	12	9	1
OTHER LAND TRANSPORT ACCIDENTS**	10	7	-	2	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	65	37	15	8	5
ACCIDENTAL FALLS (W00-W19)	10	5	4	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	2	2	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	4	-	1	2	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	22	13	3	2	4
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	27	17	7	3	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	37	31	5	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	28	23	4	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	9	8	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	24	6	6	9	3
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	16	6	3	7	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	8	-	3	2	3
LEGAL INTERVENTION (Y35,Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	2	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	4	1	2	1	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Sumter				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	945*	256	248	223	217
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	12	2	-	5	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	1	1	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	9	-	-	4	5
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	1	1	1	-
MALIGNANT NEOPLASMS (C00-C97)	233	69	57	59	48
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	7	3	-	2	2
OF ESOPHAGUS (C15)	6	3	1	2	-
OF STOMACH (C16)	9	1	2	5	1
OF COLON, RECTUM & ANUS (C18-C21)	20	7	6	5	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	2	1	1	1
OF PANCREAS (C25)	16	3	5	1	7
OF LARYNX (C32)	2	1	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	58	22	11	15	10
OF SKIN (C43)	4	1	1	2	-
OF BREAST (C50)	19	1	11	-	7
OF CERVIX UTERI (C53)	6	-	1	-	5
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	4	-	3	-	1
OF PROSTATE (C61)	16	5	-	11	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	3	2	-	-
OF BLADDER (C67)	6	3	1	2	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	6	1	1	2	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	22	7	5	3	7
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	2	1	-	-
LEUKEMIA (C91-C95)	9	3	3	-	3
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	10	2	1	3	4
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	21	6	5	7	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	1	2	2	1
ANEMIAS (D50-D64)	2	1	-	1	-
DIABETES MELLITUS (E10-E14)	39	8	7	8	16
NUTRITIONAL DEFICIENCIES (E40-E64)	5	-	1	1	3
MALNUTRITION (E40-E46)	5	-	1	1	3
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	4	2	-	1	1
ALZHEIMER'S DISEASE (G30)	16	4	5	4	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	385	105	122	69	89
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	240	78	70	39	53
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	14	-	2	6	6
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	161	61	47	26	27
ACUTE MYOCARDIAL INFARCTION (I21-I22)	79	35	16	14	14
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	82	26	31	12	13
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	1	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	79	25	30	12	12
OTHER HEART DISEASES (I26-I51)	63	17	20	7	19
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	2	3	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	53	14	17	5	17

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Sumter				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	15	2	3	5	5
CEREBROVASCULAR DISEASES (I60-I69)	121	21	46	23	31
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	4	2	2	-
AORTIC ANEURYSM & DISSECTION (I71)	7	4	1	2	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	1	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	14	6	2	2	4
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	14	6	2	2	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	38	17	13	5	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	9	5	3	-	1
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	29	12	10	5	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	-	-	3	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	1	-	3	1
PEPTIC ULCER (K25-K28)	4	-	-	1	3
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	8	2	4	1	1
ALCOHOLIC LIVER DISEASE (K70)	5	1	2	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	2	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	13	3	-	5	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	13	3	-	5	5
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	8	-	1	4	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	1	-	2	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	9*	1	4	2	1
ALL OTHER DISEASE (RESIDUAL)**	51	8	20	10	13
ACCIDENTS (V01-X59,Y85-Y86)	49	17	7	18	7
TRANSPORT ACCIDENTS (V01-V99,Y85)	22	10	2	7	3
MOTOR VEHICLE ACCIDENTS**	22	10	2	7	3
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	27	7	5	11	4
ACCIDENTAL FALLS (W00-W19)	3	2	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	8	1	-	3	4
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	1	1	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	10	3	3	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	7	3	-	4	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	1	-	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4	2	-	2	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	9	1	1	6	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	4	-	1	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	5	1	-	3	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Union				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	356	131	137	44	44
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	1	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	2	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	79	34	22	11	12
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	-	1
OF ESOPHAGUS (C15)	3	1	-	1	1
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	6	3	2	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	2	-	-	-
OF PANCREAS (C25)	3	3	-	-	-
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	28	14	8	5	1
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	6	-	3	-	3
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	1	1	-	-	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	3	-	-	-
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	-	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	3	3	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	2	-	-	-
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	2	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	1	2	3	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	5	2	-	1	2
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	7	2	2	-	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	2	1	-	-
ALZHEIMER'S DISEASE (G30)	3	-	2	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	159	54	71	21	13
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	122	44	50	19	9
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	2	1	2	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	79	28	35	13	3
ACUTE MYOCARDIAL INFARCTION (I21-I22)	25	4	10	8	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	54	24	25	5	-
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	-	2	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	51	24	23	4	-
OTHER HEART DISEASES (I26-I51)	36	14	13	4	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	3	3	-	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	28	11	10	4	3

Table 72-A
 Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
 (Residence Data)

Cause of Death	Union				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2	-	1	-	1
CEREBROVASCULAR DISEASES (I60-I69)	28	8	17	1	2
ATHEROSCLEROSIS (I70)	2	-	-	1	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	2	3	-	-
AORTIC ANEURYSM & DISSECTION (I71)	4	2	2	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	1	-	1	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	1	-	1	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	8	2	5	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	-	2	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	6	2	3	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	1	1	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	3	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	-	1	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	1	-	1
ALCOHOLIC LIVER DISEASE (K70)	2	2	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	1	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	7	1	2	-	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	1	2	-	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	-	-	2	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	2	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	23	3	14	2	4
ACCIDENTS (V01-X59,Y85-Y86)	19	9	6	4	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	11	4	4	3	-
MOTOR VEHICLE ACCIDENTS**	10	4	3	3	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	8	5	2	1	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	4	2	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	8	5	2	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	8	5	2	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	2	1	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	2	1	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Williamsburg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	360	69	61	105	125
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	8	2	1	1	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	1	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	58	10	7	26	15
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	5	-	-	4	1
OF COLON, RECTUM & ANUS (C18-C21)	6	-	-	3	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	3	1	-	-	2
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	19	6	1	11	1
OF SKIN (C43)	2	1	-	-	1
OF BREAST (C50)	7	-	4	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	3	-	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	1	-	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	-	2	2	-
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	-	1	1	-
LEUKEMIA (C91-C95)	1	-	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2	1	-	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	-	1	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	29	4	3	6	16
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	-	-	2
MALNUTRITION (E40-E46)	2	-	-	-	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	-	1	1	-
ALZHEIMER'S DISEASE (G30)	5	2	2	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	138	29	24	32	53
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	98	22	20	26	30
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	-	1	1	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	63	19	11	18	15
ACUTE MYOCARDIAL INFARCTION (I21-I22)	26	9	4	9	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	37	10	7	9	11
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	14	1	4	5	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	23	9	3	4	7
OTHER HEART DISEASES (I26-I51)	30	3	8	7	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	2	2	3	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	22	1	6	4	11

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	Williamsburg				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	5	-	-	1	4
CEREBROVASCULAR DISEASES (I60-I69)	31	6	4	4	17
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	1	-	-	2
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	-	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	5	1	2	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	1	2	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	10	1	2	4	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	1	-	-
ASTHMA (J45-J46)	3	-	1	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	6	1	-	4	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	4	1	-	2	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	1	1	1	1
PEPTIC ULCER (K25-K28)	1	-	-	-	1
DISEASES OF APPENDIX (K35-K38)	1	-	-	-	1
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	2	1	-	1
ALCOHOLIC LIVER DISEASE (K70)	1	1	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	1	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	-	2	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	-	2	1	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	7	-	-	3	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	-	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	5	1	-	-	4
ALL OTHER DISEASE (RESIDUAL)**	29	5	8	6	10
ACCIDENTS (V01-X59,Y85-Y86)	23	5	6	11	1
TRANSPORT ACCIDENTS (V01-V99,Y85)	9	3	2	3	1
MOTOR VEHICLE ACCIDENTS**	8	2	2	3	1
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	14	2	4	8	-
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	1	2	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	-	2	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	3	2	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8	2	-	5	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	4	1	-	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	4	1	-	2	1
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	York				
	Total	White		Black and Other	
		Male	Female	Male	Female
ALL CAUSES	1236	484	496	124	132
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	21	6	6	5	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	3	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7	2	-	3	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	1	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	285	131	94	30	30
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	1	1	2	-
OF ESOPHAGUS (C15)	10	5	1	1	3
OF STOMACH (C16)	11	6	3	-	2
OF COLON, RECTUM & ANUS (C18-C21)	33	16	9	3	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	3	1	-	-
OF PANCREAS (C25)	13	8	1	3	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	79	45	19	10	5
OF SKIN (C43)	4	2	2	-	-
OF BREAST (C50)	19	-	14	-	5
OF CERVIX UTERI (C53)	4	-	2	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	-	-	2
OF OVARY (C56)	7	-	5	-	2
OF PROSTATE (C61)	16	12	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	5	3	1	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	11	3	8	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	31	13	14	2	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	14	6	8	-	-
LEUKEMIA (C91-C95)	13	5	5	2	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	2	1	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	30	13	12	5	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	-	2	1	1
ANEMIAS (D50-D64)	4	-	2	2	-
DIABETES MELLITUS (E10-E14)	34	13	11	3	7
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	-	1
PARKINSON'S DISEASE (G20-G21)	4	2	2	-	-
ALZHEIMER'S DISEASE (G30)	13	1	11	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	458	178	186	39	55
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	364	142	149	32	41
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	1	1	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	2	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	296	126	116	23	31
ACUTE MYOCARDIAL INFARCTION (I21-I22)	159	76	49	18	16
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	1	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	135	49	66	5	15
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	57	13	35	2	7
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	78	36	31	3	8
OTHER HEART DISEASES (I26-I51)	63	14	32	8	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	25	4	13	2	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	38	10	19	6	3

Table 72-A
Deaths from Selected Causes by Race and Sex: Each County of South Carolina, 2000
(Residence Data)

Cause of Death	York				
	Total	White		Black and Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9	4	2	3	-
CEREBROVASCULAR DISEASES (I60-I69)	66	23	29	4	10
ATHEROSCLEROSIS (I70)	4	-	4	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	15	9	2	-	4
AORTIC ANEURYSM & DISSECTION (I71)	7	7	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	8	2	2	-	4
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	-	2	2	-
INFLUENZA & PNEUMONIA (J10-J18)	34	12	17	-	5
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	34	12	17	-	5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	59	27	29	2	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	8	4	4	-	-
ASTHMA (J45-J46)	2	-	2	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	49	23	23	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	15	5	8	1	1
PEPTIC ULCER (K25-K28)	3	-	3	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	21	9	7	3	2
ALCOHOLIC LIVER DISEASE (K70)	9	4	2	2	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	12	5	5	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	2	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	20	6	5	5	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	20	6	5	5	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	15	6	2	4	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	1	3	1	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	18	4	11	-	3
ALL OTHER DISEASE (RESIDUAL)**	119	24	71	12	12
ACCIDENTS (V01-X59,Y85-Y86)	52	34	13	5	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	25	15	7	3	-
MOTOR VEHICLE ACCIDENTS**	25	15	7	3	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	27	19	6	2	-
ACCIDENTAL FALLS (W00-W19)	3	1	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	6	6	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	-	1	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	3	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	12	9	3	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	18	12	4	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	12	7	3	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	6	5	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	2	1	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3	1	1	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	2	1	1	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	-	1	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	1	-	-	-

** SEE APPENDIX FOR ICD-10 CODE

* Includes unknown race

Table 73.
Deaths by Burial Disposition¹
South Carolina and Each County, 2000
(Occurrence Data)

County of Occurrence	Total	Burial	Cremation	Removal	Other
South Carolina	36,170	30,124	5,164	616	266
Abbeville	160	151	8	-	1
Aiken	1,007	809	171	6	21
Allendale	65	57	6	2	-
Anderson	1,627	1,432	168	22	5
Bamberg	160	148	9	3	-
Barnwell	139	128	11	-	-
Beaufort	880	471	382	25	2
Berkeley	418	338	65	13	2
Calhoun	76	67	5	3	1
Charleston	4,079	3,114	867	68	30
Cherokee	400	376	22	2	-
Chester	222	204	17	1	-
Chesterfield	270	252	16	2	-
Clarendon	225	198	21	4	2
Colleton	365	332	27	3	3
Darlington	584	545	24	12	3
Dillon	242	226	14	2	-
Dorchester	502	379	112	5	6
Edgefield	118	112	5	1	-
Fairfield	221	200	20	1	-
Florence	1,970	1,796	129	36	9
Georgetown	487	369	99	12	7
Greenville	3,860	3,259	529	57	15
Greenwood	823	759	61	2	1
Hampton	147	140	7	-	-
Horry	1,970	1,161	611	173	25
Jasper	101	83	14	4	-
Kershaw	398	340	44	13	1
Lancaster	539	485	47	5	2
Laurens	539	489	38	9	3
Lee	73	67	5	1	-
Lexington	1,546	1,265	233	21	27
McCormick	43	39	4	-	-
Marion	346	324	20	1	1
Marlboro	243	229	14	-	-
Newberry	271	254	13	4	-
Oconee	538	446	84	2	6
Orangeburg	891	786	89	13	3
Pickens	703	599	87	10	7
Richland	3,678	3,066	502	57	53
Saluda	129	116	13	-	-
Spartanburg	2,641	2,330	281	10	20
Sumter	871	787	77	5	2
Union	287	276	10	-	1
Williamsburg	182	178	3	-	1
York	1,134	942	180	6	6

¹ By county where death occurred

Table 73-A.
Deaths by Burial Disposition¹ by Race
South Carolina and Each County, 2000
(Occurrence Data)

County of Occurrence	White					Black and Other				
	Total	Burial	Cremation	Removal	Other	Total	Burial	Cremation	Removal	Other
South Carolina	25,615	20,098	4,723	577	217	10,555	10,026	441	39	49
Abbeville	113	106	7	-	-	47	45	1	-	1
Aiken	747	569	153	6	19	260	240	18	-	2
Allendale	29	24	3	2	-	36	33	3	-	-
Anderson	1,350	1,165	161	21	3	277	267	7	1	2
Bamberg	72	62	7	3	-	88	86	2	-	-
Barnwell	76	65	11	-	-	63	63	-	-	-
Beaufort	666	270	371	23	2	214	201	11	2	-
Berkeley	290	215	61	12	2	128	123	4	1	-
Calhoun	47	40	4	2	1	29	27	1	1	-
Charleston	2,613	1,741	787	60	25	1,466	1,373	80	8	5
Cherokee	329	305	22	2	-	71	71	-	-	-
Chester	144	127	16	1	-	78	77	1	-	-
Chesterfield	190	175	13	2	-	80	77	3	-	-
Clarendon	92	71	16	4	1	133	127	5	-	1
Colleton	191	165	21	2	3	174	167	6	1	-
Darlington	371	339	21	8	3	213	206	3	4	-
Dillon	135	125	9	1	-	107	101	5	1	-
Dorchester	362	247	104	5	6	140	132	8	-	-
Edgefield	77	72	4	1	-	41	40	1	-	-
Fairfield	107	91	15	1	-	114	109	5	-	-
Florence	1,123	976	108	31	8	847	820	21	5	1
Georgetown	309	197	95	12	5	178	172	4	-	2
Greenville	3,178	2,614	495	57	12	682	645	34	-	3
Greenwood	586	532	52	1	1	237	227	9	1	-
Hampton	67	61	6	-	-	80	79	1	-	-
Horry	1,677	884	600	171	22	293	277	11	2	3
Jasper	55	38	13	4	-	46	45	1	-	-
Kershaw	281	225	42	13	1	117	115	2	-	-
Lancaster	406	359	41	5	1	133	126	6	-	1
Laurens	413	365	36	9	3	126	124	2	-	-
Lee	33	30	3	-	-	40	37	2	1	-
Lexington	1,331	1,068	215	21	27	215	197	18	-	-
McCormick	20	17	3	-	-	23	22	1	-	-
Marion	172	158	14	-	-	174	166	6	1	1
Marlboro	134	126	8	-	-	109	103	6	-	-
Newberry	190	175	11	4	-	81	79	2	-	-
Oconee	495	409	79	2	5	43	37	5	-	1
Orangeburg	413	329	70	12	2	478	457	19	1	1
Pickens	651	550	84	10	7	52	49	3	-	-
Richland	2,214	1,715	414	51	34	1,464	1,351	88	6	19
Saluda	97	84	13	-	-	32	32	-	-	-
Spartanburg	2,140	1,849	266	9	16	501	481	15	1	4
Sumter	450	380	64	4	2	421	407	13	1	-
Union	216	206	9	-	1	71	70	1	-	-
Williamsburg	64	62	2	-	-	118	116	1	-	1
York	899	715	174	5	5	235	227	6	1	1

¹ By county where death occurred

Table 74.
 Death by Certifier¹
 South Carolina and Each County, 2000
 (Occurrence Data)

County of Occurrence	Total	Coroner	Physician	Medical Examiner
South Carolina	36,170	6,297	29,142	722
Abbeville	160	79	81	-
Aiken	1,007	152	855	-
Allendale	65	43	22	-
Anderson	1,627	206	1,406	15
Bamberg	160	72	88	-
Barnwell	139	64	75	-
Beaufort	880	77	801	-
Berkeley	418	266	152	-
Calhoun	76	47	29	-
Charleston	4,079	182	3,635	258
Cherokee	400	72	328	-
Chester	222	128	93	1
Chesterfield	270	90	180	-
Clarendon	225	101	124	-
Colleton	365	163	202	-
Darlington	584	208	376	-
Dillon	242	107	135	-
Dorchester	502	242	259	1
Edgefield	118	28	90	-
Fairfield	221	53	166	1
Florence	1,970	191	1,779	-
Georgetown	487	93	390	4
Greenville	3,860	12	3,419	429
Greenwood	823	68	753	2
Hampton	147	22	125	-
Horry	1,970	406	1,560	4
Jasper	101	69	32	-
Kershaw	398	130	268	-
Lancaster	539	201	337	1
Laurens	539	134	404	1
Lee	73	43	30	-
Lexington	1,546	342	1,204	-
McCormick	43	28	15	-
Marion	346	79	266	-
Marlboro	243	125	118	-
Newberry	271	125	146	-
Oconee	538	92	446	-
Orangeburg	891	330	560	-
Pickens	703	86	613	4
Richland	3,678	427	3,250	1
Saluda	129	49	80	-
Spartanburg	2,641	321	2,320	-
Sumter	871	151	720	-
Union	287	52	235	-
Williamsburg	182	102	80	-
York	1,134	239	895	-

¹ Person certifying the original death certificate

Table 74-A.
 Death by Certifier¹ by Race
 South Carolina and Each County, 2000
 (Occurrence Data)

County of Occurrence	White				Black and Other			
	Total	Coroner	Physician	Medical Examiner	Total	Coroner	Physician	Medical Examiner
South Carolina	25,615	3,957	21,136	520	10,555	2,340	8,006	202
Abbeville	113	56	57	-	47	23	24	-
Aiken	747	108	639	-	260	44	216	-
Allendale	29	15	14	-	36	28	8	-
Anderson	1,350	152	1,186	12	277	54	220	3
Bamberg	72	24	48	-	88	48	40	-
Barnwell	76	39	37	-	63	25	38	-
Beaufort	666	54	611	-	214	23	190	-
Berkeley	290	185	105	-	128	81	47	-
Calhoun	47	27	20	-	29	20	9	-
Charleston	2,613	97	2,344	171	1,466	85	1,291	87
Cherokee	329	59	270	-	71	13	58	-
Chester	144	81	63	-	78	47	30	1
Chesterfield	190	63	127	-	80	27	53	-
Clarendon	92	46	46	-	133	55	78	-
Colleton	191	93	98	-	174	70	104	-
Darlington	371	116	255	-	213	92	121	-
Dillon	135	54	81	-	107	53	54	-
Dorchester	362	177	184	1	140	65	75	-
Edgefield	77	14	63	-	41	14	27	-
Fairfield	107	20	87	-	114	33	79	1
Florence	1,123	113	1,010	-	847	78	769	-
Georgetown	309	57	249	3	178	36	141	1
Greenville	3,178	9	2,846	323	682	3	573	106
Greenwood	586	41	544	1	237	27	209	1
Hampton	67	14	53	-	80	8	72	-
Horry	1,677	324	1,349	4	293	82	211	-
Jasper	55	41	14	-	46	28	18	-
Kershaw	281	83	198	-	117	47	70	-
Lancaster	406	156	249	1	133	45	88	-
Laurens	413	92	320	1	126	42	84	-
Lee	33	14	19	-	40	29	11	-
Lexington	1,331	275	1,056	-	215	67	148	-
McCormick	20	9	11	-	23	19	4	-
Marion	172	31	141	-	174	48	125	-
Marlboro	134	66	68	-	109	59	50	-
Newberry	190	81	109	-	81	44	37	-
Oconee	495	83	412	-	43	9	34	-
Orangeburg	413	115	298	-	478	215	262	-
Pickens	651	82	566	3	52	4	47	1
Richland	2,214	216	1,998	-	1,464	211	1,252	1
Saluda	97	29	68	-	32	20	12	-
Spartanburg	2,140	238	1,902	-	501	83	418	-
Sumter	450	62	388	-	421	89	332	-
Union	216	37	179	-	71	15	56	-
Williamsburg	64	31	33	-	118	71	47	-
York	899	178	721	-	235	61	174	-

¹ Person certifying the original death certificate

Table 75.
Major Causes¹ of Accidental Deaths
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total (V01-X59, Y85-Y86)	Transportation (V01-V99, Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	1,980	1,059	204	178	98	17	63	361
Abbeville	9	5	1	0	2	0	1	0
Aiken	52	25	10	6	3	0	3	5
Allendale	7	4	1	0	0	0	0	2
Anderson	92	58	11	4	2	1	3	13
Bamberg	9	5	1	0	1	0	0	2
Barnwell	14	7	0	0	1	0	3	3
Beaufort	46	28	3	7	1	0	1	6
Berkeley	61	37	3	4	3	0	2	12
Calhoun	8	2	1	1	0	0	2	2
Charleston	141	62	24	15	2	0	7	31
Cherokee	33	20	4	2	1	0	0	6
Chester	21	13	1	3	0	0	2	2
Chesterfield	28	19	1	2	0	0	1	5
Clarendon	24	12	1	3	0	1	2	5
Colleton	26	16	1	2	1	0	4	2
Darlington	46	28	2	7	1	0	0	8
Dillon	13	10	1	1	1	0	0	0
Dorchester	28	15	1	4	1	0	1	6
Edgefield	16	12	0	2	1	0	1	0
Fairfield	11	5	0	2	0	0	0	4
Florence	51	30	2	6	6	1	0	6
Georgetown	41	27	1	1	0	1	4	7
Greenville	186	79	36	29	8	0	2	32
Greenwood	35	15	3	6	2	1	2	6
Hampton	16	10	1	1	0	0	0	4
Horry	108	62	19	7	4	0	3	13
Jasper	7	6	0	0	0	0	0	1
Kershaw	28	18	1	1	0	1	0	7
Lancaster	37	25	5	1	1	0	0	5
Laurens	35	18	5	1	3	0	2	6
Lee	17	10	1	2	1	0	0	3
Lexington	101	52	10	9	5	3	1	21
McCormick	7	4	1	1	0	0	1	0
Marion	28	15	0	1	6	1	0	5
Marlboro	23	13	1	1	3	0	0	5
Newberry	18	13	0	1	2	0	0	2
Oconee	43	23	2	6	1	0	1	10
Orangeburg	61	34	3	5	5	3	2	9
Pickens	51	30	3	5	3	1	0	9
Richland	125	61	6	12	10	0	4	32
Saluda	17	13	2	0	1	0	0	1
Spartanburg	115	50	22	10	4	2	0	27
Sumter	49	22	3	3	8	1	1	11
Union	19	11	2	0	0	0	0	6
Williamsburg	23	9	4	1	1	0	1	7
York	52	25	4	3	2	0	6	12
Unknown	2	1	0	0	1	0	0	0

¹ Classified and Coded According to ICD-10

Table 76.
Major Causes¹ of Accidental Deaths
South Carolina and Each County, 2000
(Occurrence Data)

County of Residence	Total (V01-X59, Y85-Y86)	Transportation (V01-V99, Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	2,028	1,119	207	173	91	17	68	353
Abbeville	8	3	1	-	2	-	2	-
Aiken	35	20	7	4	1	-	-	3
Allendale	6	3	-	-	-	-	-	3
Anderson	86	50	11	6	2	1	4	12
Bamberg	9	6	1	-	1	-	-	1
Barnwell	9	4	-	-	-	-	3	2
Beaufort	33	18	3	6	-	-	1	5
Berkeley	39	26	3	1	1	-	4	4
Calhoun	8	6	1	-	-	-	-	1
Charleston	234	110	28	24	10	-	6	56
Cherokee	29	17	4	1	1	-	-	6
Chester	16	11	1	-	1	1	2	-
Chesterfield	19	15	1	-	-	-	1	2
Clarendon	23	16	1	-	-	-	2	4
Colleton	25	16	1	-	2	-	3	3
Darlington	38	23	3	6	1	-	-	5
Dillon	17	14	1	-	1	-	-	1
Dorchester	25	18	2	1	1	-	2	1
Edgefield	4	2	-	-	1	-	1	-
Fairfield	8	7	-	-	-	-	-	1
Florence	84	45	3	13	5	1	1	16
Georgetown	34	20	2	1	-	1	5	5
Greenville	221	103	39	31	5	-	-	43
Greenwood	37	16	4	6	2	-	1	8
Hampton	6	4	-	-	-	-	-	2
Horry	126	72	21	7	3	1	7	15
Jasper	16	16	-	-	-	-	-	-
Kershaw	25	16	2	1	-	-	-	6
Lancaster	20	12	4	1	-	-	-	3
Laurens	32	19	4	1	3	-	2	3
Lee	9	7	1	-	1	-	-	-
Lexington	86	39	11	8	4	3	4	17
McCormick	4	3	1	-	-	-	-	-
Marion	22	10	-	1	5	1	-	5
Marlboro	16	8	1	-	3	-	-	4
Newberry	19	14	-	1	2	-	-	2
Oconee	41	20	3	5	1	-	5	7
Orangeburg	54	30	2	4	5	3	3	7
Pickens	39	24	2	4	3	1	-	5
Richland	225	135	7	23	10	2	2	46
Saluda	11	10	-	-	1	-	-	-
Spartanburg	119	58	21	11	3	2	-	24
Sumter	39	18	2	4	7	-	1	7
Union	12	6	1	-	-	-	1	4
Williamsburg	13	6	3	-	1	-	-	3
York	47	23	4	2	2	-	5	11

¹Classified and Coded According to ICD-10

Table 77.
Deaths Due to Suicide by Method¹
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total (X60-X84, Y87.0)	Firearms (X72-X74)	Hanging, Strangulation & Suffocation (X70)	Poisoning (X60-X69)	Residual
South Carolina	445	298	45	70	32
Abbeville	2	1	1	0	0
Aiken	23	15	3	4	1
Allendale	1	1	0	0	0
Anderson	27	20	3	2	2
Bamberg	2	1	1	0	0
Barnwell	2	1	0	0	1
Beaufort	7	4	0	2	1
Berkeley	11	6	1	1	3
Calhoun	3	3	0	0	0
Charleston	33	20	1	10	2
Cherokee	7	5	1	1	0
Chester	3	3	0	0	0
Chesterfield	9	9	0	0	0
Clarendon	5	2	1	2	0
Colleton	5	4	1	0	0
Darlington	2	0	1	1	0
Dillon	2	1	1	0	0
Dorchester	6	3	1	0	2
Edgefield	3	3	0	0	0
Fairfield	6	5	0	1	0
Florence	15	11	3	0	1
Georgetown	5	2	2	0	1
Greenville	40	21	3	13	3
Greenwood	5	4	0	1	0
Hampton	2	1	0	1	0
Horry	25	18	2	3	2
Jasper	4	3	0	1	0
Kershaw	5	4	0	1	0
Lancaster	10	7	1	1	1
Laurens	8	4	3	1	0
Lee	2	0	1	1	0
Lexington	20	12	2	5	1
McCormick	2	2	0	0	0
Marion	1	1	0	0	0
Marlboro	3	1	1	0	1
Newberry	6	6	0	0	0
Oconee	11	8	0	2	1
Orangeburg	5	2	1	2	0
Pickens	17	12	2	1	2
Richland	26	17	1	5	3
Saluda	1	1	0	0	0
Spartanburg	37	28	1	5	3
Sumter	7	3	3	1	0
Union	8	8	0	0	0
Williamsburg	3	3	0	0	0
York	18	12	3	2	1

¹Classified and Coded According to ICD-10

Table 78.
Deaths Due to Homicide by Method¹
South Carolina and Each County, 2000
(Residence Data)

County of Residence	Total (X85-Y09, Y87.1)	Firearms (X92-X95)	Assault by Cutting & Piercing (X99)	Residual
South Carolina	326	166	20	140
Abbeville	2	1	0	1
Aiken	4	3	0	1
Anderson	14	3	1	10
Bamberg	1	1	0	0
Barnwell	3	2	0	1
Beaufort	6	5	0	1
Berkeley	11	3	2	6
Calhoun	1	1	0	0
Charleston	26	13	0	13
Cherokee	9	3	2	4
Chester	4	1	0	3
Chesterfield	2	1	0	1
Clarendon	3	2	0	1
Colleton	4	4	0	0
Darlington	5	3	0	2
Dillon	4	2	0	2
Dorchester	5	3	0	2
Edgefield	2	1	0	1
Fairfield	1	1	0	0
Florence	18	8	1	9
Georgetown	6	2	0	4
Greenville	31	16	2	13
Greenwood	3	3	0	0
Hampton	2	2	0	0
Horry	21	10	2	9
Jasper	2	0	0	2
Kershaw	1	0	0	1
Lancaster	8	4	0	4
Laurens	4	1	1	2
Lee	2	2	0	0
Lexington	10	6	0	4
McCormick	1	0	0	1
Marion	6	3	1	2
Marlboro	6	2	1	3
Newberry	1	0	0	1
Oconee	3	3	0	0
Orangeburg	9	5	0	4
Pickens	2	1	0	1
Richland	29	16	1	12
Saluda	4	0	2	2
Spartanburg	24	16	2	6
Sumter	9	4	0	5
Union	3	3	0	0
Williamsburg	8	4	1	3
York	5	2	1	2
Unknown	1	0	0	1

¹Classified and Coded According to ICD-10

MULTIPLE CAUSES OF DEATH

Table 79 presents information concerning the number of times certain causes of death are mentioned on death certificates compared to the number of times they are selected as the underlying cause of death. The third column of the table shows the ratio of the number of times mentioned to the number of times selected as the underlying cause. A ratio of 1.0 means that cause of death is usually selected as the underlying cause of death each time that it is mentioned on the death certificate. A large ratio indicated that a cause is usually not selected as the underlying cause of death when it is mentioned on the death certificate. An example of this is Anemia with a ratio of 9.1. In 2000, it was mentioned on 672 death certificates but only selected as the underlying cause on 74 of those certificates. This would indicate that Anemia is a contributing factor to approximately 9 times as many deaths as it is the actual underlying cause of death.

Examples of causes of death with ratios of 1.0 (or close to 1.0) include HIV, Malignant Neoplasms (Cancer) of the Stomach and Lung, Motor Vehicle Accidents, Accidental Drownings, Suicides, and Homicides.

Due to coding rule changes, beginning with the Tenth Revision of the ICD (1999 deaths), it is possible for a cause of death to be selected as the underlying cause of death even though it is not mentioned on the death certificate. This is due to the fact that some conditions mentioned on the certificate can be used to modify other conditions. For example, "History of Alcohol Abuse" can be listed on the certificate and then used to modify "Liver Disease" to make it "Alcoholic Liver Disease". Conditions such as these are reflected in ratios of less than 1.0. These are rare occurrences as shown in Table 78. Only Hypertensive Heart Disease, Hypertensive Heart & Renal Disease, Alcoholic Liver Disease fall into that category in 2000.

Caution should be used in interpreting cause of death information based only on the underlying cause of death.

Table 79.
Total Times Mentioned Versus Times Selected as Underlying Cause of Death¹
South Carolina, 2000
(Residence Data)

Cause of Death	Number of Times Mentioned on Death Certificate	Number of Times Selected as Underlying Cause of Death	Ratio of Mentioned to Selected Underlying Cause of Death
SALMONELLA INFECTION (A01-A02)	1	-	---
SHIGELLOSIS & AMEBIASIS (A03,A06)	1	1	1.0
CERTAIN OTHER INTESTINAL INFECTION (A04,A07-A09)	16	4	4.0
TUBERCULOSIS (A16-A19)	40	16	2.5
RESPIRATORY TUBERCULOSIS (A16)	34	13	2.6
OTHER TUBERCULOSIS (A17-A19)	6	3	2.0
WHOOPING COUGH (A37)	1	1	1.0
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	---
MENINGOCOCCAL INFECTION (A39)	3	3	1.0
SEPTICEMIA (A40-A41)	2,350	507	4.6
SYPHILIS (A50-A53)	3	-	---
ACUTE POLIOMYELITIS (A80)	1	-	---
ARTHROPHOD-BORNE VIRAL ENCEPHALITIS (A83-A8, A852)	-	-	---
MEASLES (B05)	-	-	---
VIRAL HEPATITIS (B15-B19)	154	62	2.5
HIV (B20-B24)	278	260	1.1
MALARIA (B50-B54)	-	-	---
OTHER, UNSPECIFIED INFECTION & PARASITIC DISEASE & THEIR SEQUELAE**	342	128	2.7
MALIGNANT NEOPLASMS (C00-C97)	10,569	8,211	1.3
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	190	155	1.2
OF ESOPHAGUS (C15)	238	223	1.1
OF STOMACH (C16)	235	213	1.1
OF COLON,RECTUM & ANUS (C18-C21)	991	847	1.2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	196	177	1.1
OF PANCREAS (C25)	451	433	1.0
OF LARYNX (C32)	87	65	1.3
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,582	2,415	1.1
OF SKIN (C43)	106	96	1.1
OF BREAST (C50)	746	637	1.2
OF CERVIX UTERI (C53)	71	65	1.1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	86	72	1.2
OF OVARY (C56)	189	172	1.1
OF PROSTATE (C61)	686	510	1.3
OF KIDNEY & RENAL PELVIS (C64-C65)	204	181	1.1
OF BLADDER (C67)	179	149	1.2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYSTEM (C70-C72)	208	197	1.1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	945	785	1.2
HODGKINS DISEASE (C81)	20	15	1.3
NON-HODGKINS DISEASE (C82-C85)	348	286	1.2
LEUKEMIA (C91-C95)	343	279	1.2
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	234	205	1.1
OTHER UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	---
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2,179	819	2.7
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	251	159	1.6
ANEMIA (D50-D64)	672	74	9.1
DIABETES MELLITUS (E10-E14)	3,637	1,202	3.0
NUTRITIONAL DEFICIENCIES (E40-E64)	611	83	7.4
MALNUTRITION (E40-E46)	494	63	7.8
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	117	20	5.9
MENINGITIS (G00, G03)	27	11	2.5
PARKINSONS DISEASE (G20-G21)	397	207	1.9
ALZHEIMERS DISEASE (G30)	1,455	876	1.7
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	32,592	13,679	2.4
DISEASES OF THE HEART(I00-I09,I11,I13,I20-I51)	24,262	9,856	2.5
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	82	49	1.7
HYPERTENSIVE HEART DISEASE (I11)	295	334	0.9
HYPERTENSIVE HEART & RENAL DISEASE (I13)	39	50	0.8
ISCHEMIC HEART DISEASE (I20-I25)	10,760	6,752	1.6
ACUTE MYOCARDIAL INFARCTION (I21-I22)	4,067	3,368	1.2
OTHER ACUTE HEART DISEASE (I24)	275	123	2.2
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	6,418	3,261	2.0
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	1,018	590	1.7
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I251-I25)	5,400	2,671	2.0
OTHER HEART DISEASE (I26-I51)	13,086	2,671	4.9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	42	22	1.9
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	71	11	6.5
HEART FAILURE (I50)	3,931	778	5.1
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	9,042	1,860	4.9

Table 79 (cont.)
 Total Times Mentioned Versus Times Selected as Underlying Cause of Death¹
 South Carolina, 2000
 (Residence Data)

Cause of Death	Number of Times Mentioned on Death Certificate	Number of Times Selected as Underlying Cause of Death	Ratio of Mentioned to Selected Underlying Cause of Death
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2,011	378	5.3
CEREBROVASCULAR DISEASE (I60-I69)	5,036	2,924	1.7
ATHEROSCLEROSIS (I70)	229	113	2.0
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	1,054	408	2.6
AORTIC ANEURYSM & DISSECTION (I71)	328	233	1.4
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	726	175	4.1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	577	94	6.1
INFLUENZA & PNEUMONIA (J10-J18)	3,132	696	4.5
INFLUENZA (J10-J11)	39	34	1.1
PNEUMONIA (J12-J18)	3,093	662	4.7
OTHER ACUTE LOWER RESPIRATORY INFECTION (J20-J22)	23	11	2.1
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	15	6	2.5
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	8	5	1.6
CHRONIC LOWER RESPIRATORY INFECTION (J40-J47)	3,527	1,724	2.0
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	49	26	1.9
EMPHYSEMA (J43)	395	248	1.6
ASTHMA (J45-J46)	145	71	2.0
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	2,938	1,379	2.1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	40	15	2.7
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	969	221	4.4
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3,542	443	8.0
PEPTIC ULCER (K25-K28)	139	67	2.1
DISEASE OF APPENDIX (K35-K38)	16	12	1.3
HERNIA (K40-K46)	34	17	2.0
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	645	459	1.4
ALCOHOLIC LIVER DISEASE (K70)	183	294	0.6
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	462	165	2.8
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	92	55	1.7
NEPHRITIS,NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3,393	539	6.3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N01-N04)	12	5	2.4
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED**	40	11	3.6
RENAL FAILURE (N17-N19)	3,336	522	6.4
OTHER DISORDERS OF KIDNEY (N25,N27)	5	1	5.0
INFECTION OF KIDNEYS (N10-N12,N13.6,N15.1)	39	23	1.7
HYPERPLASIA OF PROSTATE (N40)	35	6	5.8
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	8	3	2.7
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	12	9	1.3
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	1	---
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	10	8	1.3
CERTAIN CONDITION ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	460	267	1.7
CONGENITAL MALFORM ,DEFORM & CHROMOSOMAL ABNORMALIITY (Q00-Q09)	297	179	1.7
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS,NEC(R00-R99)	5,372	481	11.2
ALL OTHER DISEASE (RESIDUAL)**	10,489	3,179	3.3
ACCIDENT (V01-X59,Y85-Y86)	2,729	1,980	1.4
TRANSPORT ACCIDENT (V01-V99,Y85)	1,076	1,059	1.0
MOTOR VEHICLE ACCIDENT**	961	945	1.0
OTHER LAND TRANSPORT ACCIDENT**	108	107	1.0
WATER, AIR & SPACE,UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	7	7	1.0
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,653	921	1.8
FALLS (W00-W19)	229	178	1.3
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	20	17	1.2
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	64	63	1.0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	102	98	1.0
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	241	204	1.2
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	967	346	2.8
INTENTIONAL SELFHARM (SUICIDE) (X60-X84,Y870)	446	445	1.0
BY DISCHARGE OF FIREARM (X72-X74)	298	298	1.0
OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y870)	148	147	1.0
ASSAULT (HOMICIDE) (X85-Y09,Y871)	331	326	1.0
BY DISCHARGE OF FIREARM (X93-X95)	167	166	1.0
BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y871)	164	160	1.0
LEGAL INTERVENTION (Y35,Y890)	9	9	1.0
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y872,Y899)	35	32	1.1
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	7	7	1.0
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	28	25	1.1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y891)	1	1	1.0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	537	39	13.8

¹Classified and Coded According to ICD-10

** SEE APPENDIX FOR ICD-10 CODES

YEARS OF POTENTIAL LIFE LOST (YPLL)

Years of Potential Life Lost (YPLL) is a commonly used method of measuring the rate of premature death. YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point. The YPLL rate weights each death according to the number of years of life lost prior to the selected end point. Deaths occurring at younger ages are weighted more heavily than those occurring at older ages.

The number and rate of years of potential life lost before age 65 and before age 75 is presented for South Carolina residents during 2000 for all causes of death and for selected causes of death in Table 80. This information is also presented for whites and for black and others in Table 80-A.

In 2000, South Carolinians lost 190,511 years of potential life before age 65 and 327,680 years before age 75 as shown in Table 80. Corresponding YPLL rates are 5,402 years of potential life lost before age 65 per 100,000 population less than 65 years. YPLL rates for black and others are higher than those of whites for the 65 year end point (7,342 versus 4,457) and for the 75 year end point (11,095 versus 7,471).

Prior to age 65, accidental death was the leading cause of years of potential life lost (42,817 years) for all races and accounted for approximately 22.5 percent of the total number of years of life lost. Malignant neoplasms (31,758 years), diseases of the heart (27,863) and perinatal period conditions (17,341 years) ranked second, third and fourth, respectively. The findings observed prior to age 75 have malignant neoplasms (70,993 years) being the leading case of years of potential life lost followed by diseases of the heart (60,848 years), accidental deaths (58,048 years), and perinatal period conditions (20,011 years).

Table 80.
 Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death¹
 South Carolina, 2000
 (Residence Data)

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ²	Years	Rate ³
ALL CAUSES	190,511	5402.0	327,680	8631.0
HIV INFECTION (B20-B24)	5,691	161.0	8,199	216.0
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	4,323	123.0	7,460	196.0
MALIGNANT NEOPLASMS (C00-C97)	31,758	901.0	70,993	1870.0
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	726	21.0	1,347	35.0
DIABETES (E10-E14)	4,202	119.0	9,388	247.0
MENINGITIS (G00,G03)	240	7.0	329	9.0
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	27,863	790.0	60,848	1603.0
HYPERTENSION (I10,I12)	1,038	29.0	2,271	60.0
CEREBROVASCULAR DISEASE (I60-I69)	5,670	161.0	12,260	323.0
ARTERIOSCLEROSIS (I70)	114	3.0	293	8.0
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	1,486	42.0	3,226	85.0
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	-	0	8	0.0
PNEUMONIA (J12-J18)	1,621	46.0	2,988	79.0
INFLUENZA(J10-J11)	-	0	28	1.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	2,704	77.0	7,983	210.0
STOMACH AND DUODENUM ULCER (K25-K28)	129	4.0	314	8.0
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	788	22.0	1,457	38.0
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	4,168	118.0	7,794	205.0
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	1,852	53.0	3,375	89.0
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	1,336	38.0	3,066	81.0
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	21	1.0	55	1.0
CONGENITAL ANOMALIES (Q00-Q99)	7,671	218.0	9,207	242.0
PERINATAL PERIOD CONDITIONS (P00-P96)	17,341	492.0	20,011	527.0
SYMPTOMS/ILL-DEFINED (R00-R99)	6,281	178.0	8,542	225.0
ACCIDENTS (V01-X59,Y85-Y86)	42,817	1214.0	58,048	1529.0
SUICIDE (X60-X84,Y87.0)	9,037	256.0	12,813	337.0
HOMICIDE (X85-Y09,Y87.1)	6,465	183.0	8,473	223.0
ALL OTHER (REMAINDER OF V,X,Y)	5,169	147.0	6,904	182.0

¹ Classified and Coded According to ICD-10

² Rate per 100,000 Persons < 65 Years Old

³ Rate per 100,000 Persons < 75 Years Old

Table 80-A.
 Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death¹
 South Carolina, 2000
 (Residence Data)
 White

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ²	Years	Rate ³
ALL CAUSES	105,669	4457.0	192,885	7471.0
HIV INFECTION (B20-B24)	1,259	53.0	1,807	70.0
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	1,939	82.0	3,586	139.0
MALIGNANT NEOPLASMS (C00-C97)	19,513	823.0	46,363	1796.0
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	363	15.0	770	30.0
DIABETES (E10-E14)	1,961	83.0	4,585	178.0
MENINGITIS (G00,G03)	174	7.0	232	9.0
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	16,114	680.0	37,914	1468.0
HYPERTENSION (I10,I12)	373	16.0	854	33.0
CEREBROVASCULAR DISEASE (I60-I69)	2,530	107.0	5,953	231.0
ARTERIOSCLEROSIS (I70)	72	3.0	191	7.0
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	783	33.0	1,961	76.0
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	-	0	-	0
PNEUMONIA (J12-J18)	889	37.0	1,774	69.0
INFLUENZA(J10-J11)	-	0	28	1.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	1,879	79.0	6,205	240.0
STOMACH AND DUODENUM ULCER (K25-K28)	81	3.0	192	7.0
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	432	18.0	892	35.0
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	2,921	123.0	5,537	214.0
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	944	40.0	1,939	75.0
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	694	29.0	1,559	60.0
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	16	1.0	40	2.0
CONGENITAL ANOMALIES (Q00-Q99)	3,786	160.0	4,616	179.0
PERINATAL PERIOD CONDITIONS (P00-P96)	6,110	258.0	7,050	273.0
SYMPTOMS/ILL-DEFINED (R00-R99)	3,174	134.0	4,366	169.0
ACCIDENTS (V01-X59,Y85-Y86)	27,319	1152.0	37,137	1438.0
SUICIDE (X60-X84,Y87.0)	7,625	322.0	10,907	422.0
HOMICIDE (X85-Y09,Y87.1)	2,158	91.0	2,963	115.0
ALL OTHER (REMAINDER OF V,X,Y)	2,560	108.0	3,464	134.0

¹ Classified and Coded According to ICD-10

² Rate per 100,000 Persons < 65 Years Old

³ Rate per 100,000 Persons < 75 Years Old

Table 80-A (cont.)
 Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death¹
 South Carolina, 2000
 (Residence Data)
 Black & Other

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ²	Years	Rate ³
ALL CAUSES	84,842	7342.0	134,795	11,095
HIV INFECTION (B20-B24)	4,432	384.0	6,392	526.0
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	2,384	206.0	3,874	319.0
MALIGNANT NEOPLASMS (C00-C97)	12,245	1060.0	24,630	2027.0
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	363	31.0	577	47.0
DIABETES (E10-E14)	2,241	194.0	4,803	395.0
MENINGITIS (G00,G03)	66	6.0	97	8.0
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	11,749	1017.0	22,934	1888.0
HYPERTENSION (I10,I12)	665	58.0	1,417	117.0
CEREBROVASCULAR DISEASE (I60-I69)	3,140	272.0	6,307	519.0
ARTERIOSCLEROSIS (I70)	42	4.0	102	8.0
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	703	61.0	1,265	104.0
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	-	0	8	1.0
PNEUMONIA (J12-J18)	732	63.0	1,214	100.0
INFLUENZA(J10-J11)	-	0	-	0.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	825	71.0	1,778	146.0
STOMACH AND DUODENUM ULCER (K25-K28)	48	4.0	122	10.0
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	356	31.0	565	47.0
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	1,247	108.0	2,257	186.0
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	908	79.0	1,436	118.0
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	642	56.0	1,507	124.0
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	5	0.0	15	1.0
CONGENITAL ANOMALIES (Q00-Q99)	3,885	336.0	4,591	378.0
PERINATAL PERIOD CONDITIONS (P00-P96)	11,231	972.0	12,961	1067.0
SYMPTOMS/ILL-DEFINED (R00-R99)	3,107	269.0	4,176	344.0
ACCIDENTS (V01-X59,Y85-Y86)	15,498	1341.0	20,911	1721.0
SUICIDE (X60-X84,Y87.0)	1,412	122.0	1,906	157.0
HOMICIDE (X85-Y09,Y87.1)	4,307	373.0	5,510	454.0
ALL OTHER (REMAINDER OF V,X,Y)	2,609	226.0	3,440	283.0


¹ Classified and Coded According to ICD-10

² Rate per 100,000 Persons < 65 Years Old

³ Rate per 100,000 Persons < 75 Years Old

MARRIAGE/DIVORCE

The State Tree
"The Palmetto"




Officially adopted by the General Assembly in 1939

TRENDS IN MARRIAGES AND DIVORCES

During the twenty-five year period from 1976-2000, marriages in South Carolina have shown considerable fluctuation. As seen in Figure 15, in 1979 the marriage rate reached a high of 18.2 and in 2000 an all time low of 10.4. Conversely the divorce rate, as shown in Figure 15, increased from 3.7 in 1976 to its pinnacle in 1979 of 4.7. In 2000, the divorce rate was 3.8 and the marriage rate 10.4.

Figure 15.
Marriage and Divorce Rates
South Carolina, 1976-2000



MARRIAGES

For the calendar year 2000, there were 981 interracial marriages in South Carolina, with 977 of these being between whites and blacks. Of these 977, 71.6 percent involved black males and white females. Table 81 shows a cross-classification of marriages by race of bride and race of groom for South Carolina, 2000. Figure 16 illustrates how marriage rates by race have fluctuated over the last twenty-five years.

Table 81.
Marriages by Race of Bride and Groom
South Carolina, 2000

Race of Bride	Race of Groom							Total
	White	Black	Indian	Chinese	Japanese	Other*	Unknown	
Total	30,529	10,344	298	16	7	385	13	41,592
White	29,877	700	137	-	4	139	1	30,858
Black	277	9,556	6	-	-	40	-	9,879
Indian	109	28	149	-	-	3	-	289
Chinese	20	1	-	14	-	-	-	35
Japanese	8	6	-	-	2	2	-	18
Other	237	50	6	2	1	201	-	497
Unknown	1	3	-	-	-	-	12	16

* includes Hawaiian, Filipino, other Asian and Pacific Islander and other Non-White

As displayed in Table 83, there were 5,064 persons under the age of twenty who married in South Carolina in 2000. Therefore, teenagers represent 12.2 percent of all persons who married in this state in 2000. As in previous years, the greatest number of marriages occurred between brides and grooms within the 20-24 age group.

As shown in Table 87, for 41,592 marriages (69.0%), both the bride and groom were residents of South Carolina. There were 1,285 marriages (3.1%) between resident brides and non-resident grooms, and 725 (1.7%) between non-resident brides and resident grooms. There were 10,878 (26.2%) marriages performed in South Carolina where both bride and groom were non-residents.

Table 82.
 Marriages and Marriage Rates¹ by Race
 South Carolina, 1976-2000
 (Occurrence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1976	50,698	17.8	38,482	19.6	12,216	13.8
1977	51,306	17.8	38,924	19.8	12,382	13.6
1978	52,960	18.1	40,224	20.0	12,736	14.1
1979	53,505	18.2	40,790	20.2	12,715	14.0
1980	53,915	17.3	40,955	19.1	12,960	13.3
1981	54,145	17.0	41,746	19.0	12,669	12.7
1982	53,496	16.4	40,655	18.2	12,841	12.6
1983	53,691	16.2	41,490	18.2	12,201	11.7
1984	55,357	16.8	42,557	18.8	12,800	12.3
1985	52,805	15.7	40,315	17.5	12,490	11.7
1986	53,974	15.8	40,934	17.5	13,040	12.0
1987	53,396	15.6	39,916	17.0	13,480	12.5
1988	54,615	15.5	40,839	17.0	13,775	12.3
1989	54,693*	15.5	41,704	17.4	12,985	11.6
1990	55,754*	16.0	42,314	17.5	13,440	12.5
1991	53,747	15.1	41,004	16.7	12,743	11.6
1992	53,320*	14.8	40,726	16.4	12,592	11.3
1993	53,223*	14.7	40,655	16.2	11,558	11.2
1994	51,564*	14.1	38,750	15.3	12,808	11.3
1995	45,347*	12.4	33,812	13.3	11,535	10.2
1996	43,439	11.7	32,198	12.6	11,241	9.9
1997	43,411*	11.5	32,290	12.5	11,121	9.5
1998	42,380*	11.0	31,372	11.9	11,007	9.2
1999	43,664*	11.2	32,012	11.9	11,647	9.7
2000	41,592	10.4	30,604	11.1	11,050	8.8

¹ Rate per 1,000 Population

* Includes unknown race

Figure 16.
 Marriage and Marriage Rates by Race
 South Carolina, 1976-2000
 (Occurrence Data)




Table 83.
Marriages by Age of Bride and Groom
South Carolina, 2000

Age of Groom	Total	Age of Bride													
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+
Total	41,592	34	3,555	9,861	8,723	5,953	4,540	3,459	2,398	1,417	723	461	240	146	82
< 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1,475	16	1,034	352	48	14	7	3	1	-	-	-	-	-	-
20-24	8,165	11	1,928	4,769	1,106	242	76	22	8	2	-	-	1	-	-
25-29	9,337	5	433	3,381	3,826	1,146	390	107	39	9	-	-	1	-	-
30-34	6,637	1	105	918	2,299	2,060	837	303	88	16	8	-	1	1	-
35-39	4,997	1	36	306	924	1,410	1,316	692	226	70	10	3	3	-	-
40-44	3,708	-	16	82	337	621	1,038	937	488	158	25	5	1	-	-
45-49	2,642	-	2	29	120	287	529	737	630	215	70	21	1	1	-
50-54	1,846	-	1	13	38	114	220	386	503	392	128	40	9	1	1
55-59	1,169	-	-	5	15	41	74	176	253	297	208	73	17	9	1
60-64	686	-	-	4	6	9	37	61	104	163	128	121	41	8	4
65-69	424	-	-	1	-	5	9	26	42	56	85	109	68	20	3
70-74	264	-	-	-	2	3	5	6	10	22	41	54	60	44	17
75+	240	-	-	-	1	1	2	3	6	17	20	35	37	62	56

Table 84.
 Marriages by Race, Residential Status and Age of Bride
 South Carolina, 2000
 (Occurrence Data)

Age of Bride Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	29,989 *	100.0	21,976	100.0	8,001	100.0
Under 15	13	0.0	13	0.1	-	0
15-19	2,720	9.1	2,311	10.5	409	5.1
20-24	7,680 *	25.6	5,922	26.9	1,754	21.9
25-29	6,270 *	20.9	4,382	19.9	1,887	23.6
30-34	4,081 *	13.6	2,734	12.4	1,343	16.8
35-39	3,146 *	10.5	2,127	9.7	1,018	12.7
40-44	2,362 *	7.9	1,625	7.4	736	9.2
45-49	1,655	5.5	1,238	5.6	417	5.2
50-54	958 *	3.2	721	3.3	236	2.9
55-59	464	1.5	368	1.7	96	1.2
60-64	316	1.1	245	1.1	71	0.9
65-69	161	0.5	146	0.7	15	0.2
70-74	108	0.4	95	0.4	13	0.2
75 +	55	0.2	49	0.2	6	0.1

Age of Bride Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	11,603 *	100.0	8,882	100.0	2,717	100.0
Under 15	21	0.2	13	0.1	8	0.3
15-19	835	7.2	686	7.7	149	5.5
20-24	2,181 *	18.8	1,682	18.9	498	18.3
25-29	2,453	21.1	1,849	20.8	604	22.2
30-34	1,872 *	16.1	1,417	16.0	454	16.7
35-39	1,394 *	12.0	1,040	11.7	353	13.0
40-44	1,097	9.5	822	9.3	275	10.1
45-49	743 *	6.4	564	6.3	178	6.6
50-54	459	4.0	356	4.0	103	3.8
55-59	259	2.2	204	2.3	55	2.0
60-64	145	1.2	128	1.4	17	0.6
65-69	79	0.7	66	0.7	13	0.5
70-74	38	0.3	30	0.3	8	0.3
75 +	27	0.2	25	0.3	2	0.1

* Includes unknown race

Table 85.
 Marriages by Race, Residential Status and Age of Groom
 South Carolina, 2000
 (Occurrence Data)

Age of Groom Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	29,429 *	100.0	21,330	100.0	8,088	100.0
15-19	1,133	3.8	961	4.5	172	2.1
20-24	6,139 *	20.9	4,706	22.1	1,429	17.7
25-29	6,773 *	23.0	4,845	22.7	1,927	23.8
30-34	4,647 *	15.8	3,183	14.9	1,462	18.1
35-39	3,434 *	11.7	2,308	10.8	1,124	13.9
40-44	2,499	8.5	1,727	8.1	772	9.5
45-49	1,781	6.1	1,271	6.0	510	6.3
50-54	1,227	4.2	916	4.3	311	3.8
55-59	732 *	2.5	573	2.7	158	2.0
60-64	461	1.6	347	1.6	114	1.4
65-69	268 *	0.9	206	1.0	61	0.8
70-74	166	0.6	133	0.6	33	0.4
75 +	168	0.6	153	0.7	15	0.2

Age of Groom Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	12,163 *	100.0	9,199	100.0	2,962	100.0
15-19	342	2.8	281	3.1	61	2.1
20-24	2,026	16.7	1,555	16.9	471	15.9
25-29	2,564	21.1	1,921	20.9	643	21.7
30-34	1,990 *	16.4	1,468	16.0	521	17.6
35-39	1,563	12.9	1,143	12.4	420	14.2
40-44	1,209 *	9.9	909	9.9	299	10.1
45-49	861	7.1	640	7.0	221	7.5
50-54	619	5.1	485	5.3	134	4.5
55-59	437	3.6	354	3.8	83	2.8
60-64	225	1.8	171	1.9	54	1.8
65-69	156	1.3	122	1.3	34	1.1
70-74	98	0.8	88	1.0	10	0.3
75 +	72	0.6	61	0.7	11	0.4

*Includes unknown race

Table 86.
Marriages by County in Which License Was Issued by Residential Status
South Carolina and Each County, 2000

County License Issued	Total	Residence of Bride				Residence of Groom			
		S. C. Resident		Non-Resident		S. C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	41,592	29,989	72.1	11,603	27.9	29,429	70.8	12,163	29.2
Abbeville	201	162	80.6	39	19.4	159	79.1	42	20.9
Aiken	2,552	1,035	40.6	1,517	59.4	1,004	39.3	1,548	60.7
Allendale	89	65	73	24	27	62	69.7	27	30.3
Anderson	1,268	1,082	85.3	186	14.7	1,068	84.2	200	15.8
Bamberg	118	110	93.2	8	6.8	108	91.5	10	8.5
Barnwell	188	176	93.6	12	6.4	174	92.6	14	7.4
Beaufort	1,025	561	54.7	464	45.3	561	54.7	464	45.3
Berkeley	844	793	94	51	6	793	94	51	6
Calhoun	102	94	92.2	8	7.8	97	95.1	5	4.9
Charleston	4,309	3,372	78.3	937	21.7	3,362	78	947	22
Cherokee	974	474	48.7	500	51.3	460	47.2	514	52.8
Chester	217	205	94.5	12	5.5	203	93.5	14	6.5
Chesterfield	551	341	61.9	210	38.1	327	59.3	224	40.7
Clarendon	202	188	93.1	14	6.9	187	92.6	15	7.4
Colleton	349	321	92	28	8	314	90	35	10
Darlington	471	444	94.3	27	5.7	441	93.6	30	6.4
Dillon	1,903	305	16	1,598	84	294	15.4	1,609	84.6
Dorchester	371	343	92.5	28	7.5	341	91.9	30	8.1
Edgefield	233	135	57.9	98	42.1	135	57.9	98	42.1
Fairfield	155	148	95.5	7	4.5	146	94.2	9	5.8
Florence	1,212	1,138	93.9	74	6.1	1,113	91.8	99	8.2
Georgetown	572	476	83.2	96	16.8	467	81.6	105	18.4
Greenville	3,390	3,133	92.4	257	7.6	3,044	89.8	346	10.2
Greenwood	526	500	95.1	26	4.9	496	94.3	30	5.7
Hampton	164	140	85.4	24	14.6	137	83.5	27	16.5
Horry	3,078	1,553	50.5	1,525	49.5	1,533	49.8	1,545	50.2
Jasper	1,016	173	17	843	83	164	16.1	852	83.9
Kershaw	442	413	93.4	29	6.6	409	92.5	33	7.5
Lancaster	544	421	77.4	123	22.6	409	75.2	135	24.8
Laurens	419	410	97.9	9	2.1	404	96.4	15	3.6
Lee	128	122	95.3	6	4.7	119	93	9	7
Lexington	1,560	1,485	95.2	75	4.8	1,460	93.6	100	6.4
McCormick	162	52	32.1	110	67.9	49	30.2	113	69.8
Marion	290	268	92.4	22	7.6	261	90	29	10
Marlboro	553	193	34.9	360	65.1	182	32.9	371	67.1
Newberry	228	219	96.1	9	3.9	216	94.7	12	5.3
Oconee	1,317	550	41.8	767	58.2	543	41.2	774	58.8
Orangeburg	680	632	92.9	48	7.1	634	93.2	46	6.8
Pickens	784	744	94.9	40	5.1	738	94.1	46	5.9
Richland	2,826	2,536	89.7	290	10.3	2,447	86.6	379	13.4
Saluda	152	144	94.7	8	5.3	140	92.1	12	7.9
Spartanburg	1,957	1,809	92.4	148	7.6	1,795	91.7	162	8.3
Sumter	921	866	94	55	6	845	91.7	76	8.3
Union	223	217	97.3	6	2.7	212	95.1	11	4.9
Williamsburg	266	249	93.6	17	6.4	238	89.5	28	10.5
York	2,060	1,192	57.9	868	42.1	1,138	55.2	922	44.8

Table 87.
 Marriages by Residential Status and County of Marriage
 South Carolina, 2000
 (Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Bride & Groom Resident	Groom Only Resident	Bride Only Resident	Bride & Groom Non-Resident
South Carolina	41,592	28,704	725	1,285	10,878
Abbeville	200	155	2	7	36
Aiken	2,363	920	73	98	1,272
Allendale	91	66	1	4	20
Anderson	1,317	1,128	15	29	145
Bamberg	136	121	1	4	10
Barnwell	167	152	3	6	6
Beaufort	1,193	595	41	42	515
Berkeley	999	909	25	21	44
Calhoun	111	102	5	0	4
Charleston	4,446	3,091	107	124	1,124
Cherokee	925	431	12	23	459
Chester	233	214	4	5	10
Chesterfield	511	305	10	24	172
Clarendon	232	212	2	3	15
Colleton	340	304	4	9	23
Darlington	502	454	7	18	23
Dillon	1,804	281	16	22	1,485
Dorchester	628	561	7	17	43
Edgefield	353	145	13	12	183
Fairfield	185	171	3	4	7
Florence	1,103	1,011	11	32	49
Georgetown	666	510	7	27	122
Greenville	2,924	2,574	39	117	194
Greenwood	496	461	5	12	18
Hampton	181	151	1	4	25
Horry	3,862	1,718	63	91	1,990
Jasper	946	141	8	17	780
Kershaw	406	370	4	10	22
Lancaster	474	377	6	14	77
Laurens	459	439	5	5	10
Lee	146	133	1	4	8
Lexington	1,647	1,518	16	49	64
McCormick	169	50	5	5	109
Marion	299	273	0	6	20
Marlboro	326	183	7	15	121
Newberry	250	234	2	5	9
Oconee	1,263	508	11	23	721
Orangeburg	690	626	10	11	43
Pickens	969	888	15	25	41
Richland	2,440	2,016	47	112	265
Saluda	126	113	2	6	5
Spartanburg	1,939	1,768	35	58	78
Sumter	914	818	19	39	38
Union	222	205	2	7	8
Williamsburg	290	255	4	17	14
York	1,647	1,046	49	102	450

DIVORCES AND ANNULMENTS

Table 88 shows that out of the total 30,392 persons in 2000 who were granted divorces, 34 percent were between the ages of 25 and 34.

The white divorce rate has consistently exceeded that of the black and other rate since 1962, the year divorces were first required to be registered with the Office of Public Health Statistics and Information Services. In 1999, the white rate was 4.3 and the black and other rate was 2.8, as exhibited in Table 89. Figure 17 illustrates the twenty-five year trend in divorces by race.

The most frequently cited grounds for divorce were one year separation, which accounted for 83 percent of all grounds for divorces, followed by adultery, drunkenness, and physical cruelty. Table 91 shows divorces by legal grounds of decree. As shown in Table 92, there were 12,152 children involved in divorces and annulments in 2000.

Table 88.
Divorces by Age and Race
South Carolina, 2000

Age Group	Husband			Wife		
	Total	White	Black & Other	Total	White	Black & Other
All Ages	15,196 *	11,608	3,519	15,196 *	11,640	3,471
15-19	13	13	-	74	71	3
20-24	666 *	585	80	1,230 *	1,077	143
25-29	2,117 *	1,705	397	2,565 *	2,072	482
30-34	2,705 *	2,044	649	2,816 *	2,078	719
35-39	2,765 *	2,030	722	2,782 *	2,065	703
40-44	2,461 *	1,830	624	2,218 *	1,648	558
45-49	1,772 *	1,340	422	1,629 *	1,207	413
50-54	1,273 *	959	309	924 *	704	216
55-59	661 *	523	136	430	337	93
60-64	339	264	75	199 *	146	51
65-69	166 *	128	37	105	82	23
70-74	78	58	20	41	37	4
75+	70	60	10	36	27	9
Unknown	110 *	69	38	147 *	89	54

* Includes unknown races

Table 89.
Divorces and Divorce Rates¹ by Race
South Carolina, 1976-2000

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1976	10,641	3.7	8,954	4.6	1,687	1.9
1977	10,717	3.7	8,969	4.6	1,748	1.9
1978	11,901	4.1	9,903	4.9	1,998	2.2
1979	13,747	4.7	11,283	5.6	2,464	2.7
1980	13,595	4.4	11,155	5.2	2,440	2.5
1981	13,974	4.4	11,503	5.2	2,471	2.5
1982	13,600	4.2	11,233	5.0	2,367	2.3
1983	13,061	4.1	11,060	4.9	2,541	2.4
1984	13,674	4.1	11,111	4.9	2,563	2.5
1985	13,456	4.0	11,045	4.8	2,411	2.3
1986	13,431	3.9	11,011	4.7	2,420	2.2
1987	13,835	4.0	11,229	4.8	2,606	2.4
1988	14,672	4.2	11,824	4.9	2,848	2.5
1989	15,115	4.3	12,173	5.1	2,889	2.6
1990	16,182	4.6	12,858	5.3	3,257	3.0
1991	15,187	4.3	12,233	5.0	2,954	2.7
1992	15,365	4.3	12,179	4.9	3,103	2.8
1993	15,141	4.2	11,825	4.7	3,275	2.9
1994	15,802*	4.3	12,404	4.9	3,394	3.0
1995	15,171*	4.1	11,824	4.7	3,346	3.0
1996	15,319*	4.1	11,829	4.6	3,434	3.0
1997	15,780*	4.2	12,226	4.7	3,483	3.0
1998	15,083*	3.9	11,653	4.4	3,358	2.8
1999	15,115*	3.9	11,647	4.3	3,380	2.8
2000	15,196*	3.8	11,608	4.2	3,519	2.8

¹ Rate per 1,000 Population

* Includes unknown race

Figure 17.
Divorce Rates by Race
South Carolina, 1976-2000




Table 90.
Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree¹
South Carolina, 2000

Duration of Marriage	Plaintiff		Legal Ground for Decree								
	Husband	Wife	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unk.
Total	5,621	9,557	7	313	349	73	1,678	12,619	79	74	4
Under 1 Year	-	-	-	-	-	-	-	-	-	-	-
1 - 4 Years	1,266	2,056	1	128	134	23	405	2,562	30	41	2
1 Year	109	196	-	30	31	4	69	138	9	23	1
2 Years	336	534	-	37	34	8	108	669	6	10	-
3 Years	397	681	1	34	46	8	115	862	9	4	1
4 Years	424	645	-	27	23	3	113	893	6	4	-
5 - 9 Years	1,677	2,931	2	78	86	28	512	3,885	14	10	-
5 Years	375	711	-	27	22	4	125	905	5	-	-
6 Years	376	632	-	16	14	7	110	851	3	8	-
7 Years	311	620	-	11	25	7	105	784	-	-	-
8 Years	318	501	2	11	15	6	84	696	3	2	-
9 Years	297	467	-	13	10	4	88	649	3	-	-
10 - 14 Years	1,026	1,853	-	50	40	12	292	2,467	16	3	2
15 - 19 Years	648	1,112	1	29	43	4	187	1,489	8	1	-
20 - 24 Years	427	708	1	14	19	2	147	948	6	-	-
25 - 29 Years	259	450	-	8	12	1	59	624	5	-	-
30 & Over	294	431	2	5	12	3	71	614	-	18	-
Unknown	24	16	-	1	3	-	5	30	-	1	-

¹ Frequencies may not agree due to multiple grounds and incomplete reporting

Table 91.
Divorces by Plaintiff and Legal Grounds of Decree
South Carolina and Each County, 2000

County of Decree	Plaintiff		Legal Ground for Decree								
	Husband	Wife	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
South Carolina	5,621	9,557	7	313	349	73	1,678	12,619	79	74	4
Abbeville	25	47	-	3	3	-	11	55	-	-	-
Aiken	227	344	1	9	18	-	61	474	8	-	-
Allendale	6	9	-	-	-	-	-	15	-	-	-
Anderson	289	493	-	28	26	8	100	603	4	13	-
Bamberg	20	32	-	2	-	1	5	40	2	2	-
Barnwell	35	74	-	3	3	-	7	94	1	1	-
Beaufort	213	285	-	3	12	1	38	442	-	2	-
Berkeley	259	410	-	11	12	6	75	560	3	2	-
Calhoun	24	40	-	1	1	1	6	55	-	-	-
Charleston	466	717	-	7	16	3	106	1,042	2	6	1
Cherokee	92	140	-	5	7	-	29	191	-	1	-
Chester	52	90	-	3	3	-	14	122	1	-	-
Chesterfield	62	115	1	5	4	3	12	150	1	1	-
Clarendon	36	54	-	-	3	-	15	72	-	-	-
Colleton	66	114	-	5	2	-	14	158	1	-	-
Darlington	107	188	-	8	12	1	37	235	2	-	1
Dillon	41	90	-	-	2	1	25	101	2	-	-
Dorchester	140	213	-	6	5	1	35	304	1	2	-
Edgefield	16	48	-	1	2	-	9	52	-	-	-
Fairfield	34	42	-	6	2	-	8	60	-	-	-
Florence	176	294	-	3	6	-	63	396	1	1	-
Georgetown	89	140	1	8	4	2	33	180	1	-	-
Greenville	437	864	-	19	21	9	127	1,117	7	4	-
Greenwood	118	202	-	6	11	4	38	256	3	2	-
Hampton	24	35	1	-	1	-	9	48	-	-	-
Horry	211	338	1	14	14	3	57	456	3	1	-
Jasper	13	29	-	2	-	-	6	34	-	-	-
Kershaw	95	119	-	5	5	-	29	171	3	2	-
Lancaster	78	144	-	3	8	3	31	175	-	2	-
Laurens	106	185	-	5	10	3	26	242	2	3	-
Lee	21	37	-	1	1	-	8	48	-	-	-
Lexington	345	693	1	35	21	7	120	852	4	1	-
McCormick	9	11	-	-	1	-	3	16	-	-	-
Marion	50	96	-	-	3	1	18	121	1	2	-
Marlboro	24	51	-	1	-	-	7	66	1	-	-
Newberry	34	85	-	5	4	-	19	92	-	-	-
Oconee	95	163	-	7	15	3	37	190	1	6	-
Orangeburg	121	197	-	6	12	3	36	252	7	3	-
Pickens	140	242	-	15	14	1	56	293	2	1	1
Richland	411	757	1	22	19	2	89	1,022	6	7	-
Saluda	24	42	-	2	3	-	9	52	-	-	-
Spartanburg	407	723	-	33	28	3	157	900	6	4	-
Sumter	187	266	-	10	7	2	48	383	1	2	1
Union	27	59	-	1	2	-	6	76	-	1	-
Williamsburg	31	55	-	-	3	-	7	74	1	1	-
York	136	185	-	4	3	1	31	281	1	1	-

* Frequencies may not agree due to multiple grounds and incomplete reporting

Table 92.
Divorces and Annulments by Number of Children Involved and Race
South Carolina and Each County, 2000

County of Decree	Total	Divorces and Annulments				Children Involved under age 18		
		Race of Husband		Race of Wife		Total	White	Black & Other
		White	Black & Other	White	Black & Other			
South Carolina	15,196 *	11,608	3,519	11,640	3,471	12,152	8,877	3,225
Abbeville	72	53	19	53	19	57	41	16
Aiken	571 *	450	119	447	122	538	415	119
Allendale	15	4	11	4	11	12	2	10
Anderson	782 *	679	101	680	99	635	542	93
Bamberg	52	29	23	29	23	31	17	14
Barnwell	109	72	37	72	37	88	62	26
Beaufort	498 *	380	116	382	114	404	290	113
Berkeley	669 *	512	156	528	140	576	396	179
Calhoun	64	40	24	39	25	37	17	20
Charleston	1,183 *	798	372	802	366	930	577	344
Cherokee	233 *	205	24	204	25	190	164	22
Chester	143	103	40	102	41	156	97	59
Chesterfield	177	136	41	137	40	140	107	33
Clarendon	90	54	36	55	35	86	47	39
Colleton	180 *	122	57	123	56	138	73	64
Darlington	296 *	209	86	208	86	233	163	70
Dillon	131 *	85	43	86	41	91	65	26
Dorchester	354 *	303	50	302	50	325	270	55
Edgefield	64	51	13	50	14	57	43	14
Fairfield	76	44	32	44	32	61	30	31
Florence	470	319	151	325	145	352	235	117
Georgetown	229 *	156	72	156	72	175	102	73
Greenville	1,304 *	1,116	185	1,119	182	909	772	137
Greenwood	320 *	251	68	251	68	258	205	53
Hampton	59	41	18	42	17	58	35	23
Horry	549	476	73	475	74	388	308	80
Jasper	42	27	15	27	15	40	22	18
Kershaw	215	170	45	170	44	154	123	31
Lancaster	222	181	41	180	41	205	179	26
Laurens	291 *	236	54	238	51	219	173	46
Lee	58	30	28	30	28	49	23	26
Lexington	1,041 *	954	85	957	82	900	814	84
McCormick	20	14	6	14	6	14	11	3
Marion	146	84	62	82	64	114	62	52
Marlboro	75	35	40	36	39	62	32	30
Newberry	120 *	85	34	83	35	104	78	26
Oconee	259 *	243	15	241	17	204	178	26
Orangeburg	319	175	144	174	145	242	128	114
Pickens	383 *	364	18	364	18	305	293	12
Richland	1,168 *	652	513	658	504	938	435	501
Saluda	66	55	11	55	11	58	53	5
Spartanburg	1,131 *	923	184	928	177	839	641	174
Sumter	454 *	297	156	291	161	378	233	143
Union	86	72	14	72	14	68	58	10
Williamsburg	86	48	38	47	39	63	40	23
York	322	273	49	276	46	270	225	45

* Includes unknown race

Table 92.
Divorces and Annulments by Number of Children Involved and Race
South Carolina and Each County, 2000


County of Decree	Total	Divorces and Annulments				Children Involved under age 18		
		Race of Husband		Race of Wife		Total	White	Black & Other
		White	Black & Other	White	Black & Other			
South Carolina	15,196 *	11,608	3,519	11,640	3,471	12,152	8,877	3,225
Abbeville	72	53	19	53	19	57	41	16
Aiken	571 *	450	119	447	122	538	415	119
Allendale	15	4	11	4	11	12	2	10
Anderson	782 *	679	101	680	99	635	542	93
Bamberg	52	29	23	29	23	31	17	14
Barnwell	109	72	37	72	37	88	62	26
Beaufort	498 *	380	116	382	114	404	290	113
Berkeley	669 *	512	156	528	140	576	396	179
Calhoun	64	40	24	39	25	37	17	20
Charleston	1,183 *	798	372	802	366	930	577	344
Cherokee	233 *	205	24	204	25	190	164	22
Chester	143	103	40	102	41	156	97	59
Chesterfield	177	136	41	137	40	140	107	33
Clarendon	90	54	36	55	35	86	47	39
Colleton	180 *	122	57	123	56	138	73	64
Darlington	296 *	209	86	208	86	233	163	70
Dillon	131 *	85	43	86	41	91	65	26
Dorchester	354 *	303	50	302	50	325	270	55
Edgefield	64	51	13	50	14	57	43	14
Fairfield	76	44	32	44	32	61	30	31
Florence	470	319	151	325	145	352	235	117
Georgetown	229 *	156	72	156	72	175	102	73
Greenville	1,304 *	1,116	185	1,119	182	909	772	137
Greenwood	320 *	251	68	251	68	258	205	53
Hampton	59	41	18	42	17	58	35	23
Horry	549	476	73	475	74	388	308	80
Jasper	42	27	15	27	15	40	22	18
Kershaw	215	170	45	170	44	154	123	31
Lancaster	222	181	41	180	41	205	179	26
Laurens	291 *	236	54	238	51	219	173	46
Lee	58	30	28	30	28	49	23	26
Lexington	1,041 *	954	85	957	82	900	814	84
McCormick	20	14	6	14	6	14	11	3
Marion	146	84	62	82	64	114	62	52
Marlboro	75	35	40	36	39	62	32	30
Newberry	120 *	85	34	83	35	104	78	26
Oconee	259 *	243	15	241	17	204	178	26
Orangeburg	319	175	144	174	145	242	128	114
Pickens	383 *	364	18	364	18	305	293	12
Richland	1,168 *	652	513	658	504	938	435	501
Saluda	66	55	11	55	11	58	53	5
Spartanburg	1,131 *	923	184	928	177	839	641	174
Sumter	454 *	297	156	291	161	378	233	143
Union	86	72	14	72	14	68	58	10
Williamsburg	86	48	38	47	39	63	40	23
York	322	273	49	276	46	270	225	45

* Includes unknown race

MORBIDITY

The State Wild Game Bird

“The Wild Turkey”



Officially adopted by the General Assembly in 1976

Table 93.
 Reported Cases of Selected Communicable Disease
 South Carolina and Each County, 2000
 (Occurrence Data)

County	Campylobacterios s	Chickenpox	E Coli 015	Hepatitis A	Hepatitis B	Hepatitis C	Influenza Isolates	Legionellosis	Lyme Disease
2000 Total	153	78	21	87	23	3	397	6	21
1999 Total	209	46	22	48	64	22	177	12	6
Abbeville	3	-	-	-	1	-	-	-	-
Aiken	2	8	-	6	-	-	5	-	1
Allendale	-	-	-	-	-	-	2	-	-
Anderson	13	1	-	6	-	-	7	-	-
Bamberg	-	-	-	-	1	-	-	-	-
Barnwell	-	-	-	-	-	-	1	-	-
Beaufort	3	2	1	4	1	-	1	-	3
Berkeley	6	-	-	3	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	22	1	3	12	2	1	11	1	3
Cherokee	2	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	219	-	-
Chesterfield	2	-	-	-	-	-	-	-	-
Clarendon	-	-	1	-	-	-	9	-	-
Colleton	-	-	-	-	-	-	-	-	-
Darlington	2	-	-	1	-	-	2	-	-
Dillon	-	-	-	-	-	-	-	-	-
Dorchester	4	-	-	2	-	-	-	-	-
Edgefield	1	-	-	-	-	-	-	-	-
Fairfield	-	-	-	1	-	-	4	-	-
Florence	3	5	1	7	5	-	14	-	-
Georgetown	3	16	-	-	-	-	19	-	-
Greenville	16	4	-	15	-	-	11	3	-
Greenwood	7	-	-	1	-	-	2	-	-
Hampton	-	-	-	-	1	-	-	-	1
Horry	10	-	-	6	-	-	1	-	1
Jasper	1	-	-	1	1	-	-	-	-
Kershaw	3	-	-	1	-	-	-	-	-
Lancaster	1	-	-	-	-	-	-	-	-
Laurens	3	2	-	1	-	1	-	-	-
Lee	-	-	-	-	-	-	1	-	-
Lexington	10	-	1	-	1	-	13	-	-
Marion	-	1	-	-	-	-	1	-	-
Marlboro	-	6	-	-	-	-	-	-	-
McCormick	-	-	-	1	-	-	-	-	-
Newberry	-	-	-	1	-	-	2	-	-
Oconee	3	-	1	3	1	-	1	-	8
Orangeburg	2	7	-	2	-	-	-	-	1
Pickens	4	-	1	3	-	-	11	-	1
Richland	16	19	5	4	1	-	54	-	-
Saluda	-	-	-	-	-	-	-	-	-
Spartanburg	6	3	1	2	2	1	-	1	1
Sumter	-	1	1	1	4	-	-	1	-
Union	-	2	-	1	1	-	-	-	-
Williamsburg	-	-	-	-	-	-	3	-	1
York	5	-	5	2	1	-	3	-	-

Source: SCDHEC, Disease Control and Epidemiology

Table 93 (cont.)
 Reported Cases of Selected Communicable Disease
 South Carolina and Each County, 2000
 (Occurrence Data)

County	Malaria	Meningococcal Disease	Mumps	Pertussis	Rabies in Animals	Rocky Mountain Spotted Fever	Salmonellosis	Shigellosis	Tuberculosis	Vancomycin Resistant Enterococcus
2000 Total	2	26	11	55	162	47	744	139	287	262
1999 Total	19	48	6	27	149	52	701	122	315	256
Abbeville	-	-	-	-	3	1	5	-	-	-
Aiken	-	1	-	4	6	-	24	1	8	5
Allendale	-	-	-	-	-	-	1	-	4	-
Anderson	-	6	1	4	5	-	39	2	3	36
Bamberg	-	-	-	-	1	-	2	1	-	2
Barnwell	-	-	-	3	-	-	1	-	4	1
Beaufort	-	-	-	-	10	2	25	2	8	3
Berkeley	-	-	1	2	6	-	20	-	4	-
Calhoun	-	-	-	-	2	1	1	-	1	-
Charleston	-	1	1	4	16	1	112	3	31	28
Cherokee	-	-	-	-	1	-	9	-	3	3
Chester	-	-	-	-	1	1	1	-	1	3
Chesterfield	-	-	1	-	3	-	4	-	4	2
Clarendon	1	-	-	-	-	-	4	1	3	2
Colleton	-	-	-	-	2	-	5	-	5	-
Darlington	-	-	-	-	2	1	7	-	8	1
Dillon	-	1	-	-	1	-	4	-	7	2
Dorchester	-	-	-	1	1	-	20	1	3	1
Edgefield	-	-	-	-	-	-	6	-	-	-
Fairfield	-	-	1	-	-	-	2	-	-	3
Florence	-	-	2	1	1	2	19	1	21	16
Georgetown	-	1	-	2	2	1	20	1	3	6
Greenville	-	2	-	1	13	3	43	13	21	16
Greenwood	-	3	-	11	3	4	14	2	5	7
Hampton	-	-	-	-	-	-	2	-	-	-
Horry	-	3	-	-	9	7	69	3	21	7
Jasper	-	-	-	1	-	-	2	-	4	1
Kershaw	-	-	1	8	5	-	-	-	2	13
Lancaster	-	-	-	-	-	1	22	1	3	6
Laurens	-	-	-	-	1	-	2	-	4	5
Lee	-	-	-	-	-	-	1	-	1	-
Lexington	-	-	-	3	1	2	20	14	9	19
Marion	-	-	-	-	1	-	4	-	11	2
Marlboro	-	-	-	-	1	-	2	-	3	-
McCormick	-	-	-	-	-	-	-	-	1	-
Newberry	-	-	-	-	1	-	3	-	1	1
Oconee	-	-	-	-	1	-	7	1	2	1
Orangeburg	-	1	-	-	4	-	19	2	13	3
Pickens	-	-	-	1	6	1	8	-	-	5
Richland	1	3	2	4	2	4	98	9	19	42
Saluda	-	-	-	-	5	-	-	-	1	-
Spartanburg	-	2	1	1	17	8	23	55	15	8
Sumter	-	-	-	1	1	2	15	20	14	5
Union	-	-	-	-	2	2	2	-	3	2
Williamsburg	-	1	-	-	1	-	2	-	3	1
York	-	1	-	3	25	3	56	6	10	4

Source: SCDHEC, Disease Control and Epidemiology

Table 94.
 Reported Cases of Selected Sexually Transmitted Diseases¹
 South Carolina and Each County, 2000
 (Occurrence Data)

County	AIDS	HIV infection	HTLV - I, II infection	Chlamydia	Gonorrhea	Syphilis, Congenital	Syphilis, Infectious
2000 Total	787	969	5	9,950	8,383	22	229
1999 Total	931	1,062	3	14,694	10,325	27	270
Abbeville	*	4	-	61	57	-	1
Aiken	12	17	-	229	180	-	3
Allendale	*	*	-	87	65	-	-
Anderson	16	17	-	421	293	1	16
Bamberg	6	6	-	57	51	-	1
Barnwell	7	12	-	60	61	1	-
Beaufort	23	17	-	171	143	-	3
Berkeley	11	13	-	121	128	-	-
Calhoun	*	4	-	43	13	-	1
Charleston	93	95	-	949	1,049	1	3
Cherokee	6	*	2	105	66	-	2
Chester	6	4	-	93	67	1	-
Chesterfield	5	5	-	120	74	-	-
Clarendon	14	7	-	96	82	-	4
Colleton	14	9	-	97	33	-	-
Darlington	10	17	-	235	183	-	5
Dillon	9	5	-	92	79	-	2
Dorchester	12	16	-	88	77	-	-
Edgefield	4	9	-	44	26	-	1
Fairfield	5	*	-	60	66	-	-
Florence	41	47	-	375	372	-	13
Georgetown	15	21	-	205	119	-	1
Greenville	66	53	-	275	322	3	14
Greenwood	6	12	-	194	181	2	2
Hampton	11	12	-	75	47	-	4
Horry	34	52	-	313	348	1	32
Jasper	6	9	-	47	26	-	-
Kershaw	9	9	-	75	57	-	2
Lancaster	*	4	-	188	96	3	17
Laurens	7	6	-	117	81	-	-
Lee	7	5	-	60	57	-	4
Lexington	29	30	-	166	171	1	2
Marion	14	10	-	123	125	-	4
Marlboro	13	12	1	78	70	1	3
McCormick	*	*	-	22	26	-	-
Newberry	4	9	-	90	55	-	-
Oconee	*	8	-	58	41	-	-
Orangeburg	28	46	-	324	343	1	8
Pickens	7	9	-	35	26	1	-
Richland	126	216	-	1,164	1,040	2	37
Saluda	*	*	2	38	13	-	-
Spartanburg	28	40	-	453	387	2	9
Sumter	31	50	-	404	290	1	18
Union	*	*	-	38	42	-	2
Williamsburg	10	13	-	259	167	-	1
York	23	26	-	212	124	-	14

¹ Excludes Military

* Designates 3 or fewer cases

A

O

REGISTRATION OF VITAL EVENTS

The vital statistics system in South Carolina is a local-state-national reporting system where the vital event reports are initially submitted to the County Registrar located in the county where the event occurred. The reports are then submitted to the Division of Vital Records (State Office). By law, the Commissioner of Health is the State Registrar and appoints the chief administrative officer of each county health department as the County Registrar. The County Registrar appoints a Deputy County Registrar who carries out the routine functions of registration and certification of vital records at the county level. The State Office performs quality assurance testing on the records and also provides certifications of records for the general public. This office also provides data to the National Center for Health Statistics in cooperation with other states in order to produce national information on vital statistics.

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more to be registered, it is believed that registration is notably incomplete. The registration of fetal deaths will continue to improve as the need for these data are shown through health research.

Delayed registration results in under numeration of vital events for a specific time period. Frequency counts in this report are based on 2000 events processed in the state office before May 31, 2001. As this publication goes to press, 63 birth, 56 death, 1 abortion, 0 marriage and 0 divorce records for 2000 were processed after the closing date and were not added to the statistical file for 2000.

REVISION OF CERTIFICATES

The Office of Public Health Statistics and Information Services revised its certificates of birth, death, fetal death and induced termination of pregnancy in January 1989, based on standards set forth by the National Center for Health Statistics.

The 1989 revised vital records forms were major departures from the previous revisions (see appendix). While many of the items needed for legal purposes (e.g., name) remained unchanged or slightly modified, there were major and significant changes in the Confidential Information for Medical and Health Use section of the Certificate of Live Birth. Most of the changes represented efforts to clarify items for more complete and accurate data reporting. Other than the increased length of the revised forms, the most obvious change on the Certificate of Live Birth and Report of Fetal Death is the replacement of the open-ended medical items with items having a checkbox format. The concept of checkboxes as a mechanism for capturing information on medical factors is not new. In fact, this format was successfully implemented in several states with the previous revision of the forms. Additionally, the lists of risk factors, complications of labor and/or delivery and abnormal conditions of the newborn are taken from the Hollister Maternal/Newborn Record System which is widely used in many obstetric offices.

The revisions on the Fetal Death Report, like the Certificate of Live Birth, largely pertain to the medical conditions of the mother, labor/delivery and condition of the fetus. The data on these variables are not reported in this publication, since the quality of these variables has not been assessed to assure the accuracy of the data.

The Certificate of Death has remained essentially the same for many years. However, the 1989 revision of the form was an attempt to improve the accuracy of the data reported in the medical certification section of the certificate by including instructions for completing the medical certification on the front of the certificate and, in more detail, on the back. Additionally, the revised certificate allows a physician to pronounce and certify only to the time and place of death in cases where the attending physician is unavailable and the death is clearly not a medical-legal case. The funeral director can then contact the attending physician to obtain the medical certification at a later time. This revision allows funeral directors the ability to file death certificates in a more timely manner, as well as improve the quality and completeness.

The 1989 revisions to the vital records forms were intended to make the vital statistics system more responsive to public health concerns for high quality data.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations.

In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events, which occurred in South Carolina.

OCCURRENCE DATA are allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved. Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 2000

	BIRTHS			DEATHS		
	TOTAL	WHITE	BLACK & OTHER	TOTAL	WHITE	BLACK & OTHER
Occurring in S.C.	53,562	33,247	20,315	36,170	25,615	10,555
Residents of S.C.	52,979	32,834	20,145	35,227	24,842	10,385
Non-Residents	583	413	170	943	773	170
Occurring to S.C. Residents	55,964	35,146	20,803	36,816	26,013	10,785
In South Carolina	52,979	32,834	20,145	35,227	24,842	10,385
Out- of- State	2,985*	2,315	658	1,589*	1,171	400

* Includes unknown races

Note: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

ABORTION: Purposeful termination of pregnancy with intention other than to produce a liveborn infant or to remove a dead fetus.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

INFANT DEATH: Death of a live born infant under one year of age.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

VERY LOW BIRTH WEIGHT: Very low birth weight is a weight at birth which is less than 1,500 grams (3 pounds, 4 ounces), regardless of the period of gestation.

LOW BIRTH WEIGHT: Low birth weight is a weight at birth which is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

MARITAL STATUS ON BIRTH CERTIFICATE:

Unmarried - a birth which occurs to a woman who has never been married or who has been widowed or legally divorced from her husband in excess of 280 days.

Married - a birth which occurs to a woman who has been married or was married within 280 days from conception.

Paternity acknowledgment - gives authorization to list the name of the father on the birth certificate of a child born to an unmarried mother with written consent of the

father and mother by means of an affidavit as required by South Carolina Law, Section 44-63-165. For statistical purposes, paternity acknowledgments are included in the "married " category.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Tenth Revision ICD O00-O99). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is not assigned to codes O00-O99.

MULTIPLE CAUSES OF DEATH: A system of coding all of the medical entities reported on the death certificate.

NATURAL INCREASE: The increase in the population due to an excess of births over deaths for a particular period.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

PERINATAL DEATH: Death occurring during the perinatal period (i.e. to a live born infant less than 28 days of age and a fetus that has passed the twentieth week of gestation or weighs 350 grams or more).

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

UNDERLYING CAUSE OF DEATH: The disease or injury that initiated the train of morbid events leading directly to death. (International Classification of Disease).

YEARS OF POTENTIAL LIFE LOST (YPLL): YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point, usually age 65 or age 75. YPLL rates are per 100,000 population who are younger than the age of the end point.

INTERPRETATION OF DATA

RACE: Information on race of the mother and father is reported on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths are reported by race of mother. As of 1990, Live Births are reported by race of mother instead of race of child. This change allows South Carolina's birth data to be consistent with the National Center for Health Statistics and other states throughout the United States. The race on the reported marriages where the license was issued in South Carolina is by the race of groom and on divorces and annulments granted in South Carolina is by the race of husband. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "black and other". Blacks make up 95.8 percent of the black and other population of South Carolina.

PATERNITY ACKNOWLEDGMENT: For statistical purposes, paternity acknowledgments are included in the married category. In 2000 there were 6,259 paternity acknowledgments representing 11.2 percent of the total resident live births and 19.0 percent of all live births to married women in South Carolina.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went 1979-1998; and the Tenth Revision went into effect in 1999.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death." (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949, with the Sixth Revision, resulted in a basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding. However, the Tenth Revision introduced some of the most dramatic changes so far.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios were developed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. Taking the number of deaths classified to a given cause by the Tenth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision derived the comparability ratios used with the Tenth Revision. Provisional comparability ratios for the United States as a whole, based on the Ninth and Tenth Revisions, have been developed for a limited number of causes published by the National Center for Health Statistics. Tables are included in the Appendix portion of this report.

RATE CALCULATIONS WITH SMALL NUMBERS: There are variations in all statistics that are the result of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these crude rates. For this reason, rates for counties with small populations or other small bases should be used cautiously. In this report, rates are not calculated for places of less than 2,500 population or when the number of events is less than 3 for a particular category, due to the known instability of rates based on small numbers. In the Perinatal Section, 3-year rates are calculated to provide a more stable base for comparison of trends over time.

MEDICAL CERTIFICATION OF DEATH: The medical certification of death can be made only by a person authorized by law, usually a physician or a coroner. Thus, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the doctor or coroner to make the proper diagnosis and by the care with which the death certificate is completed. It is recognized that death may not result from a single morbid condition. Since 1980, South Carolina medical certifiers have been asked to provide contributing conditions adding to the underlying cause of death information. Nineteen hundred eighty-eight is the first year that multiple cause information was included in this report.

MULTIPLE CAUSE OF DEATH: Cause of death statistics have, for many years, been based only on the underlying cause of death, the single disease or injury that initiated the train of events leading to death or the circumstances of the accident that produced the fatal injury. The underlying cause is selected by a computerized algorithm called the Automated Classification of Medical Entities (ACME) from the ordering of conditions reported by physicians or coroners on the death certificate. Analysis of the underlying cause of death information allows for simplified, consistent reporting of data and provides a means of evaluating the impact of public health initiatives. When more than one cause is reported on the certificate, however, the tabulation of only one cause for mortality statistics may lead to a loss of information on any condition that is an element in the death but that is not selected as the underlying cause of death. Cause-of-death statistics are usually based on the underlying cause of death, a single disease or injury circumstance that initiated the sequence of events leading to death. In this system, each death is assigned one underlying cause of death. However, death certificates provide for the inclusion of more information than the underlying cause of death alone. The immediate cause of death, antecedent causes giving rise to the immediate cause and the medical certifier also may enter other significant conditions contributing to the death. These data provide a way of estimating the impact of significant co-factors contributing to a death and offer a means of utilizing information on causes, such as hypertension, asthma, bronchitis, and diabetes, that are frequently present at death but that are usually not lethal by themselves. Each death is assigned one underlying cause and up to nineteen contributing causes of death.

CLASSIFICATION AND METHODOLOGY IN DETERMINING LEADING CAUSES OF INFANT DEATH: The leading causes of infant mortality in this report are based on the National Center for Health Statistics (NCHS) list of 130 selected causes of infant mortality. The same methodology used by NCHS to rank the causes of infant death has also been adopted for this report. This

change represents an attempt to standardize reporting of South Carolina data to the national model. The broad categories of cause of death used in determining the leading causes of infant death have been subdivided into more specific categories. This change in methodology makes the leading causes of infant death tables in this report not comparable to similar tables in the reports of years prior to 1998.

YEARS OF POTENTIAL LIFE LOST RATES: Years of Potential Life Lost (YPLL) is a commonly used method of measuring the rate of premature death. YPLL rates identify untimely deaths in a way the traditional mortality rate can not. YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point. Ages 65 and 75 are often selected as end points, since age 65 approximates the usual retirement age and 75 years, the average life expectancy. The YPLL rate weights each death according to the number of years of life lost prior to the selected end point. Deaths occurring at younger ages are weighted more heavily than those occurring at older ages. To calculate the number of years of potential life lost, the age at last birthday of each death is subtracted from the selected end point. For this publication, these values are summed for all deaths and by selected cause of death for all races and by race group. Only deaths occurring at ages younger than the end point are included. YPLL rates are per 100,000 population who are younger than the age of the end point.

POPULATION DATA: With the exception of population data by race and population data for selected age groups of teens, the 2000 Census data, provided by the Office of Research and Statistics (South Carolina Budget and Control Board), were used to calculate the rates in this report. Population data by race and for selected age groups were modified.

POPULATION DATA BY RACE: At the time of this publication, population files released by the U.S. Census Bureau contain data for a "multiple race" category and for single race categories (including an "other/non-Census designated race" category). This presents problems for vital rates from two standpoints: first, these population files contain counts of persons with more than one race and therefore are not compatible with vital statistics numerators which contain information for persons by single race category, second, the population files contain the "other/non-Census designated race" category which is not used to calculate vital statistics rates.

In order to provide rates by single race category of 'white' and 'black and other' for South Carolina vital events, a methodology was developed that would regroup the populations of the race categories, 'multiple race' and 'other/non-Census designated race', into standard single race categories. This methodology was developed jointly by the staff of the Office of Research and Statistics, South Carolina State Budget and Control Board and the staff of the Division of Biostatistics, Public Health Statistics and Information Services, SCDHEC. At the time of this publication, neither modified or bridged files had been issued by the US Bureau of the Census.

Of the 4,012,012 South Carolinians counted in the 2000 Census, approximately one percent (39,950) were included in the 'multiple' race category and another one percent (39,926), in the 'other/non-Census designated race' category. The populations of these two race categories were allocated to the standard single race categories by age, gender and county. This allocation was

based on the proportional distribution of the population of the standard single race categories within each of these age, gender, county groups.

POPULATION DATA FOR SELECTED AGE GROUPS: For inter-census years, ORS provides estimated population data for South Carolina by age for five-year age groups. It is assumed that the population within each of these age categories is distributed uniformly through out the age interval. Based on this assumption, the population for females 14-17, 15-17 and 18-19 years is derived, consecutively, as follows – (20% of the female population 10-14 years plus 60% of the female population 15-19 years), (60% of the female population 15-19), and (40% of the female population 15-19). Pregnancy data for these teenagers are published annually in the South Carolina Vital and Morbidity Statistics reports and also in the South Carolina Teen Pregnancy Data Book(s).

In order to provide population data derived in a consistent manner over time, the 2000 population counts for these age groups are determined in like manner. These population estimates, rounded to the nearest 10, and the pregnancy rates are provided in the 'Teen Pregnancy' Section of this publication. The population for these age groups as enumerated by the 2000 Census is shown on pages 288-290.

South Carolina Census Population by Race
For Females Ages 14-17
South Carolina and Each County, 2000

County of Residence	Total	White Only	Black and Other Only	Non-Census Designated	Multiple Races
South Carolina	110,483	64,968	43,195	1,012	1,308
Abbeville	711	414	291	2	4
Aiken	4,277	2,798	1,387	32	60
Allendale	325	44	275	3	3
Anderson	4,438	3,449	924	22	43
Bamberg	526	143	377	2	4
Barnwell	755	362	383	5	5
Beaufort	2,830	1,559	1,162	67	42
Berkeley	4,378	2,676	1,553	55	94
Calhoun	444	156	281	3	4
Charleston	8,100	3,754	4,165	68	113
Cherokee	1,399	992	381	14	12
Chester	1,018	505	504	1	8
Chesterfield	1,232	708	506	8	10
Clarendon	996	341	644	8	3
Colleton	1,252	595	638	5	14
Darlington	1,823	924	881	6	12
Dillon	986	390	581	7	8
Dorchester	3,172	2,086	998	19	69
Edgefield	641	336	303	1	1
Fairfield	711	208	497	3	3
Florence	3,754	1,912	1,808	11	23
Georgetown	1,658	708	932	13	5
Greenville	9,695	7,022	2,398	143	132
Greenwood	1,849	1,060	751	21	17
Hampton	651	184	459	2	6
Horry	4,545	3,264	1,164	64	53
Jasper	565	188	356	12	9
Kershaw	1,555	994	532	13	16
Lancaster	1,692	1,081	578	13	20
Laurens	1,866	1,212	613	21	20
Lee	618	161	450	2	5
Lexington	6,216	5,072	1,031	47	66
McCormick	262	76	182	3	1
Marion	1,217	347	851	11	8
Marlboro	855	302	545	0	8
Newberry	979	536	417	14	12
Oconee	1,632	1,405	189	18	20
Orangeburg	2,836	809	1,996	9	22
Pickens	2,592	2,330	234	12	16
Richland	8,368	3,378	4,737	97	156
Saluda	517	304	197	14	2
Spartanburg	6,625	4,672	1,804	65	84
Sumter	3,202	1,365	1,773	24	40
Union	753	477	270	2	4
Williamsburg	1,273	278	986	2	7
York	4,694	3,391	1,211	48	44

South Carolina Census Population by Race
For Females Ages 15-17
South Carolina and Each County, 2000

County of Residence	Total	White Only	Black and Other Only	Non-Census Designated	Multiple Races
South Carolina	82,609	48,588	32,259	790	972
Abbeville	541	319	216	2	4
Aiken	3,210	2,118	1,023	26	43
Allendale	251	37	208	3	3
Anderson	3,306	2,552	702	17	35
Bamberg	405	106	297	0	2
Barnwell	560	273	280	4	3
Beaufort	2,093	1,163	841	57	32
Berkeley	3,251	1,970	1,181	41	59
Calhoun	343	126	210	3	4
Charleston	6,056	2,825	3,092	54	85
Cherokee	1,047	749	279	11	8
Chester	760	373	381	1	5
Chesterfield	906	516	378	5	7
Clarendon	735	255	471	6	3
Colleton	935	451	467	5	12
Darlington	1,368	698	659	5	6
Dillon	760	301	449	3	7
Dorchester	2,347	1,531	749	13	54
Edgefield	474	256	217	0	1
Fairfield	515	166	344	3	2
Florence	2,811	1,408	1,375	8	20
Georgetown	1,253	551	687	11	4
Greenville	7,278	5,256	1,819	105	98
Greenwood	1,375	772	571	16	16
Hampton	499	147	346	1	5
Horry	3,418	2,466	868	49	35
Jasper	421	131	271	11	8
Kershaw	1,191	752	416	11	12
Lancaster	1,274	822	428	9	15
Laurens	1,399	902	462	20	15
Lee	470	130	335	1	4
Lexington	4,609	3,763	759	39	48
McCormick	201	63	135	2	1
Marion	923	268	641	7	7
Marlboro	609	211	392	0	6
Newberry	749	418	307	13	11
Oconee	1,217	1,049	138	11	19
Orangeburg	2,151	609	1,519	6	17
Pickens	1,876	1,689	166	9	12
Richland	6,285	2,564	3,524	79	118
Saluda	390	227	151	12	0
Spartanburg	4,886	3,454	1,318	53	61
Sumter	2,412	1,050	1,319	17	26
Union	572	361	208	2	1
Williamsburg	965	210	747	2	6
York	3,512	2,530	913	37	32

South Carolina Census Population by Race
For Females Ages 18-19
South Carolina and Each County, 2000

County of Residence	Total	White Only	Black and Other Only	Non-Census Designated	Multiple Races
South Carolina	61,975	37,311	23,069	841	754
Abbeville	401	284	116	1	0
Aiken	2,001	1,224	733	21	23
Allendale	157	21	134	1	1
Anderson	2,018	1,532	455	13	18
Bamberg	396	72	324	0	0
Barnwell	305	135	164	4	2
Beaufort	1,655	929	538	117	71
Berkeley	2,086	1,328	646	46	66
Calhoun	170	59	110	1	0
Charleston	5,614	3,419	2,077	59	59
Cherokee	725	512	200	8	5
Chester	451	232	214	4	1
Chesterfield	541	316	214	8	3
Clarendon	444	129	310	3	2
Colleton	534	266	256	2	10
Darlington	932	435	482	3	12
Dillon	442	168	263	9	2
Dorchester	1,209	794	390	7	18
Edgefield	345	169	171	3	2
Fairfield	310	69	236	5	0
Florence	1,937	958	952	10	17
Georgetown	643	289	340	8	6
Greenville	5,416	4,139	1,126	82	69
Greenwood	1,173	729	423	13	8
Hampton	291	104	183	1	3
Horry	2,519	1,875	580	31	33
Jasper	266	89	170	5	2
Kershaw	636	423	202	8	3
Lancaster	755	467	277	5	6
Laurens	1,023	738	264	14	7
Lee	288	73	210	1	4
Lexington	2,621	2,074	494	27	26
McCormick	86	22	63	1	0
Marion	549	156	383	8	2
Marlboro	392	141	244	0	7
Newberry	580	340	227	10	3
Oconee	761	664	76	15	6
Orangeburg	1,998	342	1,626	17	13
Pickens	3,051	2,697	325	11	18
Richland	7,054	3,337	3,450	126	141
Saluda	278	141	125	12	0
Spartanburg	3,731	2,556	1,061	73	41
Sumter	1,592	595	971	11	15
Union	372	202	168	1	1
Williamsburg	532	133	396	0	3
York	2,695	1,934	700	36	25

Implementation of the International Classification of Diseases (ICD)10th Revision

The ICD is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. ICD-10 replaces the ICD-9, used with 1979-1998 data.

The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science.

ICD-10 affects the classification, processing, and presentation of mortality data. Some titles have changed. The total number of categories has doubled as a result of the addition or deletion of terms used to describe diseases or conditions. The transfer of certain diseases from one section to another reflects new discoveries and advances in knowledge on the nature or causes of particular diseases. The addition of separate categories identifies specific diseases or particular complications of diseases that are of growing interest. Additionally, the codes associated with each title have been converted from numeric to alphanumeric entities. The ICD rules for processing mortality data are generally similar but account for some changes observed in mortality statistics.

HOW ICD-10 COMPARES TO ICD-9

The intent of developing new revisions is to incorporate changes in medical knowledge. Compared with ICD-9, the ICD-10 has:

- expanded detail for many conditions (e.g., viral hepatitis has been expanded from ICD-9 code 070, a single 3-digit category, to ICD-10 codes B15-B19, five 3-digit categories)
- transferred conditions around the classification (e.g., hemorrhage has been moved from the circulatory chapter to the symptoms and signs chapter)
- used alphanumeric codes instead of numeric codes (e.g., code for diabetes mellitus was 250 in ICD-9 and is E10-E14 in ICD-10)
- modified coding rules (e.g., the "Old pneumonia, influenza, and maternal conditions" and "Error and accidents in medical care" coding rules have been eliminated)
- modified the tabulations lists (e.g., the US' ICD-10 113-cause list replaces the US' ICD-9 72-cause list)

Assistance in using the ICD-10 can be obtained by contacting the National Center for Health Statistics, Data Dissemination Branch, 6525 Belcrest Road, Room 1064 Hyattsville, Maryland 20782-2003

(301) 458-4636 (voice) (301) 458-4027 (fax)

For more information about the ICD-10:

ICD-10 Web page at: www.cdc.gov/nchs/icd9.htm

National Center for Health Statistics (NCHS) Web site at: www.cdc.gov/nchs/

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	= $\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	= $\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	= $\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	= $\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
General Fertility Rate	= $\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Birth Rate of Unmarried Mothers	= $\frac{\text{Annual number of unmarried mothers}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	= $\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	= $\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	= $\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate 10,000	= $\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X
Neonatal Mortality Rate	= $\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	= $\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	= $\frac{\text{Annual number of fetal deaths} + \text{Annual number of neonatal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	= $\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Grams Weight Conversion Chart

500 grams or less	=	1lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,000 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. - or more

Symbols Used in Tables

Class or Item not applicable	...
Data not available	---
Quantity Zero in frequency tables	-
Quantity Zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent table	-
Figures in parentheses are not included in tables	()

APP

D

APPENDIX

List of 113 Selected Causes of Death

Estimated Comparability Ratios for 113 Selected Causes of Death

Sample of Electronic Birth Certificate (EBC)

Sample of Birth Certificate

Sample of Death Certificate

Sample of Fetal Death Certificate

Sample of Marriage License

Sample of Divorce or Annulment Report

Sample of Abortion Report

Publications from Biostatistics

Contributors

LIST OF 113 SELECTED CAUSES OF DEATH

Number	Cause of death
	All causes.....
1#	Salmonella infections..... A01-A02
2#	Shigellosis and amebiasis..... A03, A06
3	Certain other intestinal infections..... A04, A07-A09
#	Tuberculosis..... A16-A19
4	Respiratory tuberculosis..... A16
5	Other tuberculosis..... A17-A19
6#	Whooping cough..... A37
7#	Scarlet fever and erysipelas..... A38, A46
8#	Meningococcal infection..... A39
9#	Septicemia..... A40-A41
10#	Syphilis..... A50-A53
11#	Acute poliomyelitis..... A80
12#	Arthropod-borne viral encephalitis..... A83-A84, A85. 2
13#	Measles..... B05
14#	Viral hepatitis..... B15-B19
15#	Human immunodeficiency virus (HIV) disease..... B20-B24
16#	Malaria..... B50-B54
17	Other and unspecified infectious and parasitic diseases and their sequelae A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85. 0-A85. 1, A85. 8, A86-B04, B06-B09, B25-B49, B55-B99
#	Malignant neoplasms..... C00-C97
18	Malignant neoplasms of lip, oral cavity and pharynx..... C00-C14
19	Malignant neoplasm of esophagus..... C15
20	Malignant neoplasm of stomach..... C16
21	Malignant neoplasms of colon, rectum and anus..... C18-C21
22	Malignant neoplasms of liver and intrahepatic bile ducts..... C22
23	Malignant neoplasm of pancreas..... C25
24	Malignant neoplasm of larynx..... C32
25	Malignant neoplasms of trachea, bronchus and lung..... C33-C34
26	Malignant melanoma of skin..... C43
27	Malignant neoplasm of breast..... C50
28	Malignant neoplasm of cervix uteri..... C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified..... C54-C55
30	Malignant neoplasm of ovary..... C56
31	Malignant neoplasm of prostate..... C61
32	Malignant neoplasms of kidney and renal pelvis..... C64-C65
33	Malignant neoplasm of bladder..... C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system..... C70-C72
	Malignant neoplasms of lymphoid, hematopoietic and related tissue..... C81-C96
35	Hodgkin's disease..... C81
36	Non-Hodgkin's lymphoma..... C82-C85
37	Leukemia..... C91-C95
38	Multiple myeloma and immunoproliferative neoplasms..... C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue..... C96
40	All other and unspecified malignant neoplasms..... C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97
41#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior..... D00-D48
42#	Anemias..... D50-D64
43#	Diabetes mellitus..... E10-E14
#	Nutritional deficiencies..... E40-E64
44	Malnutrition..... E40-E46
45	Other nutritional deficiencies..... E50-E64
46#	Meningitis..... G00, G03
47#	Parkinson's disease..... G20-G21
48#	Alzheimer's disease..... G30
#	Major cardiovascular diseases..... I00-I78
	Diseases of heart..... I00-I09, I11, I13, I20-I51
49	Acute rheumatic fever and chronic rheumatic heart diseases..... I00-I09
50	Hypertensive heart disease..... I11

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
51	Hypertensive heart and renal disease..... I13
	Ischemic heart diseases..... I20-I25
52	Acute myocardial infarction..... I21-I22
53	Other acute ischemic heart diseases..... I24
	Other forms of chronic ischemic heart disease..... I20, I25
54	Atherosclerotic cardiovascular disease, so described..... I25. 0
55	All other forms of chronic ischemic heart disease..... I20, I25. 1-I25. 9
	Other heart diseases..... I26-I51
56	Acute and subacute endocarditis..... I33
57	Diseases of pericardium and acute myocarditis..... I30-I31, I40
58	Heart failure..... I50
59	All other forms of heart disease..... I26-I28, I34-I38, I42-I49, I51
60#	Essential (primary) hypertension and hypertensive renal disease..... I10, I12
61#	Cerebrovascular diseases..... I60-I69
62#	Atherosclerosis..... I70
	Other diseases of circulatory system..... I71-I78
63#	Aortic aneurysm and dissection..... I71
64	Other diseases of arteries, arterioles and capillaries..... I72-I78
65	Other disorders of circulatory system..... I80-I99
#	Influenza and pneumonia..... J10-J18
66	Influenza..... J10-J11
67	Pneumonia..... J12-J18
	Other acute lower respiratory infections..... J20-J22
68#	Acute bronchitis and bronchiolitis..... J20-J21
69	Unspecified acute lower respiratory infection..... J22
#	Chronic lower respiratory diseases..... J40-J47
70	Bronchitis, chronic and unspecified..... J40-J42
71	Emphysema..... J43
72	Asthma..... J45-J46
73	Other chronic lower respiratory diseases..... J44, J47
74#	Pneumoconioses and chemical effects..... J60-J66, J68
75#	Pneumonitis due to solids and liquids..... J69
76	Other diseases of respiratory system..... J00-J06, J30-J39, J67, J70-J98
77#	Peptic ulcer..... K25-K28
78#	Diseases of appendix..... K35-K38
79#	Hernia..... K40-K46
#	Chronic liver disease and cirrhosis..... K70, K73-K74
80	Alcoholic liver disease..... K70
81	Other chronic liver disease and cirrhosis..... K73-K74
82#	Cholelithiasis and other disorders of gallbladder..... K80-K82
#	Nephritis, nephrotic syndrome and nephrosis..... N00-N07, N17-N19, N25-N27
83	Acute and rapidly progressive nephritic and nephrotic syndrome..... N00-N01, N04
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified..... N02-N03, N05-N07, N26
85	Renal failure..... N17-N19
86	Other disorders of kidney..... N25, N27
87#	Infections of kidney..... N10-N12, N13. 6, N15. 1
88#	Hyperplasia of prostate..... N40
89#	Inflammatory diseases of female pelvic organs..... N70-N76
#	Pregnancy, childbirth and the puerperium..... 000-099
90	Pregnancy with abortive outcome..... 000-007
91	Other complications of pregnancy, childbirth and the puerperium..... 010-099
92#	Certain conditions originating in the perinatal period..... P00-P96
93#	Congenital malformations, deformations and chromosomal abnormalities..... Q00-Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified..... R00-R99
95	All other diseases (Residual)..... D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13. 0-N13. 5, N13. 7-N13. 9, N14, N15. 0, N15. 8-N15. 9, N20-N23, N28-N39, N41-N64, N80-N98
#	Accidents..... V01-X59, Y85-Y86
	Transport accidents..... V01-V99, Y85
96	Motor vehicle accidents..... V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
97	Other land transport accidents..... V01, V05- V06, V09. 1, V09. 3- V09. 9, V10- V11, V15- V18, V19. 3, V19. 8- V19. 9, V80. 0- V80. 2, V80. 6- V80. 9, V81. 2- V81. 9, V82. 2- V82. 9, V87. 9, V88. 9, V89. 1, V89. 3, V89. 9
98	Water, air and space, and other and unspecified transport accidents and their sequelae V90- V99, Y85
	Nontransport accidents..... W00- X59, Y86
99	Falls..... W00- W19
100	Accidental discharge of firearms..... W32- W34
101	Accidental drowning and submersion..... W65- W74
102	Accidental exposure to smoke, fire and flames..... X00- X09
103	Accidental poisoning and exposure to noxious substances..... X40- X49
104	Other and unspecified nontransport accidents and their sequelae W20- W31, W35- W64, W75- W99, X10- X39, X50- X59, Y86
#	Intentional self-harm (suicide)..... X60- X84, Y87. 0
105	Intentional self-harm (suicide) by discharge of firearms..... X72- X74
106	Intentional self-harm (suicide) by other and unspecified means and their sequelae X60- X71, X75- X84, Y87. 0
#	Assault (homicide)..... X85- Y09, Y87. 1
107	Assault (homicide) by discharge of firearms..... X93- X95
108	Assault (homicide) by other and unspecified means and their sequelae.... X85- X92, X96- Y09, Y87. 1
109#	Legal intervention..... Y35, Y89. 0
	Events of undetermined intent..... Y10- Y34, Y87. 2, Y89. 9
110	Discharge of firearms, undetermined intent..... Y22- Y24
111	Other and unspecified events of undetermined intent and their sequelae Y10- Y21, Y25- Y34, Y87. 2, Y89. 9
112#	Operations of war and their sequelae..... Y36, Y89. 1
113#	Complications of medical and surgical care..... Y40- Y84, Y88

Publications from Biostatistics

South Carolina Vital and Morbidity Statistics
Volume I, Annual Vital Statistics Series

South Carolina Detailed Mortality Statistics
Volume II, Annual Vital Statistics Series

Pregnancy Risk Assessment Monitoring System (PRAMS) Data Book
Annual Statistical Series, 1993-1994, 1995-1996, 1997, 1998

Pregnancy Risk Assessment Monitoring System Special Deliveries
Quarterly Reports

South Carolina Public Health Statistics and Information Report (PHSIR)
Quarterly Reports

South Carolina Perinatal Regionalization Surveillance
Volume I & II, Annual Vital Statistics Series

Statistical Report Series

- South Carolina Teen Pregnancy Data Book, 1980-1999 (Annual)
- South Carolina State and County Profile, 1975-1994 (Annual)
- South Carolina Age-Adjusted Mortality Rates, 1980-1995
- South Carolina Age-Adjusted Cancer Mortality Rates, 1980-1995
- Homicide in South Carolina, 1975-1989
- Suicides Among South Carolina Residents, 1970-1983
- Drowning Deaths Among South Carolina Residents for All Ages, 1985-1989
- Motor Vehicle Deaths Among South Carolina Residents for All Ages, 1980-1988
- Residential Fire Deaths Among South Carolina Residents for All Ages, 1985-1989
- Risk Indicators of Infant Mortality in South Carolina, 1986
- Mortality Patterns Among South Carolina Loggers, 1983-1985
- Ten Leading Underlying Causes of Death and The Top Five Associated Contributing Causes for Each Industry Group, 1984
- Sentinel Health Events by Cause of Death and Industry/Occupation, 1986
- Trends for Selected Maternal and Child Health Indicators by Health District South Carolina, (Residence Data)

Publications from Biostatistics (cont.)

- Leading Causes of Death by Industry Groups, South Carolina, 1986
- A Comparison of Causes of Death by Industry and Occupation for Calendar Year 1987-1988
- Mortality Among the Elderly, South Carolina, 1970-1979
- Years of Potential Life Lost Before Age 75, South Carolina (Residence Data) Vol. I & II, 1980-1989
- Exploring the Use of Multiple Causes of Death Data in South Carolina, 1981-1989
- South Carolina Perinatal Mortality by Hospitals and Other Services for 1992 and Combined Years 1990-1992
- Birthweight-Specific Neonatal and Fetal Mortality by Hospital, South Carolina, 1992 and 1990-1992
- Changes in Race Classification and the Effect on South Carolina's Infant Mortality Rates, 1990
- New Items on the South Carolina Birth Certificate, 1989 and 1990
- An Evaluation of the Responses to the "Specify" Options in the Congenital Anomaly Section of the South Carolina Birth Certificate, 1999

If you have any questions about these publications please contact our office.

South Carolina Department of Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, SC 29201
Phone 803-898-3649 Fax 803-898-3661

<http://www.scdhec.net>