

# SCSL Digital Collections

## My first cup

Item Type	Text
Publisher	South Carolina State Library
Rights	Copyright status undetermined. For more information contact, South Carolina State Library, 1500 Senate Street, Columbia, South Carolina 29201.
Download date	2024-10-14 09:01:41
Link to Item	<a href="http://hdl.handle.net/10827/24294">http://hdl.handle.net/10827/24294</a>

## Tips for Using a Training Cup

- Be patient. It takes time to teach your child a new skill.
- Most children are ready to begin around 7 to 9 months of age.
- Let your child play with the cup before putting anything in it.
- Use a 4-6 ounce training cup, small enough for little hands. Put a small amount of liquid in to start.
- Give the training cup at meals or snacks while the child is seated. They only need to drink when they are thirsty or at meals.
- Water is a great choice for the training cup. Breast milk or formula can be used too. Avoid filling with sugary beverages.
- Try a training cup with a spout for all liquids. Switch to an open cup as soon as your child can manage it, usually 12 to 15 months.
- It may be a little messy to begin with. All new skills take time and patience!

# myfirst cup



[www.scdhec.gov/wic](http://www.scdhec.gov/wic)



ML-025117 3/17



# Training Cup vs. Sippy Cup



- No lid
- Can have handles
- 4 ounces



**Training cups are simple cups with or without a lid.**

- The cup helps your child use his hand-eye skills.
- Most sippy cups are over 8 ounces and use a spill proof valve.
- Look inside the sippy cup lid. You will find a small plastic valve. It causes your child to suck like a bottle. It keeps your child from learning the skill of drinking from a cup.
- Sippy cups also allow liquids to collect behind the front teeth. When a cup is filled with sweet liquids such as milk or juice, tooth decay can result.

**Remember,** it takes time and patience to learn to drink from a cup. The benefits to your child's health and smile are worth it.



- Lid
- Is NOT spill proof
- 4-6 ounces



**Sippy cups can lead to several problems.**

*Start with a training cup and you may avoid some of the problems below.*

**Using a Sippy Cup May Cause:**

- Tooth decay if filled with a sugary beverage
- Delayed speech
- Poor appetite
- Weight problems
- Illness from germs on poorly washed lids.



- Spill proof
- Uses a flow valve
- 8 ounces or more
- Can include a straw

