

# **South Carolina Department of Health and Environmental Control**

## **STD/HIV Division SUPPLEMENT TO HIV/AIDS SURVEILLANCE (SHAS) Calendar Years 1991 – August 2000 September 2000 – December 2001**

### **TABLE OF CONTENTS**

<b>Introduction</b>	<b>P. 2</b>
<b>Calendar Years 1991 and 1992 (Combined)</b>	<b>P. 3</b>
<b>Calendar Years 1993 and 1994 (Combined)</b>	<b>P. 7</b>
<b>Calendar Years 1995 and 1996 (Combined)</b>	<b>P. 11</b>
<b>Calendar Years 1997 and 1998 (Combined)</b>	<b>P. 15</b>
<b>Calendar Year 1999 and Jan. – Aug. 2000 (Combined)</b>	<b>P. 19</b>
<b>Calendar Years 1991 – August 2000 (Combined)</b>	<b>P. 23</b>
<b>September 2000 – December 2001</b>	<b>P. 27</b>

## ***SUPPLEMENT TO HIV/AIDS SURVEILLANCE (SHAS)***


South Carolina has been conducting SHAS interviews since 1991, starting with two areas of the state, Charleston County and Edisto Health District (Orangeburg, Bamberg, and Calhoun counties). In 1993, Richland County was added as a surveillance site. These areas of the state were chosen because of their high prevalence of HIV/AIDS cases, and to determine differences in rural and urban populations. SHAS in South Carolina is conducted as a population based study. All newly reported/diagnosed HIV/AIDS cases residing in eligible counties who are 18 years of age or older and medically able to complete an interview are eligible participants, with the exception of prisoners. There are three trained interviewers, who conduct interviews on eligible persons, located in each of the health departments of the participating areas. Information collected during the interview is extensive, covering illicit drug use and/or alcohol abuse, sexual behavior, sexually transmitted disease history, HIV testing and medical therapy, health and social services, demographics, and reproductive history (women only.)

Beginning September 2000, a new SHAS questionnaire was implemented. The new SHAS software was implemented jointly with the new questionnaire. The Interview Tracking software system follows all HARS patients eligible for recruitment and targeted for a SHAS interview. The completion rate is calculated using the number of completed interviews as the numerator and the total eligible as the denominator (based on the Tracking form data). This includes persons who have refused interviews, who began an interview and refused to continue, who could not be located, who were too sick to interview, whose death occurred before the interview, and those cases that an interviewer have not attempted to locate. Using the new tracking form, the overall completion rate is 54% with the refusal rate 9%; for Richland County 52% (refusal rate 14%), for Edisto Health District 89% (refusal rate 0%), and 41% in Charleston (refusal rate 3%).

A comparison of HARS (HIV/AIDS Reporting System) data with SHAS data shows that South Carolina's SHAS data is quite representative of the affected populations and thus very useful for local and/or state planning purposes.

**Table 1.**

**Comparison of HARS (Richland Co., Bamberg Co., Orangeburg Co., Calhoun Co., And Charleston Co.) and SHAS Data by Race and Gender for 09/01/2000 through 06/30/2001**



Date range of 9/2000 through 6/2001 used due to implementation of new questionnaire  
SHAS Version VI implemented in 9/2001  
Source: SC DHEC, HARS

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Dec. 1992

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	136	100.0	59	100.0	195	100.0
PATIENT CATEGORY						
AIDS.....	31	22.8	6	10.2	37	19.0
Symptomatic HIV, not AIDS.....	38	27.9	12	20.3	50	25.6
Asymptomatic HIV.....	67	49.3	41	69.5	108	55.4
RACE/ETHNICITY						
White.....	50	36.8	4	6.8	54	27.7
Black.....	84	61.8	55	93.2	139	71.3
South/Central American.....	1	0.7	0	0.0	1	0.5
Cuban.....	0	0.0	0	0.0	0	0.0
Mexican.....	0	0.0	0	0.0	0	0.0
Puerto Rican.....	0	0.0	0	0.0	0	0.0
Other Hispanic.....	0	0.0	0	0.0	0	0.0
Asian.....	0	0.0	0	0.0	0	0.0
American Indian.....	1	0.7	0	0.0	1	0.5
Other.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	96	70.6	23	39.0	119	61.0
< 12 Years.....	40	29.4	36	61.0	76	39.0
EMPLOYED						
Yes.....	63	46.3	14	23.7	77	39.5
No.....	73	53.7	45	76.3	118	60.5
Refused.....	0	0.0	0	0.0	0	0.0
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	67	49.3	11	18.6	78	40.0
<\$10,000.....	45	33.1	41	69.5	86	44.1
Unknown.....	24	17.6	7	11.9	31	15.9
INCOME SOURCES						
Salary.....	60	44.1	17	28.8	77	39.5
Savings.....	2	1.5	0	0.0	2	1.0
Pension.....	3	2.2	0	0.0	3	1.5
Social Security (SSI or SSD).....	23	16.9	10	16.9	33	16.9
Public Assistance (Welfare).....	1	0.7	20	33.9	21	10.8
Family.....	33	24.3	8	13.6	41	21.0
Friends.....	3	2.2	3	5.1	6	3.1
Other.....	11	8.1	1	1.7	12	6.2
Refused.....	0	0.0	0	0.0	0	0.0
PUBLIC ASSISTANCE RECEIVED (MORE THAN ONE ANSWER COULD BE SELECTED)						
Supplemental Social Security Income.....	15	11.0	7	11.9	22	11.3
Disability Insurance.....	10	7.4	4	6.8	14	7.2
Welfare.....	2	1.5	7	11.9	9	4.6
Food Stamps.....	13	9.6	34	57.6	47	24.1
Families w/Dependent Children.....	0	0.0	24	40.7	24	12.3
WIC.....	0	0.0	16	27.1	16	8.2
Worker's Compensation.....	0	0.0	1	1.7	1	0.5
Unemployment.....	0	0.0	0	0.0	0	0.0
CURRENT LIVING SITUATION						
Alone.....	35	25.7	8	13.6	43	22.1
With Partner.....	15	11.0	2	3.4	17	8.7
With Friends.....	23	16.9	2	3.4	25	12.8
With Family.....	62	45.6	47	79.7	109	55.9
Medical Facility.....	0	0.0	0	0.0	0	0.0
Shelter/Street.....	0	0.0	0	0.0	0	0.0
Jail.....	0	0.0	0	0.0	0	0.0
Other.....	1	0.7	0	0.0	1	0.5
Refused.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	0	0.0	0	0.0

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Dec. 1992

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>DRUG USE INFORMATION</b>						
Potential Alcoholic.....	43	31.6	14	23.7	57	29.2
Used illicit drugs past 5 yrs.....	84	61.8	23	39.0	107	54.9
Used non-injected drugs past 5 years.....	71	52.2	19	32.2	90	46.2
Ever used injected drugs.....	30	22.1	11	18.6	41	21.0
Used crack.....	32	23.5	15	25.4	47	24.1
<b>PRIMARY NON-INJECTED DRUG USED (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	3	2.2	0	0.0	3	1.5
Cocaine.....	14	10.3	6	10.2	20	10.3
Crack.....	9	6.6	6	10.2	15	7.7
Ice/glass.....	0	0.0	0	0.0	0	0.0
Benzodiazpine.....	1	0.7	0	0.0	1	0.5
Hallucinogen.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	0	0.0	0	0.0	0	0.0
Marijuana.....	42	30.9	7	11.9	49	25.1
Nitrites.....	1	0.7	0	0.0	1	0.5
Amphetamines.....	1	0.7	0	0.0	1	0.5
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	4	2.9	1	1.7	5	2.6
Cocaine.....	19	14.0	8	13.6	27	13.8
Speedball.....	2	1.5	2	3.4	4	2.1
Hallucinogens.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants.....	5	3.7	0	0.0	5	2.6
Steroids.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors that have injected..... in past 5 years	17	56.7	5	45.5	22	53.7
Percent of injectors injecting in past year.....	5	16.7	3	27.3	8	19.5
Percent of those who injected in..... past year that shared needles or syringes	4	80.0	2	66.7	6	75.0
Percent of those who shared in past year..... that clean syringes with bleach	2	50.0	1	50.0	3	50.0
Percent of those who injected in past 5 years..... that have been in treatment in the past 5 years	7	41.2	3	60.0	10	45.5
Percent of those who injected in past 5 years who..... tried but could not get into a treatment program	2	11.8	0	0.0	2	9.1
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT</b>						
Financial.....	3	2.2	0	0.0	3	1.5
Did not meet eligibility criteria.....	2	1.5	0	0.0	2	1.0
Long waiting list.....	1	0.7	0	0.0	1	0.5
Other.....	0	0.0	0	0.0	0	0.0
Unknown.....	1	0.7	0	0.0	1	0.5
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	53	39.0	0	0.0	53	27.2
Bisexual.....	8	5.9	0	0.0	8	4.1
Heterosexual.....	49	36.0	48	81.4	97	49.7
No sex.....	26	19.1	11	18.6	37	19.0

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Dec. 1992

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>OTHER SEXUAL BEHAVIORS</b>						
Receive money for sex in past 5 years.....	10	7.4	5	8.5	15	7.7
Receive drugs for sex in past 5 years.....	4	2.9	5	8.5	9	4.6
Paid someone for sex.....	24	17.6	0	0.0	24	12.3
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Had one or more STDs in past 10 years.....	71	52.2	30	50.8	101	51.8
Had two or more STDs in past 10 years.....	46	33.8	22	37.3	68	34.9
Visited a public VD clinic in past 10 years.....	69	50.7	29	49.2	98	50.3
Ever been diagnosed with gonorrhea.....	64	47.1	22	37.3	86	44.1
Ever been diagnosed with syphilis.....	40	29.4	10	16.9	50	25.6
Ever been diagnosed with herpes.....	7	5.1	5	8.5	12	6.2
Ever been diagnosed with pelvic inflammatory disease..	---	---	11	18.6	---	---
Ever been diagnosed with other STD.....	27	19.9	12	20.3	39	20.0
<b>REASON FOR HIV TESTING</b>						
Never tested.....	0	0.0	0	0.0	0	0.0
Illness.....	40	29.4	16	27.1	56	28.7
Felt at risk.....	13	9.6	0	0.0	13	6.7
Amnesty program.....	0	0.0	0	0.0	0	0.0
Pre-op for surgery.....	4	2.9	0	0.0	4	2.1
Insurance exam.....	0	0.0	0	0.0	0	0.0
Needle stick follow-up.....	0	0.0	0	0.0	0	0.0
Sex partner contact.....	17	12.5	7	11.9	24	12.3
Donating blood.....	4	2.9	3	5.1	7	3.6
Military recruit.....	3	2.2	1	1.7	4	2.1
Physician recommended.....	11	8.1	3	5.1	14	7.2
Jail or prison screening.....	6	4.4	1	1.7	7	3.6
Offered in clinic.....	13	9.6	12	20.3	25	12.8
Other.....	23	16.9	14	23.7	37	19.0
Unknown.....	2	1.5	2	3.4	4	2.1
<b>LOCATION OF HIV TESTING</b>						
Counseling and Testing.....	44	32.4	17	28.8	61	31.3
STD Clinic.....	12	8.8	7	11.9	19	9.7
Drug Treatment Clinic.....	0	0.0	1	1.7	1	0.5
Family Planning Clinic.....	1	0.7	1	1.7	2	1.0
Prenatal/Obstetrics Clinic.....	0	0.0	2	3.4	2	1.0
Tuberculosis Clinic.....	0	0.0	1	1.7	1	0.5
Other Clinic.....	14	10.3	5	8.5	19	9.7
Private Physician.....	12	8.8	6	10.2	18	9.2
Hospital Inpatient.....	24	17.6	9	15.3	33	16.9
Emergency Room.....	4	2.9	2	3.4	6	3.1
Correctional Facility.....	6	4.4	1	1.7	7	3.6
Blood Bank.....	3	2.2	3	5.1	6	3.1
AIDS/Infectious Disease Clinic.....	1	0.7	0	0.0	1	0.5
Other.....	14	10.3	4	6.8	18	9.2
Unknown.....	1	0.7	0	0.0	1	0.5

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Dec. 1992

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>TYPE OF INSURANCE COVERAGE</b>						
Medicaid.....	16	11.8	27	45.8	43	22.1
State Program.....	1	0.7	1	1.7	2	1.0
Private - Employer.....	15	11.0	1	1.7	16	8.2
Private - Self.....	17	12.5	4	6.8	21	10.8
Medicare.....	3	2.2	1	1.7	4	2.1
CHAMPUS/VA.....	7	5.1	0	0.0	7	3.6
State Funded COBRA.....	0	0.0	0	0.0	0	0.0
Other.....	2	1.5	0	0.0	2	1.0
Unknown.....	75	55.1	25	42.4	100	51.3
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	32	23.5	7	11.9	39	20.0
Public Clinic.....	35	25.7	16	27.1	51	26.2
Emergency Room.....	3	2.2	1	1.7	4	2.1
VA.....	6	4.4	0	0.0	6	3.1
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	58	42.6	34	57.6	92	47.2
Refused.....	0	0.0	0	0.0	0	0.0
Other Facility.....	2	1.5	1	1.7	3	1.5
Unknown.....	0	0.0	0	0.0	0	0.0
<b>KNOWS OF THE FOLLOWING SERVICES IN THE COMMUNITY (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	57	41.9	22	37.3	79	40.5
Social Services.....	59	43.4	26	44.1	85	43.6
Help to access health provider.....	60	44.1	21	35.6	81	41.5
Home health services.....	26	19.1	8	13.6	34	17.4
Homemaker services.....	18	13.2	6	10.2	24	12.3
Shelter assistance.....	23	16.9	21	35.6	44	22.6
Meal assistance.....	37	27.2	17	28.8	54	27.7
Support services.....	73	53.7	25	42.4	98	50.3
Transportation assistance.....	21	15.4	25	42.4	46	23.6
Childcare Assistance.....	10	7.4	13	22.0	23	11.8
Dental Services.....	0	0.0	0	0.0	0	0.0
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	22	45.8	---	---
Vaginal sponge.....	---	---	0	0.0	---	---
Foam.....	---	---	1	2.1	---	---
IUD.....	---	---	0	0.0	---	---
Pill.....	---	---	5	10.4	---	---
Condom.....	---	---	13	27.1	---	---
Diaphragm.....	---	---	0	0.0	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	8	16.7	---	---
Vasectomy.....	---	---	0	0.0	---	---
Rhythm.....	---	---	1	2.1	---	---
Withdrawal.....	---	---	0	0.0	---	---
Other Method.....	---	---	1	2.1	---	---
Abstinence.....	---	---	1	2.1	---	---
Norplant.....	---	---	0	0.0	---	---
Female Condom.....	---	---	0	0.0	---	---
Depo-provera.....	---	---	0	0.0	---	---
Have had a hysterectomy.....	---	---	0	0.0	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN SINCE 1977</b>						
No children.....	---	---	23	39.0	---	---
One child.....	---	---	10	16.9	---	---
Two children.....	---	---	12	20.3	---	---
Three or more children.....	---	---	14	23.7	---	---
<b>NUMBER GIVING BIRTH TO A CHILD WITH HIV</b>						
No children.....	---	---	56	94.9	---	---
One child.....	---	---	2	3.4	---	---
Two children.....	---	---	1	1.7	---	---
Three or more children.....	---	---	0	0.0	---	---

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1993 to Dec. 1994

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	265	100.0	109	100.0	374	100.0
PATIENT CATEGORY						
AIDS.....	103	38.9	24	22.0	127	34.0
Symptomatic HIV, not AIDS.....	57	21.5	16	14.7	73	19.5
Asymptomatic HIV.....	105	39.6	69	63.3	174	46.5
RACE/ETHNICITY						
White.....	75	28.3	12	11.0	87	23.3
Black.....	173	65.3	90	82.6	263	70.3
South/Central American.....	2	0.8	0	0.0	2	0.5
Cuban.....	0	0.0	0	0.0	0	0.0
Mexican.....	1	0.4	0	0.0	1	0.3
Puerto Rican.....	2	0.8	2	1.8	4	1.1
Other Hispanic.....	6	2.3	2	1.8	8	2.1
Asian.....	0	0.0	0	0.0	0	0.0
American Indian.....	1	0.4	1	0.9	2	0.5
Other.....	5	1.9	2	1.8	7	1.9
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	197	74.3	68	62.4	265	70.9
< 12 Years.....	68	25.7	41	37.6	109	29.1
EMPLOYED						
Yes.....	104	39.2	41	37.6	145	38.8
No.....	161	60.8	68	62.4	229	61.2
Refused.....	0	0.0	0	0.0	0	0.0
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	113	42.6	28	25.7	141	37.7
<\$10,000.....	101	38.1	52	47.7	153	40.9
Unknown.....	51	19.2	29	26.6	80	21.4
INCOME SOURCES						
Salary.....	113	42.6	36	33.0	149	39.8
Savings.....	7	2.6	1	0.9	8	2.1
Pension.....	8	3.0	1	0.9	9	2.4
Social Security (SSI or SSD).....	60	22.6	20	18.3	80	21.4
Public Assistance (Welfare).....	2	0.8	18	16.5	20	5.3
Family.....	43	16.2	21	19.3	64	17.1
Friends.....	10	3.8	8	7.3	18	4.8
Other.....	20	7.5	4	3.7	24	6.4
Refused.....	2	0.8	0	0.0	2	0.5
PUBLIC ASSISTANCE RECEIVED (MORE THAN ONE ANSWER COULD BE SELECTED)						
Supplemental Social Security Income.....	34	12.8	13	11.9	47	12.6
Disability Insurance.....	32	12.1	11	10.1	43	11.5
Welfare.....	5	1.9	10	9.2	15	4.0
Food Stamps.....	40	15.1	37	33.9	77	20.6
Families w/Dependent Children.....	0	0.0	15	13.8	15	4.0
WIC.....	0	0.0	13	11.9	13	3.5
Worker's Compensation.....	0	0.0	0	0.0	0	0.0
Unemployment.....	1	0.4	0	0.0	1	0.3
CURRENT LIVING SITUATION						
Alone.....	69	26.0	11	10.1	80	21.4
With Partner.....	41	15.5	9	8.3	50	13.4
With Friends.....	38	14.3	10	9.2	48	12.8
With Family.....	101	38.1	74	67.9	175	46.8
Medical Facility.....	0	0.0	0	0.0	0	0.0
Shelter/Street.....	10	3.8	2	1.8	12	3.2
Jail.....	2	0.8	0	0.0	2	0.5
Other.....	3	1.1	1	0.9	4	1.1
Refused.....	0	0.0	0	0.0	0	0.0
Unknown.....	1	0.4	2	1.8	3	0.8

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1993 to Dec. 1994

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>DRUG USE INFORMATION</b>						
Potential Alcoholic.....	88	33.2	23	21.1	111	29.7
Used illicit drugs past 5 yrs.....	198	74.7	63	57.8	261	69.8
Used non-injected drugs past 5 years.....	171	64.5	60	55.0	231	61.8
Ever used injected drugs.....	64	24.2	14	12.8	78	20.9
Used crack.....	85	32.1	39	35.8	124	33.2
<b>PRIMARY NON-INJECTED DRUG USED (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	19	7.2	1	0.9	20	5.3
Cocaine.....	24	9.1	13	11.9	37	9.9
Crack.....	20	7.5	22	20.2	42	11.2
Ice/glass.....	0	0.0	0	0.0	0	0.0
Benzodiazpine.....	1	0.4	0	0.0	1	0.3
Hallucinogen.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	2	0.8	0	0.0	2	0.5
Marijuana.....	102	38.5	24	22.0	126	33.7
Nitrites.....	1	0.4	0	0.0	1	0.3
Amphetamines.....	1	0.4	0	0.0	1	0.3
Other.....	1	0.4	0	0.0	1	0.3
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	18	6.8	1	0.9	19	5.1
Cocaine.....	33	12.5	11	10.1	44	11.8
Speedball.....	8	3.0	1	0.9	9	2.4
Hallucinogens.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants.....	2	0.8	0	0.0	2	0.5
Steroids.....	0	0.0	0	0.0	0	0.0
Other.....	3	1.1	1	0.9	4	1.1
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors that have injected..... in past 5 years	34	53.1	9	64.3	43	55.1
Percent of injectors injecting in past year.....	18	28.1	1	7.1	19	24.4
Percent of those who injected in..... past year that shared needles or syringes	7	38.9	1	100.0	8	42.1
Percent of those who shared in past year..... that clean syringes with bleach	5	71.4	0	0.0	5	62.5
Percent of those who injected in past 5 years..... that have been in treatment in the past 5 years	25	73.5	5	55.6	30	69.8
Percent of those who injected in past 5 years who..... tried but could not get into a treatment program	9	26.5	2	22.2	11	25.6
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT</b>						
Financial.....	7	2.6	2	1.8	9	2.4
Did not meet eligibility criteria.....	2	0.8	3	2.8	5	1.3
Long waiting list.....	7	2.6	1	0.9	8	2.1
Other.....	3	1.1	1	0.9	4	1.1
Unknown.....	3	1.1	0	0.0	3	0.8
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	76	28.7	0	0.0	76	20.3
Bisexual.....	17	6.4	2	1.8	19	5.1
Heterosexual.....	106	40.0	95	87.2	201	53.7
No sex.....	66	24.9	12	11.0	78	20.9



Supplement to HIV and AIDS Surveillance Project (SHAS)  
South Carolina SHAS interviews from Jan. 1993 to Dec. 1994

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>OTHER SEXUAL BEHAVIORS</b>						
Receive money for sex in past 5 years.....	18	6.8	16	14.7	34	9.1
Receive drugs for sex in past 5 years.....	10	3.8	10	9.2	20	5.3
Paid someone for sex.....	54	20.4	4	3.7	58	15.5
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Had one or more STDs in past 10 years.....	157	59.2	67	61.5	224	59.9
Had two or more STDs in past 10 years.....	80	30.2	40	36.7	120	32.1
Visited a public VD clinic in past 10 years.....	145	54.7	69	63.3	214	57.2
Ever been diagnosed with gonorrhea.....	123	46.4	38	34.9	161	43.0
Ever been diagnosed with syphilis.....	63	23.8	25	22.9	88	23.5
Ever been diagnosed with herpes.....	19	7.2	9	8.3	28	7.5
Ever been diagnosed with pelvic inflammatory disease..	---	---	18	16.5	---	---
Ever been diagnosed with other STD.....	66	24.9	33	30.3	99	26.5
<b>REASON FOR HIV TESTING</b>						
Never tested.....	0	0.0	0	0.0	0	0.0
Illness.....	50	18.9	15	13.8	65	17.4
Felt at risk.....	28	10.6	3	2.8	31	8.3
Amnesty program.....	0	0.0	0	0.0	0	0.0
Pre-op for surgery.....	5	1.9	2	1.8	7	1.9
Insurance exam.....	0	0.0	1	0.9	1	0.3
Needle stick follow-up.....	1	0.4	0	0.0	1	0.3
Sex partner contact.....	39	14.7	30	27.5	69	18.4
Donating blood.....	14	5.3	9	8.3	23	6.1
Military recruit.....	3	1.1	2	1.8	5	1.3
Physician recommended.....	39	14.7	16	14.7	55	14.7
Jail or prison screening.....	17	6.4	0	0.0	17	4.5
Offered in clinic.....	45	17.0	19	17.4	64	17.1
Other.....	23	8.7	11	10.1	34	9.1
Unknown.....	1	0.4	1	0.9	2	0.5
<b>LOCATION OF HIV TESTING</b>						
Counseling and Testing.....	64	24.2	24	22.0	88	23.5
STD Clinic.....	63	23.8	34	31.2	97	25.9
Drug Treatment Clinic.....	7	2.6	4	3.7	11	2.9
Family Planning Clinic.....	0	0.0	2	1.8	2	0.5
Prenatal/Obstetrics Clinic.....	0	0.0	0	0.0	0	0.0
Tuberculosis Clinic.....	0	0.0	0	0.0	0	0.0
Other Clinic.....	8	3.0	9	8.3	17	4.5
Private Physician.....	24	9.1	10	9.2	34	9.1
Hospital Inpatient.....	41	15.5	9	8.3	50	13.4
Emergency Room.....	8	3.0	6	5.5	14	3.7
Correctional Facility.....	17	6.4	0	0.0	17	4.5
Blood Bank.....	11	4.2	7	6.4	18	4.8
AIDS/Infectious Disease Clinic.....	1	0.4	0	0.0	1	0.3
Other.....	20	7.5	4	3.7	24	6.4
Unknown.....	1	0.4	0	0.0	1	0.3

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1993 to Dec. 1994

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>TYPE OF INSURANCE COVERAGE</b>						
Medicaid.....	42	15.8	32	29.4	74	19.8
State Program.....	2	0.8	0	0.0	2	0.5
Private - Employer.....	43	16.2	15	13.8	58	15.5
Private - Self.....	13	4.9	3	2.8	16	4.3
Medicare.....	3	1.1	1	0.9	4	1.1
CHAMPUS/VA.....	19	7.2	4	3.7	23	6.1
State Funded COBRA.....	0	0.0	0	0.0	0	0.0
Other.....	4	1.5	1	0.9	5	1.3
Unknown.....	139	52.5	53	48.6	192	51.3
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	64	24.2	19	17.4	83	22.2
Public Clinic.....	71	26.8	26	23.9	97	25.9
Emergency Room.....	7	2.6	4	3.7	11	2.9
VA.....	23	8.7	1	0.9	24	6.4
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	95	35.8	59	54.1	154	41.2
Refused.....	0	0.0	0	0.0	0	0.0
Other Facility.....	5	1.9	0	0.0	5	1.3
Unknown.....	0	0.0	0	0.0	0	0.0
<b>KNOWS OF THE FOLLOWING SERVICES IN THE COMMUNITY (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	123	46.4	37	33.9	160	42.8
Social Services.....	132	49.8	55	50.5	187	50.0
Help to access health provider.....	123	46.4	47	43.1	170	45.5
Home health services.....	20	7.5	2	1.8	22	5.9
Homemaker services.....	10	3.8	0	0.0	10	2.7
Shelter assistance.....	46	17.4	23	21.1	69	18.4
Meal assistance.....	59	22.3	21	19.3	80	21.4
Support services.....	139	52.5	44	40.4	183	48.9
Transportation assistance.....	63	23.8	34	31.2	97	25.9
Childcare Assistance.....	8	3.0	8	7.3	16	4.3
Dental Services.....	1	0.4	0	0.0	1	0.3
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	21	21.6	---	---
Vaginal sponge.....	---	---	1	1.0	---	---
Foam.....	---	---	6	6.2	---	---
IUD.....	---	---	1	1.0	---	---
Pill.....	---	---	22	22.7	---	---
Condom.....	---	---	58	59.8	---	---
Diaphragm.....	---	---	1	1.0	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	16	16.5	---	---
Vasectomy.....	---	---	1	1.0	---	---
Rhythm.....	---	---	0	0.0	---	---
Withdrawal.....	---	---	6	6.2	---	---
Other Method.....	---	---	9	9.3	---	---
Abstinence.....	---	---	8	8.2	---	---
Norplant.....	---	---	0	0.0	---	---
Female Condom.....	---	---	0	0.0	---	---
Depo-provera.....	---	---	0	0.0	---	---
Have had a hysterectomy.....	---	---	0	0.0	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN SINCE 1977</b>						
No children.....	---	---	45	41.3	---	---
One child.....	---	---	25	22.9	---	---
Two children.....	---	---	19	17.4	---	---
Three or more children.....	---	---	20	18.3	---	---
<b>NUMBER GIVING BIRTH TO A CHILD WITH HIV</b>						
No children.....	---	---	109	100.0	---	---
One child.....	---	---	0	0.0	---	---
Two children.....	---	---	0	0.0	---	---
Three or more children.....	---	---	0	0.0	---	---

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1995 to Dec. 1996

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	263	100.0	97	100.0	360	100.0
PATIENT CATEGORY						
AIDS.....	110	41.8	31	32.0	141	39.2
Symptomatic HIV, not AIDS.....	33	12.5	10	10.3	43	11.9
Asymptomatic HIV.....	120	45.6	56	57.7	176	48.9
RACE/ETHNICITY						
White.....	57	21.7	11	11.3	68	18.9
Black.....	182	69.2	79	81.4	261	72.5
South/Central American.....	0	0.0	0	0.0	0	0.0
Cuban.....	2	0.8	0	0.0	2	0.6
Mexican.....	2	0.8	0	0.0	2	0.6
Puerto Rican.....	3	1.1	1	1.0	4	1.1
Other Hispanic.....	3	1.1	0	0.0	3	0.8
Asian.....	1	0.4	0	0.0	1	0.3
American Indian.....	0	0.0	0	0.0	0	0.0
Other.....	13	4.9	6	6.2	19	5.3
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	176	66.9	57	58.8	233	64.7
< 12 Years.....	87	33.1	40	41.2	127	35.3
EMPLOYED						
Yes.....	109	41.4	25	25.8	134	37.2
No.....	154	58.6	72	74.2	226	62.8
Refused.....	0	0.0	0	0.0	0	0.0
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	88	33.5	14	14.4	102	28.3
<\$10,000.....	97	36.9	49	50.5	146	40.6
Unknown.....	78	29.7	34	35.1	112	31.1
INCOME SOURCES						
Salary.....	116	44.1	23	23.7	139	38.6
Savings.....	10	3.8	1	1.0	11	3.1
Pension.....	7	2.7	0	0.0	7	1.9
Social Security (SSI or SSD).....	47	17.9	23	23.7	70	19.4
Public Assistance (Welfare).....	5	1.9	16	16.5	21	5.8
Family.....	47	17.9	15	15.5	62	17.2
Friends.....	11	4.2	14	14.4	25	6.9
Other.....	18	6.8	5	5.2	23	6.4
Refused.....	2	0.8	0	0.0	2	0.6
PUBLIC ASSISTANCE RECEIVED (MORE THAN ONE ANSWER COULD BE SELECTED)						
Supplemental Social Security Income.....	18	6.8	13	13.4	31	8.6
Disability Insurance.....	31	11.8	9	9.3	40	11.1
Welfare.....	1	0.4	8	8.2	9	2.5
Food Stamps.....	31	11.8	43	44.3	74	20.6
Families w/Dependent Children.....	0	0.0	21	21.6	21	5.8
WIC.....	0	0.0	11	11.3	11	3.1
Worker's Compensation.....	0	0.0	0	0.0	0	0.0
Unemployment.....	1	0.4	0	0.0	1	0.3
CURRENT LIVING SITUATION						
Alone.....	67	25.5	10	10.3	77	21.4
With Partner.....	35	13.3	6	6.2	41	11.4
With Friends.....	34	12.9	11	11.3	45	12.5
With Family.....	111	42.2	69	71.1	180	50.0
Medical Facility.....	0	0.0	0	0.0	0	0.0
Shelter/Street.....	8	3.0	1	1.0	9	2.5
Jail.....	1	0.4	0	0.0	1	0.3
Other.....	2	0.8	0	0.0	2	0.6
Refused.....	0	0.0	0	0.0	0	0.0
Unknown.....	5	1.9	0	0.0	5	1.4

Supplement to HIV and AIDS Surveillance Project (SHAS)  
South Carolina SHAS interviews from Jan. 1995 to Dec. 1996

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>DRUG USE INFORMATION</b>						
Potential Alcoholic.....	101	38.4	33	34.0	134	37.2
Used illicit drugs past 5 yrs.....	194	73.8	61	62.9	255	70.8
Used non-injected drugs past 5 years.....	154	58.6	51	52.6	205	56.9
Ever used injected drugs.....	38	14.4	10	10.3	48	13.3
Used crack.....	95	36.1	39	40.2	134	37.2
<b>PRIMARY NON-INJECTED DRUG USED (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	4	1.5	1	1.0	5	1.4
Cocaine.....	14	5.3	4	4.1	18	5.0
Crack.....	41	15.6	32	33.0	73	20.3
Ice/glass.....	1	0.4	0	0.0	1	0.3
Benzodiazpine.....	0	0.0	0	0.0	0	0.0
Hallucinogen.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	0	0.0	0	0.0	0	0.0
Marijuana.....	92	35.0	14	14.4	106	29.4
Nitrites.....	1	0.4	0	0.0	1	0.3
Amphetamines.....	0	0.0	0	0.0	0	0.0
Other.....	1	0.4	0	0.0	1	0.3
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	11	4.2	1	1.0	12	3.3
Cocaine.....	19	7.2	4	4.1	23	6.4
Speedball.....	8	3.0	5	5.2	13	3.6
Hallucinogens.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants.....	0	0.0	0	0.0	0	0.0
Steroids.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors that have injected..... in past 5 years	10	26.3	4	40.0	14	29.2
Percent of injectors injecting in past year.....	2	5.3	2	20.0	4	8.3
Percent of those who injected in..... past year that shared needles or syringes	0	0.0	1	50.0	1	25.0
Percent of those who shared in past year..... that clean syringes with bleach	0	0.0	0	0.0	0	0.0
Percent of those who injected in past 5 years..... that have been in treatment in the past 5 years	8	80.0	2	50.0	10	71.4
Percent of those who injected in past 5 years who..... tried but could not get into a treatment program	2	20.0	1	25.0	3	21.4
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT</b>						
Financial.....	5	1.9	5	5.2	10	2.8
Did not meet eligibility criteria.....	0	0.0	0	0.0	0	0.0
Long waiting list.....	2	0.8	1	1.0	3	0.8
Other.....	1	0.4	2	2.1	3	0.8
Unknown.....	3	1.1	2	2.1	5	1.4
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	73	27.8	1	1.0	74	20.6
Bisexual.....	6	2.3	0	0.0	6	1.7
Heterosexual.....	112	42.6	85	87.6	197	54.7
No sex.....	72	27.4	11	11.3	83	23.1

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1995 to Dec. 1996

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>CONDOM USE WITH STEADY PARTNER 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	99	37.9	52	53.6	151	42.2
Sometimes (less than half the time).....	55	21.1	25	25.8	80	22.3
Usually (half the time or more).....	26	10.0	10	10.3	36	10.1
Every time.....	26	10.0	5	5.2	31	8.7
Did not have sex.....	16	6.1	3	3.1	19	5.3
Did not have a steady partner.....	37	14.2	2	2.1	39	10.9
Refused.....	1	0.4	0	0.0	1	0.3
Unknown.....	1	0.4	0	0.0	1	0.3
<b>CONDOM USE WITH OTHER PARTNERS 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	78	31.8	21	22.3	99	29.2
Sometimes (less than half the time).....	53	21.6	15	16.0	68	20.1
Usually (half the time or more).....	23	9.4	12	12.8	35	10.3
Every time.....	30	12.2	11	11.7	41	12.1
Did not have sex.....	60	24.5	35	37.2	95	28.0
Refused.....	1	0.4	0	0.0	1	0.3
Unknown.....	0	0.0	0	0.0	0	0.0
<b>OTHER SEXUAL BEHAVIORS</b>						
Receive money for sex in past 5 years.....	14	5.3	20	20.6	34	9.4
Receive drugs for sex in past 5 years.....	8	3.0	16	16.5	24	6.7
Paid someone for sex.....	54	20.5	2	2.1	56	15.6
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Had one or more STDs in past 10 years.....	127	48.3	51	52.6	178	49.4
Had two or more STDs in past 10 years.....	63	24.0	30	30.9	93	25.8
Visited a public VD clinic in past 10 years.....	121	46.0	50	51.5	171	47.5
Ever been diagnosed with gonorrhea.....	118	44.9	36	37.1	154	42.8
Ever been diagnosed with syphilis.....	66	25.1	18	18.6	84	23.3
Ever been diagnosed with herpes.....	16	6.1	11	11.3	27	7.5
Ever been diagnosed with pelvic inflammatory disease..	---	---	13	13.4	---	---
Ever been diagnosed with other STD.....	62	23.6	35	36.1	97	26.9
<b>REASON FOR HIV TESTING</b>						
Never tested.....	0	0.0	0	0.0	0	0.0
Illness.....	69	26.2	19	19.6	88	24.4
Felt at risk.....	28	10.6	3	3.1	31	8.6
Amnesty program.....	0	0.0	0	0.0	0	0.0
Pre-op for surgery.....	8	3.0	1	1.0	9	2.5
Insurance exam.....	2	0.8	2	2.1	4	1.1
Needle stick follow-up.....	1	0.4	0	0.0	1	0.3
Sex partner contact.....	47	17.9	25	25.8	72	20.0
Donating blood.....	30	11.4	7	7.2	37	10.3
Military recruit.....	2	0.8	0	0.0	2	0.6
Physician recommended.....	24	9.1	12	12.4	36	10.0
Jail or prison screening.....	6	2.3	1	1.0	7	1.9
Offered in clinic.....	20	7.6	10	10.3	30	8.3
Other.....	24	9.1	17	17.5	41	11.4
Unknown.....	2	0.8	0	0.0	2	0.6
<b>LOCATION OF HIV TESTING</b>						
Counseling and Testing.....	77	29.3	31	32.0	108	30.0
STD Clinic.....	24	9.1	11	11.3	35	9.7
Drug Treatment Clinic.....	9	3.4	5	5.2	14	3.9
Family Planning Clinic.....	0	0.0	2	2.1	2	0.6
Prenatal/Obstetrics Clinic.....	0	0.0	7	7.2	7	1.9
Tuberculosis Clinic.....	2	0.8	0	0.0	2	0.6
Other Clinic.....	16	6.1	4	4.1	20	5.6
Private Physician.....	28	10.6	10	10.3	38	10.6
Hospital Inpatient.....	56	21.3	12	12.4	68	18.9
Emergency Room.....	10	3.8	2	2.1	12	3.3
Correctional Facility.....	8	3.0	1	1.0	9	2.5
Blood Bank.....	23	8.7	6	6.2	29	8.1
AIDS/Infectious Disease Clinic.....	0	0.0	1	1.0	1	0.3
Other.....	9	3.4	5	5.2	14	3.9
Unknown.....	1	0.4	0	0.0	1	0.3

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1995 to Dec. 1996

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>TYPE OF INSURANCE COVERAGE</b>						
Medicaid.....	37	14.1	37	38.1	74	20.6
State Program.....	1	0.4	0	0.0	1	0.3
Private - Employer.....	32	12.2	8	8.2	40	11.1
Private - Self.....	22	8.4	1	1.0	23	6.4
Medicare.....	0	0.0	0	0.0	0	0.0
CHAMPUS/VA.....	22	8.4	0	0.0	22	6.1
State Funded COBRA.....	1	0.4	0	0.0	1	0.3
Other.....	2	0.8	1	1.0	3	0.8
Unknown.....	146	55.5	50	51.5	196	54.4
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	58	22.1	17	17.5	75	20.8
Public Clinic.....	85	32.3	51	52.6	136	37.8
Emergency Room.....	3	1.1	1	1.0	4	1.1
VA.....	26	9.9	0	0.0	26	7.2
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	86	32.7	28	28.9	114	31.7
Refused.....	1	0.4	0	0.0	1	0.3
Other Facility.....	4	1.5	0	0.0	4	1.1
Unknown.....	0	0.0	0	0.0	0	0.0
<b>KNOWS OF THE FOLLOWING SERVICES IN THE COMMUNITY (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	113	43.0	40	41.2	153	42.5
Social Services.....	148	56.3	48	49.5	196	54.4
Help to access health provider.....	134	51.0	51	52.6	185	51.4
Home health services.....	54	20.5	14	14.4	68	18.9
Homemaker services.....	43	16.3	11	11.3	54	15.0
Shelter assistance.....	90	34.2	33	34.0	123	34.2
Meal assistance.....	95	36.1	39	40.2	134	37.2
Support services.....	132	50.2	43	44.3	175	48.6
Transportation assistance.....	95	36.1	37	38.1	132	36.7
Childcare Assistance.....	34	12.9	16	16.5	50	13.9
Dental Services.....	43	16.3	18	18.6	61	16.9
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	18	21.2	---	---
Vaginal sponge.....	---	---	0	0.0	---	---
Foam.....	---	---	4	4.7	---	---
IUD.....	---	---	2	2.4	---	---
Pill.....	---	---	7	8.2	---	---
Condom.....	---	---	45	52.9	---	---
Diaphragm.....	---	---	0	0.0	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	19	22.4	---	---
Vasectomy.....	---	---	3	3.5	---	---
Rhythm.....	---	---	0	0.0	---	---
Withdrawal.....	---	---	0	0.0	---	---
Other Method.....	---	---	0	0.0	---	---
Abstinence.....	---	---	3	3.5	---	---
Norplant.....	---	---	1	1.2	---	---
Female Condom.....	---	---	1	1.2	---	---
Depo-provera.....	---	---	6	7.1	---	---
Have had a hysterectomy.....	---	---	2	2.4	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN SINCE 1977</b>						
No children.....	---	---	29	29.9	---	---
One child.....	---	---	25	25.8	---	---
Two children.....	---	---	19	19.6	---	---
Three or more children.....	---	---	24	24.7	---	---
<b>NUMBER GIVING BIRTH TO A CHILD WITH HIV</b>						
No children.....	---	---	94	96.9	---	---
One child.....	---	---	3	3.1	---	---
Two children.....	---	---	0	0.0	---	---
Three or more children.....	---	---	0	0.0	---	---

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1997 to Dec. 1998

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	329	100.0	193	100.0	522	100.0
PATIENT CATEGORY						
AIDS.....	120	36.5	52	26.9	172	33.0
Symptomatic HIV, not AIDS.....	9	2.7	4	2.1	13	2.5
Asymptomatic HIV.....	200	60.8	137	71.0	337	64.6
RACE/ETHNICITY						
White.....	48	14.6	15	7.8	63	12.1
Black.....	277	84.2	174	90.2	451	86.4
South/Central American.....	0	0.0	0	0.0	0	0.0
Cuban.....	0	0.0	0	0.0	0	0.0
Mexican.....	0	0.0	1	0.5	1	0.2
Puerto Rican.....	0	0.0	0	0.0	0	0.0
Other Hispanic.....	0	0.0	0	0.0	0	0.0
Asian.....	0	0.0	1	0.5	1	0.2
American Indian.....	3	0.9	0	0.0	3	0.6
Other.....	1	0.3	2	1.0	3	0.6
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	242	73.6	124	64.2	366	70.1
< 12 Years.....	86	26.1	69	35.8	155	29.7
EMPLOYED						
Yes.....	172	52.3	65	33.7	237	45.4
No.....	157	47.7	128	66.3	285	54.6
Refused.....	0	0.0	0	0.0	0	0.0
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	161	48.9	53	27.5	214	41.0
<\$10,000.....	164	49.8	135	69.9	299	57.3
Unknown.....	4	1.2	5	2.6	9	1.7
INCOME SOURCES						
Salary.....	184	55.9	66	34.2	250	47.9
Savings.....	3	0.9	1	0.5	4	0.8
Pension.....	8	2.4	0	0.0	8	1.5
Social Security (SSI or SSD).....	61	18.5	51	26.4	112	21.5
Public Assistance (Welfare).....	2	0.6	18	9.3	20	3.8
Family.....	48	14.6	39	20.2	87	16.7
Friends.....	6	1.8	9	4.7	15	2.9
Other.....	15	4.6	9	4.7	24	4.6
Refused.....	2	0.6	0	0.0	2	0.4
PUBLIC ASSISTANCE RECEIVED (MORE THAN ONE ANSWER COULD BE SELECTED)						
Supplemental Social Security Income.....	54	16.4	36	18.7	90	17.2
Disability Insurance.....	36	10.9	25	13.0	61	11.7
Welfare.....	2	0.6	20	10.4	22	4.2
Food Stamps.....	31	9.4	66	34.2	97	18.6
Families w/Dependent Children.....	0	0.0	20	10.4	20	3.8
WIC.....	1	0.3	15	7.8	16	3.1
Worker's Compensation.....	1	0.3	0	0.0	1	0.2
Unemployment.....	3	0.9	1	0.5	4	0.8
CURRENT LIVING SITUATION						
Alone.....	98	29.8	46	23.8	144	27.6
With Partner.....	50	15.2	17	8.8	67	12.8
With Friends.....	20	6.1	11	5.7	31	5.9
With Family.....	154	46.8	110	57.0	264	50.6
Medical Facility.....	1	0.3	1	0.5	2	0.4
Shelter/Street.....	3	0.9	0	0.0	3	0.6
Jail.....	0	0.0	0	0.0	0	0.0
Other.....	3	0.9	8	4.1	11	2.1
Refused.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	0	0.0	0	0.0

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1997 to Dec. 1998

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>DRUG USE INFORMATION</b>						
Potential Alcoholic.....	109	33.1	52	26.9	161	30.8
Used illicit drugs past 5 yrs.....	147	44.7	87	45.1	234	44.8
Used non-injected drugs past 5 years.....	125	38.0	77	39.9	202	38.7
Ever used injected drugs.....	38	11.6	15	7.8	53	10.2
Used crack.....	60	18.2	58	30.1	118	22.6
<b>PRIMARY NON-INJECTED DRUG USED (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	6	1.8	2	1.0	8	1.5
Cocaine.....	13	4.0	8	4.1	21	4.0
Crack.....	22	6.7	37	19.2	59	11.3
Ice/glass.....	0	0.0	0	0.0	0	0.0
Benzodiazepine.....	0	0.0	0	0.0	0	0.0
Hallucinogen.....	1	0.3	0	0.0	1	0.2
Barbiturates.....	0	0.0	0	0.0	0	0.0
Marijuana.....	81	24.6	30	15.5	111	21.3
Nitrites.....	1	0.3	0	0.0	1	0.2
Amphetamines.....	1	0.3	0	0.0	1	0.2
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	10	3.0	3	1.6	13	2.5
Cocaine.....	17	5.2	6	3.1	23	4.4
Speedball.....	6	1.8	4	2.1	10	1.9
Hallucinogens.....	2	0.6	1	0.5	3	0.6
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants.....	0	0.0	1	0.5	1	0.2
Steroids.....	0	0.0	0	0.0	0	0.0
Other.....	3	0.9	0	0.0	3	0.6
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors that have injected..... in past 5 years	9	23.7	4	26.7	13	24.5
Percent of injectors injecting in past year.....	2	5.3	2	13.3	4	7.5
Percent of those who injected in..... past year that shared needles or syringes	2	100.0	1	50.0	3	75.0
Percent of those who shared in past year..... that clean syringes with bleach	0	0.0	0	0.0	0	0.0
Percent of those who injected in past 5 years..... that have been in treatment in the past 5 years	3	33.3	2	50.0	5	38.5
Percent of those who injected in past 5 years who..... tried but could not get into a treatment program	0	0.0	0	0.0	0	0.0
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT</b>						
Financial.....	2	0.6	1	0.5	3	0.6
Did not meet eligibility criteria.....	0	0.0	1	0.5	1	0.2
Long waiting list.....	2	0.6	2	1.0	4	0.8
Other.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	1	0.5	1	0.2
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	65	19.8	0	0.0	65	12.5
Bisexual.....	8	2.4	5	2.6	13	2.5
Heterosexual.....	181	55.0	153	79.3	334	64.0
No sex.....	75	22.8	35	18.1	110	21.1



Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1997 to Dec. 1998

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>CONDOM USE WITH STEADY PARTNER 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	115	35.0	95	49.5	210	40.3
Sometimes (less than half the time).....	90	27.4	48	25.0	138	26.5
Usually (half the time or more).....	49	14.9	31	16.1	80	15.4
Every time.....	42	12.8	5	2.6	47	9.0
Did not have sex.....	16	4.9	10	5.2	26	5.0
Did not have a steady partner.....	16	4.9	2	1.0	18	3.5
Refused.....	1	0.3	1	0.5	2	0.4
Unknown.....	0	0.0	0	0.0	0	0.0
<b>CONDOM USE WITH OTHER PARTNERS 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	55	17.6	33	18.0	88	17.7
Sometimes (less than half the time).....	75	24.0	29	15.8	104	21.0
Usually (half the time or more).....	41	13.1	11	6.0	52	10.5
Every time.....	65	20.8	19	10.4	84	16.9
Did not have sex.....	74	23.6	90	49.2	164	33.1
Refused.....	2	0.6	1	0.5	3	0.6
Unknown.....	1	0.3	0	0.0	1	0.2
<b>OTHER SEXUAL BEHAVIORS</b>						
Receive money for sex in past 5 years.....	7	2.1	29	15.0	36	6.9
Receive drugs for sex in past 5 years.....	7	2.1	18	9.3	25	4.8
Paid someone for sex.....	77	23.4	2	1.0	79	15.1
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Had one or more STDs in past 10 years.....	108	32.8	82	42.5	190	36.4
Had two or more STDs in past 10 years.....	53	16.1	42	21.8	95	18.2
Visited a public VD clinic in past 10 years.....	95	28.9	62	32.1	157	30.1
Ever been diagnosed with gonorrhea.....	105	31.9	49	25.4	154	29.5
Ever been diagnosed with syphilis.....	40	12.2	24	12.4	64	12.3
Ever been diagnosed with herpes.....	11	3.3	8	4.1	19	3.6
Ever been diagnosed with pelvic inflammatory disease..	---	---	20	10.4	---	---
Ever been diagnosed with other STD.....	58	17.6	81	42.0	139	26.6
<b>REASON FOR HIV TESTING</b>						
Never tested.....	1	0.3	0	0.0	1	0.2
Illness.....	151	45.9	65	33.7	216	41.4
Felt at risk.....	12	3.6	2	1.0	14	2.7
Amnesty program.....	0	0.0	0	0.0	0	0.0
Pre-op for surgery.....	1	0.3	4	2.1	5	1.0
Insurance exam.....	5	1.5	1	0.5	6	1.1
Needle stick follow-up.....	0	0.0	0	0.0	0	0.0
Sex partner contact.....	77	23.4	53	27.5	130	24.9
Donating blood.....	15	4.6	8	4.1	23	4.4
Military recruit.....	0	0.0	0	0.0	0	0.0
Physician recommended.....	9	2.7	5	2.6	14	2.7
Jail or prison screening.....	9	2.7	4	2.1	13	2.5
Offered in clinic.....	5	1.5	12	6.2	17	3.3
Other.....	42	12.8	38	19.7	80	15.3
Unknown.....	2	0.6	1	0.5	3	0.6
<b>LOCATION OF HIV TESTING</b>						
Counseling and Testing.....	22	6.7	4	2.1	26	5.0
STD Clinic.....	99	30.1	56	29.0	155	29.7
Drug Treatment Clinic.....	0	0.0	0	0.0	0	0.0
Family Planning Clinic.....	1	0.3	4	2.1	5	1.0
Prenatal/Obstetrics Clinic.....	0	0.0	7	3.6	7	1.3
Tuberculosis Clinic.....	1	0.3	0	0.0	1	0.2
Other Clinic.....	24	7.3	22	11.4	46	8.8
Private Physician.....	42	12.8	24	12.4	66	12.6
Hospital Inpatient.....	88	26.7	53	27.5	141	27.0
Emergency Room.....	7	2.1	4	2.1	11	2.1
Correctional Facility.....	14	4.3	5	2.6	19	3.6
Blood Bank.....	15	4.6	7	3.6	22	4.2
AIDS/Infectious Disease Clinic.....	3	0.9	1	0.5	4	0.8
Other.....	10	3.0	5	2.6	15	2.9
Unknown.....	3	0.9	1	0.5	4	0.8

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1997 to Dec. 1998

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>TYPE OF INSURANCE COVERAGE</b>						
Medicaid.....	72	21.9	78	40.4	150	28.7
State Program.....	1	0.3	1	0.5	2	0.4
Private - Employer.....	47	14.3	28	14.5	75	14.4
Private - Self.....	25	7.6	7	3.6	32	6.1
Medicare.....	5	1.5	1	0.5	6	1.1
CHAMPUS/VA.....	13	4.0	1	0.5	14	2.7
State Funded COBRA.....	2	0.6	0	0.0	2	0.4
Other.....	1	0.3	1	0.5	2	0.4
Unknown.....	163	49.5	76	39.4	239	45.8
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	114	34.7	79	40.9	193	37.0
Public Clinic.....	114	34.7	67	34.7	181	34.7
Emergency Room.....	7	2.1	3	1.6	10	1.9
VA.....	14	4.3	0	0.0	14	2.7
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	76	23.1	42	21.8	118	22.6
Refused.....	0	0.0	0	0.0	0	0.0
Other Facility.....	4	1.2	2	1.0	6	1.1
Unknown.....	0	0.0	0	0.0	0	0.0
<b>KNOWS OF THE FOLLOWING SERVICES IN THE COMMUNITY (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	187	56.8	133	68.9	320	61.3
Social Services.....	159	48.3	110	57.0	269	51.5
Help to access health provider.....	161	48.9	83	43.0	244	46.7
Home health services.....	94	28.6	76	39.4	170	32.6
Homemaker services.....	62	18.8	33	17.1	95	18.2
Shelter assistance.....	199	60.5	120	62.2	319	61.1
Meal assistance.....	213	64.7	134	69.4	347	66.5
Support services.....	104	31.6	66	34.2	170	32.6
Transportation assistance.....	140	42.6	105	54.4	245	46.9
Childcare Assistance.....	75	22.8	74	38.3	149	28.5
Dental Services.....	85	25.8	72	37.3	157	30.1
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	14	8.9	---	---
Vaginal sponge.....	---	---	0	0.0	---	---
Foam.....	---	---	0	0.0	---	---
IUD.....	---	---	0	0.0	---	---
Pill.....	---	---	34	21.5	---	---
Condom.....	---	---	75	47.5	---	---
Diaphragm.....	---	---	1	0.6	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	23	14.6	---	---
Vasectomy.....	---	---	12	7.6	---	---
Rhythm.....	---	---	1	0.6	---	---
Withdrawal.....	---	---	3	1.9	---	---
Other Method.....	---	---	1	0.6	---	---
Abstinence.....	---	---	3	1.9	---	---
Norplant.....	---	---	4	2.5	---	---
Female Condom.....	---	---	3	1.9	---	---
Depo-provera.....	---	---	12	7.6	---	---
Have had a hysterectomy.....	---	---	7	4.4	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN SINCE 1977</b>						
No children.....	---	---	97	50.3	---	---
One child.....	---	---	30	15.5	---	---
Two children.....	---	---	31	16.1	---	---
Three or more children.....	---	---	35	18.1	---	---
<b>NUMBER GIVING BIRTH TO A CHILD WITH HIV</b>						
No children.....	---	---	185	95.9	---	---
One child.....	---	---	8	4.1	---	---
Two children.....	---	---	0	0.0	---	---
Three or more children.....	---	---	0	0.0	---	---

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1999 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	279	100.0	140	100.0	419	100.0
PATIENT CATEGORY						
AIDS.....	85	30.5	25	17.9	110	26.3
Symptomatic HIV, not AIDS.....	6	2.2	2	1.4	8	1.9
Asymptomatic HIV.....	188	67.4	113	80.7	301	71.8
RACE/ETHNICITY						
White.....	40	14.3	12	8.6	52	12.4
Black.....	229	82.1	127	90.7	356	85.0
South/Central American.....	0	0.0	0	0.0	0	0.0
Cuban.....	0	0.0	0	0.0	0	0.0
Mexican.....	1	0.4	0	0.0	1	0.2
Puerto Rican.....	2	0.7	1	0.7	3	0.7
Other Hispanic.....	2	0.7	0	0.0	2	0.5
Asian.....	0	0.0	0	0.0	0	0.0
American Indian.....	1	0.4	0	0.0	1	0.2
Other.....	3	1.1	0	0.0	3	0.7
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	191	68.5	102	72.9	293	69.9
< 12 Years.....	88	31.5	38	27.1	126	30.1
EMPLOYED						
Yes.....	196	70.3	88	62.9	284	67.8
No.....	82	29.4	52	37.1	134	32.0
Refused.....	1	0.4	0	0.0	1	0.2
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	175	62.7	76	54.3	251	59.9
<\$10,000.....	93	33.3	60	42.9	153	36.5
Unknown.....	11	3.9	4	2.9	15	3.6
INCOME SOURCES						
Salary.....	194	69.5	85	60.7	279	66.6
Savings.....	3	1.1	0	0.0	3	0.7
Pension.....	5	1.8	2	1.4	7	1.7
Social Security (SSI or SSD).....	20	7.2	15	10.7	35	8.4
Public Assistance (Welfare).....	0	0.0	2	1.4	2	0.5
Family.....	42	15.1	25	17.9	67	16.0
Friends.....	8	2.9	7	5.0	15	3.6
Other.....	6	2.2	4	2.9	10	2.4
Refused.....	1	0.4	0	0.0	1	0.2
PUBLIC ASSISTANCE RECEIVED (MORE THAN ONE ANSWER COULD BE SELECTED)						
Supplemental Social Security Income.....	13	4.7	7	5.0	20	4.8
Disability Insurance.....	21	7.5	9	6.4	30	7.2
Welfare.....	0	0.0	3	2.1	3	0.7
Food Stamps.....	17	6.1	23	16.4	40	9.5
Families w/Dependent Children.....	0	0.0	1	0.7	1	0.2
WIC.....	1	0.4	5	3.6	6	1.4
Worker's Compensation.....	0	0.0	0	0.0	0	0.0
Unemployment.....	2	0.7	0	0.0	2	0.5
CURRENT LIVING SITUATION						
Alone.....	81	29.0	34	24.3	115	27.4
With Partner.....	33	11.8	12	8.6	45	10.7
With Friends.....	16	5.7	6	4.3	22	5.3
With Family.....	141	50.5	83	59.3	224	53.5
Medical Facility.....	2	0.7	0	0.0	2	0.5
Shelter/Street.....	3	1.1	1	0.7	4	1.0
Jail.....	0	0.0	0	0.0	0	0.0
Other.....	2	0.7	4	2.9	6	1.4
Refused.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	0	0.0	0	0.0
	1	0.4	0	0.0	1	0.2

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1999 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>DRUG USE INFORMATION</b>						
Potential Alcoholic.....	100	35.8	28	20.0	128	30.5
Used illicit drugs past 5 yrs.....	114	40.9	41	29.3	155	37.0
Used non-injected drugs past 5 years.....	90	32.3	37	26.4	127	30.3
Ever used injected drugs.....	35	12.5	5	3.6	40	9.5
Used crack.....	45	16.1	21	15.0	66	15.8
<b>PRIMARY NON-INJECTED DRUG USED (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	6	2.2	2	1.4	8	1.9
Cocaine.....	14	5.0	3	2.1	17	4.1
Crack.....	19	6.8	15	10.7	34	8.1
Ice/glass.....	0	0.0	0	0.0	0	0.0
Benzodiazpine.....	1	0.4	0	0.0	1	0.2
Hallucinogen.....	1	0.4	0	0.0	1	0.2
Barbiturates.....	1	0.4	0	0.0	1	0.2
Marijuana.....	46	16.5	17	12.1	63	15.0
Nitrites.....	0	0.0	0	0.0	0	0.0
Amphetamines.....	1	0.4	0	0.0	1	0.2
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	10	3.6	2	1.4	12	2.9
Cocaine.....	9	3.2	1	0.7	10	2.4
Speedball.....	13	4.7	2	1.4	15	3.6
Hallucinogens.....	2	0.7	0	0.0	2	0.5
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants.....	1	0.4	0	0.0	1	0.2
Steroids.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors that have injected..... in past 5 years	10	28.6	2	40.0	12	30.0
Percent of injectors injecting in past year.....	4	11.4	2	40.0	6	15.0
Percent of those who injected in..... past year that shared needles or syringes	1	25.0	1	50.0	2	33.3
Percent of those who shared in past year..... that clean syringes with bleach	1	100.0	0	0.0	1	50.0
Percent of those who injected in past 5 years..... that have been in treatment in the past 5 years	6	60.0	2	100.0	8	66.7
Percent of those who injected in past 5 years who..... tried but could not get into a treatment program	1	10.0	1	50.0	2	16.7
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT</b>						
Financial.....	4	1.4	2	1.4	6	1.4
Did not meet eligibility criteria.....	0	0.0	0	0.0	0	0.0
Long waiting list.....	1	0.4	2	1.4	3	0.7
Other.....	2	0.7	2	1.4	4	1.0
Unknown.....	0	0.0	1	0.7	1	0.2
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	52	18.6	2	1.4	54	12.9
Bisexual.....	12	4.3	2	1.4	14	3.3
Heterosexual.....	166	59.5	118	84.3	284	67.8
No sex.....	49	17.6	18	12.9	67	16.0

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1999 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>CONDOM USE WITH STEADY PARTNER 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	142	50.9	75	54.0	217	51.9
Sometimes (less than half the time).....	71	25.4	46	33.1	117	28.0
Usually (half the time or more).....	30	10.8	9	6.5	39	9.3
Every time.....	8	2.9	2	1.4	10	2.4
Did not have sex.....	9	3.2	3	2.2	12	2.9
Did not have a steady partner.....	15	5.4	4	2.9	19	4.5
Refused.....	3	1.1	0	0.0	3	0.7
Unknown.....	1	0.4	0	0.0	1	0.2
<b>CONDOM USE WITH OTHER PARTNERS 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	70	25.9	12	8.8	82	20.2
Sometimes (less than half the time).....	61	22.6	25	18.4	86	21.2
Usually (half the time or more).....	21	7.8	2	1.5	23	5.7
Every time.....	22	8.1	10	7.4	32	7.9
Did not have sex.....	90	33.3	87	64.0	177	43.6
Refused.....	4	1.5	0	0.0	4	1.0
Unknown.....	2	0.7	0	0.0	2	0.5
<b>OTHER SEXUAL BEHAVIORS</b>						
Receive money for sex in past 5 years.....	5	1.8	15	10.7	20	4.8
Receive drugs for sex in past 5 years.....	7	2.5	10	7.1	17	4.1
Paid someone for sex.....	91	32.6	3	2.1	94	22.4
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Had one or more STDs in past 10 years.....	76	27.2	35	25.0	111	26.5
Had two or more STDs in past 10 years.....	37	13.3	20	14.3	57	13.6
Visited a public VD clinic in past 10 years.....	90	32.3	42	30.0	132	31.5
Ever been diagnosed with gonorrhea.....	92	33.0	30	21.4	122	29.1
Ever been diagnosed with syphilis.....	33	11.8	19	13.6	52	12.4
Ever been diagnosed with herpes.....	7	2.5	6	4.3	13	3.1
Ever been diagnosed with pelvic inflammatory disease..	---	---	10	7.1	---	---
Ever been diagnosed with other STD.....	51	18.3	37	26.4	88	21.0
<b>REASON FOR HIV TESTING</b>						
Never tested.....	0	0.0	0	0.0	0	0.0
Illness.....	147	52.7	74	52.9	221	52.7
Felt at risk.....	3	1.1	0	0.0	3	0.7
Amnesty program.....	0	0.0	0	0.0	0	0.0
Pre-op for surgery.....	1	0.4	1	0.7	2	0.5
Insurance exam.....	2	0.7	2	1.4	4	1.0
Needle stick follow-up.....	1	0.4	1	0.7	2	0.5
Sex partner contact.....	49	17.6	25	17.9	74	17.7
Donating blood.....	13	4.7	5	3.6	18	4.3
Military recruit.....	0	0.0	0	0.0	0	0.0
Physician recommended.....	8	2.9	5	3.6	13	3.1
Jail or prison screening.....	17	6.1	1	0.7	18	4.3
Offered in clinic.....	15	5.4	13	9.3	28	6.7
Other.....	21	7.5	12	8.6	33	7.9
Unknown.....	2	0.7	1	0.7	3	0.7
<b>LOCATION OF HIV TESTING</b>						
Counseling and Testing.....	8	2.9	1	0.7	9	2.1
STD Clinic.....	69	24.7	35	25.0	104	24.8
Drug Treatment Clinic.....	0	0.0	1	0.7	1	0.2
Family Planning Clinic.....	1	0.4	2	1.4	3	0.7
Prenatal/Obstetrics Clinic.....	0	0.0	4	2.9	4	1.0
Tuberculosis Clinic.....	0	0.0	0	0.0	0	0.0
Other Clinic.....	9	3.2	9	6.4	18	4.3
Private Physician.....	61	21.9	27	19.3	88	21.0
Hospital Inpatient.....	71	25.4	37	26.4	108	25.8
Emergency Room.....	12	4.3	10	7.1	22	5.3
Correctional Facility.....	18	6.5	2	1.4	20	4.8
Blood Bank.....	16	5.7	4	2.9	20	4.8
AIDS/Infectious Disease Clinic.....	0	0.0	0	0.0	0	0.0
Other.....	14	5.0	7	5.0	21	5.0
Unknown.....	0	0.0	1	0.7	1	0.2

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1999 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>TYPE OF INSURANCE COVERAGE</b>						
Medicaid.....	38	13.6	31	22.1	69	16.5
State Program.....	1	0.4	0	0.0	1	0.2
Private - Employer.....	51	18.3	29	20.7	80	19.1
Private - Self.....	27	9.7	16	11.4	43	10.3
Medicare.....	5	1.8	1	0.7	6	1.4
CHAMPUS/VA.....	14	5.0	1	0.7	15	3.6
State Funded COBRA.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	1	0.7	1	0.2
Unknown.....	143	51.3	61	43.6	204	48.7
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	105	37.6	61	43.6	166	39.6
Public Clinic.....	70	25.1	40	28.6	110	26.3
Emergency Room.....	8	2.9	2	1.4	10	2.4
VA.....	13	4.7	1	0.7	14	3.3
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	78	28.0	34	24.3	112	26.7
Refused.....	1	0.4	1	0.7	2	0.5
Other Facility.....	4	1.4	1	0.7	5	1.2
Unknown.....	0	0.0	0	0.0	0	0.0
<b>KNOWS OF THE FOLLOWING SERVICES IN THE COMMUNITY (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	146	52.3	87	62.1	233	55.6
Social Services.....	106	38.0	53	37.9	159	37.9
Help to access health provider.....	84	30.1	42	30.0	126	30.1
Home health services.....	59	21.1	53	37.9	112	26.7
Homemaker services.....	39	14.0	31	22.1	70	16.7
Shelter assistance.....	159	57.0	97	69.3	256	61.1
Meal assistance.....	188	67.4	107	76.4	295	70.4
Support services.....	67	24.0	33	23.6	100	23.9
Transportation assistance.....	104	37.3	56	40.0	160	38.2
Childcare Assistance.....	39	14.0	40	28.6	79	18.9
Dental Services.....	39	14.0	31	22.1	70	16.7
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	12	10.0	---	---
Vaginal sponge.....	---	---	1	0.8	---	---
Foam.....	---	---	5	4.2	---	---
IUD.....	---	---	1	0.8	---	---
Pill.....	---	---	50	41.7	---	---
Condom.....	---	---	61	50.8	---	---
Diaphragm.....	---	---	8	6.7	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	15	12.5	---	---
Vasectomy.....	---	---	1	0.8	---	---
Rhythm.....	---	---	5	4.2	---	---
Withdrawal.....	---	---	6	5.0	---	---
Other Method.....	---	---	0	0.0	---	---
Abstinence.....	---	---	0	0.0	---	---
Norplant.....	---	---	3	2.5	---	---
Female Condom.....	---	---	6	5.0	---	---
Depo-provera.....	---	---	4	3.3	---	---
Have had a hysterectomy.....	---	---	1	0.8	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN SINCE 1977</b>						
No children.....	---	---	103	73.6	---	---
One child.....	---	---	14	10.0	---	---
Two children.....	---	---	8	5.7	---	---
Three or more children.....	---	---	15	10.7	---	---
<b>NUMBER GIVING BIRTH TO A CHILD WITH HIV</b>						
No children.....	---	---	140	100.0	---	---
One child.....	---	---	0	0.0	---	---
Two children.....	---	---	0	0.0	---	---
Three or more children.....	---	---	0	0.0	---	---

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	1272	100.0	598	100.0	1870	100.0
PATIENT CATEGORY						
AIDS.....	449	35.3	138	23.1	587	31.4
Symptomatic HIV, not AIDS.....	143	11.2	44	7.4	187	10.0
Asymptomatic HIV.....	680	53.5	416	69.6	1096	58.6
RACE/ETHNICITY						
White.....	270	21.2	54	9.0	324	17.3
Black.....	945	74.3	525	87.8	1470	78.6
South/Central American.....	3	0.2	0	0.0	3	0.2
Cuban.....	2	0.2	0	0.0	2	0.1
Mexican.....	4	0.3	1	0.2	5	0.3
Puerto Rican.....	7	0.6	4	0.7	11	0.6
Other Hispanic.....	11	0.9	2	0.3	13	0.7
Asian.....	1	0.1	1	0.2	2	0.1
American Indian.....	6	0.5	1	0.2	7	0.4
Other.....	22	1.7	10	1.7	32	1.7
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	902	70.9	374	62.5	1276	68.2
< 12 Years.....	369	29.0	224	37.5	593	31.7
EMPLOYED						
Yes.....	644	50.6	233	39.0	877	46.9
No.....	627	49.3	365	61.0	992	53.0
Refused.....	1	0.1	0	0.0	1	0.1
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	604	47.5	182	30.4	786	42.0
<\$10,000.....	500	39.3	337	56.4	837	44.8
Unknown.....	168	13.2	79	13.2	247	13.2
INCOME SOURCES						
Salary.....	667	52.4	227	38.0	894	47.8
Savings.....	25	2.0	3	0.5	28	1.5
Pension.....	31	2.4	3	0.5	34	1.8
Social Security (SSI or SSD).....	211	16.6	119	19.9	330	17.6
Public Assistance (Welfare).....	10	0.8	74	12.4	84	4.5
Family.....	213	16.7	108	18.1	321	17.2
Friends.....	38	3.0	41	6.9	79	4.2
Other.....	70	5.5	23	3.8	93	5.0
Refused.....	7	0.6	0	0.0	7	0.4
PUBLIC ASSISTANCE RECEIVED (MORE THAN ONE ANSWER COULD BE SELECTED)						
Supplemental Social Security Income.....	134	10.5	76	12.7	210	11.2
Disability Insurance.....	130	10.2	58	9.7	188	10.1
Welfare.....	10	0.8	48	8.0	58	3.1
Food Stamps.....	132	10.4	203	33.9	335	17.9
Families w/Dependent Children.....	0	0.0	81	13.5	81	4.3
WIC.....	2	0.2	60	10.0	62	3.3
Worker's Compensation.....	1	0.1	1	0.2	2	0.1
Unemployment.....	7	0.6	1	0.2	8	0.4
CURRENT LIVING SITUATION						
Alone.....	350	27.5	109	18.2	459	24.5
With Partner.....	174	13.7	46	7.7	220	11.8
With Friends.....	131	10.3	40	6.7	171	9.1
With Family.....	569	44.7	383	64.0	952	50.9
Medical Facility.....	3	0.2	1	0.2	4	0.2
Shelter/Street.....	24	1.9	4	0.7	28	1.5
Jail.....	3	0.2	0	0.0	3	0.2
Other.....	11	0.9	13	2.2	24	1.3
Refused.....	0	0.0	0	0.0	0	0.0
Unknown.....	6	0.5	2	0.3	8	0.4
	1	0.1	0	0.0	1	0.1

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>DRUG USE INFORMATION</b>						
Potential Alcoholic.....	441	34.7	150	25.1	591	31.6
Used illicit drugs past 5 yrs.....	737	57.9	275	46.0	1012	54.1
Used non-injected drugs past 5 years.....	611	48.0	244	40.8	855	45.7
Ever used injected drugs.....	205	16.1	55	9.2	260	13.9
Used crack.....	317	24.9	172	28.8	489	26.1
<b>PRIMARY NON-INJECTED DRUG USED (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	38	3.0	6	1.0	44	2.4
Cocaine.....	79	6.2	34	5.7	113	6.0
Crack.....	111	8.7	112	18.7	223	11.9
Ice/glass.....	1	0.1	0	0.0	1	0.1
Benzodiazpine.....	3	0.2	0	0.0	3	0.2
Hallucinogen.....	2	0.2	0	0.0	2	0.1
Barbiturates.....	3	0.2	0	0.0	3	0.2
Marijuana.....	363	28.5	92	15.4	455	24.3
Nitrites.....	4	0.3	0	0.0	4	0.2
Amphetamines.....	4	0.3	0	0.0	4	0.2
Other.....	2	0.2	0	0.0	2	0.1
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	53	4.2	8	1.3	61	3.3
Cocaine.....	97	7.6	30	5.0	127	6.8
Speedball.....	37	2.9	14	2.3	51	2.7
Hallucinogens.....	4	0.3	1	0.2	5	0.3
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants.....	8	0.6	1	0.2	9	0.5
Steroids.....	0	0.0	0	0.0	0	0.0
Other.....	6	0.5	1	0.2	7	0.4
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors that have injected..... in past 5 years	80	39.0	24	43.6	104	40.0
Percent of injectors injecting in past year.....	31	15.1	10	18.2	41	15.8
Percent of those who injected in..... past year that shared needles or syringes	14	45.2	6	60.0	20	48.8
Percent of those who shared in past year..... that clean syringes with bleach	8	57.1	1	16.7	9	45.0
Percent of those who injected in past 5 years..... that have been in treatment in the past 5 years	49	61.3	14	58.3	63	60.6
Percent of those who injected in past 5 years who..... tried but could not get into a treatment program	14	17.5	4	16.7	18	17.3
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT</b>						
Financial.....	21	1.7	10	1.7	31	1.7
Did not meet eligibility criteria.....	4	0.3	4	0.7	8	0.4
Long waiting list.....	13	1.0	6	1.0	19	1.0
Other.....	6	0.5	5	0.8	11	0.6
Unknown.....	7	0.6	4	0.7	11	0.6
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	319	25.1	3	0.5	322	17.2
Bisexual.....	51	4.0	9	1.5	60	3.2
Heterosexual.....	614	48.3	499	83.4	1113	59.5
No sex.....	288	22.6	87	14.5	375	20.1



Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>CONDOM USE WITH STEADY PARTNER 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	359	40.8	223	51.9	582	44.5
Sometimes (less than half the time).....	219	24.9	120	27.9	339	25.9
Usually (half the time or more).....	107	12.2	50	11.6	157	12.0
Every time.....	77	8.8	12	2.8	89	6.8
Did not have sex.....	42	4.8	16	3.7	58	4.4
Did not have a steady partner.....	68	7.7	8	1.9	76	5.8
Refused.....	5	0.6	1	0.2	6	0.5
Unknown.....	2	0.2	0	0.0	2	0.2
<b>CONDOM USE WITH OTHER PARTNERS 1 YEAR BEFORE DIAGNOSIS</b> (THIS INFORMATION HAS BEEN COLLECTED SINCE 1995 ONLY)						
Never.....	205	24.5	67	16.2	272	21.7
Sometimes (less than half the time).....	190	22.7	69	16.7	259	20.7
Usually (half the time or more).....	87	10.4	25	6.0	112	9.0
Every time.....	118	14.1	40	9.7	158	12.6
Did not have sex.....	227	27.1	212	51.2	439	35.1
Refused.....	7	0.8	1	0.2	8	0.6
Unknown.....	3	0.4	0	0.0	3	0.2
<b>OTHER SEXUAL BEHAVIORS</b>						
Receive money for sex in past 5 years.....	54	4.2	85	14.2	139	7.4
Receive drugs for sex in past 5 years.....	36	2.8	59	9.9	95	5.1
Paid someone for sex.....	300	23.6	11	1.8	311	16.6
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Had one or more STDs in past 10 years.....	539	42.4	265	44.3	804	43.0
Had two or more STDs in past 10 years.....	279	21.9	154	25.8	433	23.2
Visited a public VD clinic in past 10 years.....	520	40.9	252	42.1	772	41.3
Ever been diagnosed with gonorrhea.....	502	39.5	175	29.3	677	36.2
Ever been diagnosed with syphilis.....	242	19.0	96	16.1	338	18.1
Ever been diagnosed with herpes.....	60	4.7	39	6.5	99	5.3
Ever been diagnosed with pelvic inflammatory disease..	---	---	72	12.0	---	---
Ever been diagnosed with other STD.....	264	20.8	198	33.1	462	24.7
<b>REASON FOR HIV TESTING</b>						
Never tested.....	1	0.1	0	0.0	1	0.1
Illness.....	457	35.9	189	31.6	646	34.5
Felt at risk.....	84	6.6	8	1.3	92	4.9
Amnesty program.....	0	0.0	0	0.0	0	0.0
Pre-op for surgery.....	19	1.5	8	1.3	27	1.4
Insurance exam.....	9	0.7	6	1.0	15	0.8
Needle stick follow-up.....	3	0.2	1	0.2	4	0.2
Sex partner contact.....	229	18.0	140	23.4	369	19.7
Donating blood.....	76	6.0	32	5.4	108	5.8
Military recruit.....	8	0.6	3	0.5	11	0.6
Physician recommended.....	91	7.2	41	6.9	132	7.1
Jail or prison screening.....	55	4.3	7	1.2	62	3.3
Offered in clinic.....	98	7.7	66	11.0	164	8.8
Other.....	133	10.5	92	15.4	225	12.0
Unknown.....	9	0.7	5	0.8	14	0.7
<b>LOCATION OF HIV TESTING</b>						
Counseling and Testing.....	215	16.9	77	12.9	292	15.6
STD Clinic.....	267	21.0	143	23.9	410	21.9
Drug Treatment Clinic.....	16	1.3	11	1.8	27	1.4
Family Planning Clinic.....	3	0.2	11	1.8	14	0.7
Prenatal/Obstetrics Clinic.....	0	0.0	20	3.3	20	1.1
Tuberculosis Clinic.....	3	0.2	1	0.2	4	0.2
Other Clinic.....	71	5.6	49	8.2	120	6.4
Private Physician.....	167	13.1	77	12.9	244	13.0
Hospital Inpatient.....	280	22.0	120	20.1	400	21.4
Emergency Room.....	41	3.2	24	4.0	65	3.5
Correctional Facility.....	63	5.0	9	1.5	72	3.9
Blood Bank.....	68	5.3	27	4.5	95	5.1
AIDS/Infectious Disease Clinic.....	5	0.4	2	0.3	7	0.4
Other.....	67	5.3	25	4.2	92	4.9
Unknown.....	6	0.5	2	0.3	8	0.4

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 South Carolina SHAS interviews from Jan. 1991 to Aug. 2000

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>TYPE OF INSURANCE COVERAGE</b>						
Medicaid.....	205	16.1	205	34.3	410	21.9
State Program.....	6	0.5	2	0.3	8	0.4
Private - Employer.....	188	14.8	81	13.5	269	14.4
Private - Self.....	104	8.2	31	5.2	135	7.2
Medicare.....	16	1.3	4	0.7	20	1.1
CHAMPUS/VA.....	75	5.9	6	1.0	81	4.3
State Funded COBRA.....	3	0.2	0	0.0	3	0.2
Other.....	9	0.7	4	0.7	13	0.7
Unknown.....	666	52.4	265	44.3	931	49.8
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	373	29.3	183	30.6	556	29.7
Public Clinic.....	375	29.5	200	33.4	575	30.7
Emergency Room.....	28	2.2	11	1.8	39	2.1
VA.....	82	6.4	2	0.3	84	4.5
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	393	30.9	197	32.9	590	31.6
Refused.....	2	0.2	1	0.2	3	0.2
Other Facility.....	19	1.5	4	0.7	23	1.2
Unknown.....	0	0.0	0	0.0	0	0.0
<b>KNOWS OF THE FOLLOWING SERVICES IN THE COMMUNITY (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	626	49.2	319	53.3	945	50.5
Social Services.....	604	47.5	292	48.8	896	47.9
Help to access health provider.....	562	44.2	244	40.8	806	43.1
Home health services.....	253	19.9	153	25.6	406	21.7
Homemaker services.....	172	13.5	81	13.5	253	13.5
Shelter assistance.....	517	40.6	294	49.2	811	43.4
Meal assistance.....	592	46.5	318	53.2	910	48.7
Support services.....	515	40.5	211	35.3	726	38.8
Transportation assistance.....	423	33.3	257	43.0	680	36.4
Childcare Assistance.....	166	13.1	151	25.3	317	17.0
Dental Services.....	168	13.2	121	20.2	289	15.5
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	87	17.1	---	---
Vaginal sponge.....	---	---	2	0.4	---	---
Foam.....	---	---	16	3.1	---	---
IUD.....	---	---	4	0.8	---	---
Pill.....	---	---	118	23.2	---	---
Condom.....	---	---	252	49.6	---	---
Diaphragm.....	---	---	10	2.0	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	81	15.9	---	---
Vasectomy.....	---	---	17	3.3	---	---
Rhythm.....	---	---	7	1.4	---	---
Withdrawal.....	---	---	15	3.0	---	---
Other Method.....	---	---	11	2.2	---	---
Abstinence.....	---	---	15	3.0	---	---
Norplant.....	---	---	8	1.6	---	---
Female Condom.....	---	---	10	2.0	---	---
Depo-provera.....	---	---	22	4.3	---	---
Have had a hysterectomy.....	---	---	10	2.0	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN SINCE 1977</b>						
No children.....	---	---	297	49.7	---	---
One child.....	---	---	104	17.4	---	---
Two children.....	---	---	89	14.9	---	---
Three or more children.....	---	---	108	18.1	---	---
<b>NUMBER GIVING BIRTH TO A CHILD WITH HIV</b>						
No children.....	---	---	584	97.7	---	---
One child.....	---	---	13	2.2	---	---
Two children.....	---	---	1	0.2	---	---
Three or more children.....	---	---	0	0.0	---	C

Supplement to HIV and AIDS Surveillance Project (SHAS)  
Summary of results of data: All Respondents, Sep. 2000 - Dec. 2001

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
TOTAL	218	100.0	120	100.0	338	100.0
PATIENT CATEGORY						
AIDS.....	44	20.2	19	15.8	63	18.6
HIV Infection, Not AIDS.....	174	79.8	101	84.2	275	81.4
Not Yet In HARS.....	0	0.0	0	0.0	0	0.0
RACE/ETHNICITY						
White.....	37	17.0	10	8.3	47	13.9
Black.....	177	81.2	110	91.7	287	84.9
South/Central American.....	0	0.0	0	0.0	0	0.0
Cuban.....	0	0.0	0	0.0	0	0.0
Mexican.....	0	0.0	0	0.0	0	0.0
Puerto Rican.....	4	1.8	0	0.0	4	1.2
Other Hispanic.....	0	0.0	0	0.0	0	0.0
Asian.....	0	0.0	0	0.0	0	0.0
American Indian.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	0	0.0	0	0.0
EDUCATION						
>=12 Years.....	169	77.5	88	73.3	257	76.0
< 12 Years.....	49	22.5	32	26.7	81	24.0
EMPLOYED						
Yes.....	137	62.8	73	60.8	210	62.1
No.....	81	37.2	47	39.2	128	37.9
Refused.....	0	0.0	0	0.0	0	0.0
ANNUAL HOUSEHOLD INCOME						
>=\$10,000.....	137	62.8	69	57.5	206	60.9
<\$10,000.....	79	36.2	49	40.8	128	37.9
Unknown.....	2	0.9	2	1.7	4	1.2
INCOME SOURCES						
Salary.....	127	58.3	66	55.0	193	57.1
Savings.....	3	1.4	0	0.0	3	0.9
Pension.....	1	0.5	1	0.8	2	0.6
Social Security (SSI or SSD).....	43	19.7	16	13.3	59	17.5
Public Assistance (Welfare).....	2	0.9	13	10.8	15	4.4
Family.....	32	14.7	18	15.0	50	14.8
Friends.....	1	0.5	5	4.2	6	1.8
No Income/Financial Supp.....	7	3.2	1	0.8	8	2.4
Other.....	2	0.9	0	0.0	2	0.6
Refused.....	0	0.0	0	0.0	0	0.0
CURRENT LIVING SITUATION						
Alone.....	62	28.4	35	29.2	97	28.7
With Partner.....	35	16.1	14	11.7	49	14.5
With Friends.....	15	6.9	6	5.0	21	6.2
With Family.....	99	45.4	60	50.0	159	47.0
Medical Facility.....	1	0.5	1	0.8	2	0.6
Shelter/Street.....	2	0.9	3	2.5	5	1.5
Don't Know.....	0	0.0	0	0.0	0	0.0
Other.....	2	0.9	1	0.8	3	0.9
Refused.....	1	0.5	0	0.0	1	0.3
Correctional Institution.....	0	0.0	0	0.0	0	0.0
.... (Ever Been Arrested and Put in Jail?).....	75	34.4	23	19.2	98	29.0
DRUG USE INFORMATION						
Potential Alcoholic.....	72	33.0	25	20.8	97	28.7
Used illicit drugs.....	118	54.1	48	40.0	166	49.1
Used non-injected drugs past year.....	38	17.4	19	15.8	57	16.9
Ever used injected drugs.....	27	12.4	9	7.5	36	10.7
Used crack.....	37	17.0	20	16.7	57	16.9

Supplement to HIV and AIDS Surveillance Project (SHAS)  
Summary of results of data: All Respondents, Sep. 2000 - Dec. 2001

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>PRIMARY NON-INJECTED DRUG USED IN PAST 12 MONTHS (AMONG NON-INJECTED DRUG USERS)</b>						
Heroin.....	1	0.5	1	0.8	2	0.6
Cocaine.....	5	2.3	2	1.7	7	2.1
Crack.....	13	6.0	5	4.2	18	5.3
Methamphetamine.....	0	0.0	0	0.0	0	0.0
Valium or other benzodiazepines.....	0	0.0	0	0.0	0	0.0
Hallucinogen.....	0	0.0	0	0.0	0	0.0
Barbiturates.....	0	0.0	0	0.0	0	0.0
Marijuana.....	18	8.3	11	9.2	29	8.6
Nitrites.....	0	0.0	0	0.0	0	0.0
Amphetamines.....	0	0.0	0	0.0	0	0.0
Party Drugs (Ecstasy, GHB, etc.).....	1	0.5	0	0.0	1	0.3
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>PRIMARY INJECTED DRUG USED (AMONG INJECTED DRUG USERS)</b>						
Heroin.....	10	4.6	5	4.2	15	4.4
Cocaine.....	6	2.8	2	1.7	8	2.4
Speedball.....	6	2.8	2	1.7	8	2.4
Hallucinogens.....	2	0.9	0	0.0	2	0.6
Barbiturates.....	0	0.0	0	0.0	0	0.0
Stimulants/meth.....	3	1.4	0	0.0	3	0.9
Steroids or Testosterone.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	0	0.0	0	0.0
Unknown Drug.....	0	0.0	0	0.0	0	0.0
<b>INJECTING DRUG BEHAVIORS</b>						
Percent of injectors injecting in past year.....	2	7.4	2	22.2	4	11.1
Percent of those who injected in past year that shared needles or syringes after they used them	0	0.0	1	50.0	1	25.0
Percent of those who injected in past year..... that have been in treatment in the past year	0	0.0	0	0.0	0	0.0
Percent of those who injected in past year who..... tried but could not get into a treatment program	0	0.0	0	0.0	0	0.0
<b>REASONS WHY PERSONS WHO WERE UNABLE TO GET INTO TREATMENT COULD NOT GET TREATMENT (AMONG THOSE WHO INJECTED IN PAST YEAR)</b>						
Financial.....	0	0.0	0	0.0	0	0.0
Did not meet eligibility criteria.....	0	0.0	0	0.0	0	0.0
Long waiting list.....	0	0.0	0	0.0	0	0.0
Other.....	0	0.0	0	0.0	0	0.0
Unknown.....	0	0.0	0	0.0	0	0.0
<b>SEXUAL BEHAVIOR (PAST YEAR)</b>						
Homosexual.....	31	14.2	0	0.0	31	9.2
Bisexual.....	30	13.8	3	2.5	33	9.8
Heterosexual.....	156	71.6	117	97.5	273	80.8
No sex.....	1	0.5	0	0.0	1	0.3
<b>OTHER SEXUAL BEHAVIORS</b>						
Ever received money/drugs for sex.....	10	4.6	24	20.0	34	10.1
Received money/drugs for sex in past year.....	2	0.9	4	3.3	6	1.8
Paid someone for sex (in money or drugs).....	86	39.4	0	0.0	86	25.4
Paid someone for sex (in money or drugs) in past year.....	9	4.1	0	0.0	9	2.7
Ever had sex in a crack house.....	11	5.0	---	---	21	6.2
<b>In Last Six Months, Men Only)</b>						
Had sex with a man in a bath house (or public place)..	6	2.8	0	0.0	6	1.8
<b>SEXUALLY TRANSMITTED DISEASES (OTHER THAN HIV)</b>						
Ever been diagnosed with gonorrhea.....	85	39.0	40	33.3	125	37.0
Ever been diagnosed with syphilis.....	33	15.1	20	16.7	53	15.7
Ever been diagnosed with herpes.....	6	2.8	5	4.2	11	3.3
Ever been diagnosed with pelvic inflammatory disease..	---	---	11	9.2	---	---
Ever been diagnosed with chlamydia.....	19	8.7	32	26.7	51	15.1
Ever been diagnosed with anal/genital warts.....	11	5.0	6	5.0	17	5.0
Ever been diagnosed with other STD.....	13	6.0	28	23.3	41	12.1

Supplement to HIV and AIDS Surveillance Project (SHAS)  
Summary of results of data: All Respondents, Sep. 2000 - Dec. 2001

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>REASON FOR HIV TESTING</b>						
Illness.....	86	39.4	39	32.5	125	37.0
Felt at risk.....	8	3.7	1	0.8	9	2.7
Sex partner is IDU or MSM.....	1	0.5	0	0.0	1	0.3
Sex partner is HIV positive.....	12	5.5	7	5.8	19	5.6
Sex partner was worried I might HIV.....	0	0.0	0	0.0	0	0.0
Needle sharing partner is/was HIV positive.....	0	0.0	0	0.0	0	0.0
Surgery (pre-op).....	3	1.4	1	0.8	4	1.2
Needle stick follow-up.....	0	0.0	0	0.0	0	0.0
Partner Notification by Health Dept.....	14	6.4	11	9.2	25	7.4
Blood Donor.....	2	0.9	4	3.3	6	1.8
Offered as a screening test at a clinic.....	7	3.2	9	7.5	16	4.7
Started new relationship.....	0	0.0	0	0.0	0	0.0
Pregnancy/prenatal visit.....	0	0.0	4	3.3	4	1.2
Routine check-up/physical exam.....	11	5.0	6	5.0	17	5.0
I just wanted to know/was curious.....	36	16.5	18	15.0	54	16.0
Other.....	5	2.3	6	5.0	11	3.3
Unknown.....	33	15.1	14	11.7	47	13.9
<b>LOCATION OF FIRST POSITIVE HIV TEST</b>						
Counseling and Testing.....	9	4.1	6	5.0	15	4.4
STD Clinic.....	27	12.4	15	12.5	42	12.4
AIDS/Infectious Disease Clinic.....	2	0.9	1	0.8	3	0.9
Family Planning Clinic.....	0	0.0	6	5.0	6	1.8
Prenatal/Obstetrics Clinic.....	0	0.0	5	4.2	5	1.5
Tuberculosis Clinic.....	0	0.0	0	0.0	0	0.0
Other Clinic.....	53	24.3	24	20.0	77	22.8
Mobile Test Site.....	1	0.5	0	0.0	1	0.3
Private Physician/HMO (Private Source).....	39	17.9	20	16.7	59	17.5
Hospital Inpatient.....	21	9.6	15	12.5	36	10.7
Hospital Outpatient.....	4	1.8	0	0.0	4	1.2
Emergency Room.....	30	13.8	20	16.7	50	14.8
Correctional Facility.....	13	6.0	1	0.8	14	4.1
Blood Bank.....	4	1.8	4	3.3	8	2.4
Drug treatment clinic.....	0	0.0	0	0.0	0	0.0
Military Facility.....	6	2.8	1	0.8	7	2.1
Insurance clinic, employee clinic.....	3	1.4	2	1.7	5	1.5
School college clinic.....	1	0.5	0	0.0	1	0.3
Home (Home test kit).....	0	0.0	0	0.0	0	0.0
Other.....	4	1.8	0	0.0	4	1.2
Unknown.....	1	0.5	0	0.0	1	0.3
<b>HOW DO YOU THINK YOU GOT INFECTED WITH HIV?</b>						
Sex with Another Man (Men Only).....	45	20.6	0	0.0	45	13.3
Sharing Needles.....	13	6.0	3	2.5	16	4.7
Having Sex with Someone with HIV (Heterosexual).....	104	47.7	93	77.5	197	58.3
Having Sex with a Bisexual Man (Women Only).....	---	---	5	4.2	6	1.8
Blood Transfusion.....	1	0.5	2	1.7	3	0.9
Occupational Exposure.....	1	0.5	0	0.0	1	0.3
Unknown.....	53	24.3	17	14.2	70	20.7
<b>TYPE OF INSURANCE COVERAGE (COULD CHECK MORE THAN ONE)</b>						
Medicaid.....	41	18.8	31	25.8	72	21.3
Medicare.....	14	6.4	3	2.5	17	5.0
Private Insurance.....	58	26.6	36	30.0	94	27.8
TriCare (CHAMPUS).....	4	1.8	10	8.3	14	4.1
Veteran's Administration Coverage.....	10	4.6	1	0.8	11	3.3
Other.....	4	1.8	8	6.7	12	3.6

Supplement to HIV and AIDS Surveillance Project (SHAS)  
Summary of results of data: All Respondents, Sep. 2000 - Dec. 2001

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>SOURCE OF HIV CARE IN PAST YEAR</b>						
Private Physician.....	49	22.5	30	25.0	79	23.4
Public Clinic.....	118	54.1	78	65.0	196	58.0
Emergency Room.....	12	5.5	7	5.8	19	5.6
VA.....	12	5.5	0	0.0	12	3.6
HMO.....	0	0.0	0	0.0	0	0.0
No Care.....	24	11.0	5	4.2	29	8.6
Refused.....	1	0.5	0	0.0	1	0.3
Other Facility.....	2	0.9	0	0.0	2	0.6
Unknown.....	0	0.0	0	0.0	0	0.0
<b>NEEDED FOLLOWING SERVICES IN THE LAST 12 MONTHS (MORE THAN ONE ANSWER COULD BE SELECTED)</b>						
Mental Health.....	19	8.7	15	12.5	34	10.1
Social Services.....	100	45.9	71	59.2	171	50.6
Help to access health provider.....	80	36.7	57	47.5	137	40.5
Home health services.....	3	1.4	2	1.7	5	1.5
Homemaker services.....	1	0.5	0	0.0	1	0.3
Shelter assistance.....	17	7.8	10	8.3	27	8.0
Meal assistance.....	13	6.0	7	5.8	20	5.9
Volunteer Support Services.....	48	22.0	22	18.3	70	20.7
Transportation assistance.....	15	6.9	13	10.8	28	8.3
Childcare Assistance.....	1	0.5	4	3.3	5	1.5
Dental Services.....	22	10.1	9	7.5	31	9.2
HIV Risk Reduction Education.....	98	45.0	74	61.7	172	50.9
HIV Case Management Services.....	95	43.6	72	60.0	167	49.4
<b>EVER TAKEN ANTIRETROVIRAL MEDICINES FOR HIV?</b>						
Yes.....	106	48.6	65	54.2	171	50.6
No.....	112	51.4	55	45.8	167	49.4
Unknown.....	0	0.0	0	0.0	0	0.0
<b>IF NO ANTIRETROVIRAL MEDS, WHAT IS THE MAIN REASON?</b>						
Hasn't had time to start yet.....	41	18.8	35	29.2	76	22.5
Doctor said to wait until later to start.....	12	5.5	7	5.8	19	5.6
Don't think I need them.....	18	8.3	3	2.5	21	6.2
CD4 count is still high, decided not to take them.....	2	0.9	0	0.0	2	0.6
Don't have the money or insurance for medicines.....	3	1.4	0	0.0	3	0.9
Worried about side effects.....	2	0.9	1	0.8	3	0.9
Didn't think I could take them consistently.....	1	0.5	0	0.0	1	0.3
Haven't found a doctor yet.....	9	4.1	2	1.7	11	3.3
Drinking or using drugs - didn't think about meds.....	1	0.5	0	0.0	1	0.3
Never took the time to get into care.....	13	6.0	3	2.5	16	4.7
Didn't want to face the fact I had HIV.....	6	2.8	1	0.8	7	2.1
Other.....	2	0.9	0	0.0	2	0.6
<b>WHAT IS THE MAIN WAY YOUR MEDICINES ARE PAID FOR?</b>						
AIDS Drug Assistance Program (ADAP).....	56	25.7	31	25.8	87	25.7
Health care coverage.....	37	17.0	20	16.7	57	16.9
Get HIV medicines at a public clinic.....	10	4.6	14	11.7	24	7.1
Pay for them myself.....	1	0.5	0	0.0	1	0.3
Not taking any prescription meds for HIV.....	111	50.9	54	45.0	165	48.8
Don't know/not sure.....	3	1.4	1	0.8	4	1.2
<b>IN GENERAL, WOULD YOU SAY YOUR HEALTH IS...?</b>						
Excellent.....	72	33.0	17	14.2	89	26.3
Very Good.....	50	22.9	42	35.0	92	27.2
Good.....	54	24.8	37	30.8	91	26.9
Fair.....	30	13.8	19	15.8	49	14.5
Poor.....	12	5.5	5	4.2	17	5.0

Supplement to HIV and AIDS Surveillance Project (SHAS)  
 Summary of results of data: All Respondents, Sep. 2000 - Dec. 2001

Characteristic	Men		Women		Total	
	Cases	%	Cases	%	Cases	%
<b>PAST YEAR OF BIRTH CONTROL USE AMONG WOMEN WHO HAD SEX WITH A MAN IN PAST YEAR (MORE THAN 1 CHOICE ALLOWED)</b>						
None.....	---	---	14	14.1	---	---
Vaginal sponge.....	---	---	0	0.0	---	---
Foam.....	---	---	0	0.0	---	---
IUD.....	---	---	2	2.0	---	---
Pill.....	---	---	28	28.3	---	---
Condom.....	---	---	43	43.4	---	---
Diaphragm.....	---	---	0	0.0	---	---
Cervical cap.....	---	---	0	0.0	---	---
Tubal ligation.....	---	---	14	14.1	---	---
Vasectomy.....	---	---	0	0.0	---	---
Rhythm.....	---	---	4	4.0	---	---
Withdrawal.....	---	---	6	6.1	---	---
Other Method.....	---	---	0	0.0	---	---
Abstinence.....	---	---	1	1.0	---	---
Norplant.....	---	---	1	1.0	---	---
Female Condom.....	---	---	0	0.0	---	---
Depo-provera.....	---	---	17	17.2	---	---
Have had a hysterectomy.....	---	---	2	2.0	---	---
Morning After Pill.....	---	---	0	0.0	---	---
<b>NUMBER OF CHILDREN BORN TO WOMEN</b>						
No children.....	---	---	48	40.0	---	---
One child.....	---	---	24	20.0	---	---
Two children.....	---	---	22	18.3	---	---
Three or more children.....	---	---	26	21.7	---	---